

EstimatorXpress™ ***Tutorial***

EstimatorXpress™ Tutorial
Version Seven

Software by
Adrian Wild, Steven Mulgrew & James Pizzey

Written by
Steven Mulgrew, Joanna Mulgrew, Liz Leaman & Olivia Wild
House Builder XL Limited

© House Builder XL Limited 2006

HOW TO USE THIS BOOK AND GET STARTED

Firstly, we would like to thank you for choosing **EstimatorXpress™**. We hope that you find **EstimatorXpress™** an invaluable tool, helping you to price work quickly and accurately and manage your building projects professionally and profitably.

Installing EstimatorXpress™

For full details on installing and registering your **EstimatorXpress™** software see page 7.

What Can EstimatorXpress™ Do?

This is perhaps one of the most important sections of this guide as it summaries the capabilities of **EstimatorXpress™** and what it can do for you. For a detailed description see page 9.

Tutorials

To obtain maximum benefit from your **EstimatorXpress™** software, we recommend all new users work through the **Tutorial** in this guide. The Tutorial takes you through the costing and planning of a typical extension and will normally take you approximately 2-3 hours to complete. On completing the Tutorial you will have a good idea of how the system works and what it can do for you. See page 23 to start the Tutorial.

Getting Started With 'Real' Estimates

Once you have grasped the principles of **EstimatorXpress™** you will want to start estimating immediately. However before you start working on a 'real' estimate it is essential to tailor the system to your own requirements to avoid repetitive adjustments to each estimate.

To do this you should:

- [1] Download latest materials prices from hbxl.co.uk into the software **Price Book** (see page 28)
- [2] Speak to your local builders merchant to agree terms on materials and enter them into the **Price Book**
- [3] Check that the labour, plant and subcontract rates accord with your own business and if not, modify them to suit
- [4] Create your own **Specifications** for the different types of work you undertake. By doing this you will avoid repetitive adjustments in each **Estimate** (see page 36)

Additional Help

HBXL takes the accuracy of your project costings as seriously as you do and unlike many companies, we don't skimp on the help we provide to get you and your team up and running as fast as possible. After all, the reason you have purchased **EstimatorXpress™** is to save you time! HBXL offers full technical support from the **Help Team** on **0870 850 0199** provided that you hold a valid **Customer Care** subscription. For more information, please contact HBXL on **0870 850 2444**.

Additional Context Sensitive Help is also available on every software screen by pressing the **F1** key on your keyboard at any time or pressing the **Help button** on every screen.

Contents

HOW TO USE THIS BOOK AND GET STARTED	3
INSTALLING ESTIMATORXPRESS™ & IMPORTANT NOTES	7
1. Install Your EstimatorXpress™ Software	7
2. Launching EstimatorXpress™ For The First Time	7
3. Downloading Latest Material Prices	8
4. Opening Accounts With EstimatorXpress™ Merchant Partners	8
WHAT CAN ESTIMATORXPRESS™ DO?	9
<i>Estimating System</i>	9
<i>Bar Chart Planner</i>	13
<i>Report Manager</i>	14
<i>Standard Workbooks Supplied With EstimatorXpress™</i>	15
<i>Understanding The Different Types Of Workbooks</i>	16
<i>The Specification Linked Workbooks</i>	16
<i>The Composite Items Workbooks</i>	17
<i>The Non-Specification Linked Workbooks</i>	18
<i>The Area, Perimeter And Volume Workbooks</i>	18
<i>Estimating Roofs With EstimatorXpress™</i>	19
PRINCIPLES OF ESTIMATING	20
EXTENSION TUTORIAL	23
Extension Plan	24
Extension Elevation	26
Launching EstimatorXpress™ & The Main Menu	27
Setting Up EstimatorXpress™	28
<i>Downloading Latest Material Rates Into EstimatorXpress™</i>	28
<i>Selecting New Materials From The HBXL Website</i>	30
<i>Creating A New Product In Your Price Book</i>	33
<i>Creating A Specification</i>	36
Creating The Extension Estimate	41
Estimating the Extension	48
<i>Brick & Block Cavity Walls</i>	48
<i>Viewing The Output For The Brick & Block Cavity Walls</i>	57
<i>Extension Slab</i>	60
<i>Suspended Floor</i>	66
<i>Apex Valley Roof</i>	71
<i>Structural Opening</i>	78
<i>Windows</i>	83
<i>Typical Panel Doors</i>	87
<i>Bathroom Fitting Out</i>	93
<i>Subcontract Quotations</i>	96
<i>Drain Runs, Drainage Plant And Manholes</i>	99
<i>Bar Chart Planner</i>	107
<i>Report Manager</i>	112
<i>Printing Out A Customer Quotation In Microsoft Word™</i>	116
GLOSSARY	119
ESTIMATORXPRESS™ TERMS & CONDITIONS	127


INSTALLING ESTIMATORXPRESS™ & IMPORTANT NOTES

1. INSTALL YOUR ESTIMATORXPRESS™ SOFTWARE

1. Insert CD into drive. The CD should Autorun.
2. If Autorun has been disabled, select Run from the Start Menu, type in D:\Setup.exe (where D: is your CD drive)
3. After the installation wizard has started, follow the on-screen instructions until the installation is complete.

2. LAUNCHING ESTIMATORXPRESS™ FOR THE FIRST TIME

Before attempting to run your **EstimatorXpress™** software, it is essential that you check the following:

- Ensure you are running Windows 98 or above
 - Ensure you are running Microsoft Excel 2000 or above
 - Ensure your Microsoft Excel Macro settings are set to medium (for instructions on how to check this please see page 8)
1. To launch the system either double-click on the **EstimatorXpress™** icon on your desktop or select **EstimatorXpress™** from the Start, Programs Menu. 
 2. Once **EstimatorXpress™** starts opening, depending on your system settings, you may need to press **Enable Macros** button on the Microsoft Excel virus protection dialog box.
 3. You will then be required to follow the registration wizard to fill in your contact details and register your copy of **EstimatorXpress™**.

When complete, you will then see the **Main Menu** appears.

PLEASE NOTE ALL NEW USERS ONLY RECEIVE A TEMPORARY 7-DAY LICENCE TO PREVENT PIRACY AND WILL THEN RECEIVE A FULL LICENCE VIA EMAIL TO THE EMAIL ADDRESS GIVEN DURING REGISTRATION ONCE YOUR COPY HAS BEEN VERIFIED.



3. DOWNLOADING LATEST MATERIAL PRICES

You must have a valid **Customer Care** subscription in order to obtain access to the latest materials prices from the hbxl.co.uk website. You can then update your **EstimatorXpress™ Price Book** with around 500 generic products at trade prices automatically maintained for you by HBXL using **Price Tracker Technology**. **Price Tracker** helps you to avoid the tedious and time-consuming task of keeping a **Price Book** up-to-date manually.

4. OPENING ACCOUNTS WITH ESTIMATORXPRESS™ MERCHANT PARTNERS

In addition you may also be able to open **HBXL Trade Accounts** with our Merchant Partners which will give you access to Merchant catalogues on-line @ hbxl.co.uk and the ability to download thousands of new products into your software. Please note that a fee may be payable to access a merchant catalogue and that you must have a valid **Customer Care** subscription to obtain this service.


To find out more about opening **Trade Accounts** with our Merchant Partners, please contact HBXL on 0870 850 2444.

Important Notes About Excel Macros

If a box doesn't pop up asking if you want to Enable Macros upon opening **EstimatorXpress™**, your macro security settings are set too high and your **EstimatorXpress™** software WILL NOT RUN. To remedy this open up Microsoft Excel in the normal way and click Tools > Macro > Security.

On the dialog box that pops up click the Medium option then click OK. Close down Excel.

The next time that you start up your **EstimatorXpress™** software, you should be presented with a dialog box asking if you want to Enable or disable the macros, click Enable.



WHAT CAN ESTIMATORXPRESS™ DO?

Welcome to EstimatorXpress™

Market leading **EstimatorXpress™** is loaded with tools to help you quickly and accurately budget and plan your building works from start to completion, calculating costs and quantities of materials, labour and plant as well as wastage. It even tells you when to order!

EstimatorXpress™ is suitable for the small building business and property developer and can handle extensions, new builds, renovations and conversions working from either a sketch scheme or full working drawing. **EstimatorXpress™** is also fully Part L compliant (Building Regulations governing insulation for all new dwellings). **EstimatorXpress™** is also invaluable for the self-builder.


ESTIMATING SYSTEM

In **EstimatorXpress™** you will find all the components you need to quickly and accurately cost your projects. These components include:

- **Price Book** (containing a list of resources and rates)
- **Specification** (telling you how the **Job** is constructed)
- **Workbooks** (these are the estimating templates where the detailed calculations are undertaken)

Each of these components is stored in **Libraries** within your **EstimatorXpress™** software. It is important to be aware that each time you set up a new estimate, **EstimatorXpress™** automatically makes a **COPY** of each of the above **Library** components (**Price Book**, **Specification** and **Workbooks**) and places the **COPY** in the estimate to create a **Job Price Book**, a **Job Specification** and **Job Workbooks**.

Once you have created your estimate, any changes that you make in the **Job Price Book**, **Specification** or **Workbooks** will NOT affect or damage the Library items.



Let's take a look in more detail at the **Price Book** and **Specification**.

The Master Price Book

EstimatorXpress™ is provided 'out of the box' with a comprehensive **Master Price Book** of 1000+ resources. The **Price Book** is the heart of **EstimatorXpress™** where all the resource rates are contained. The **Price Book** is split into 5 sections:

- Materials
- Labour
- Plant
- Subcontract
- Sundry

To ensure your estimates are always accurate and up-to-date, the material rates within the **Price Book** are linked via Price Tracker technology with an on-line catalogue of 500 product prices. These prices are updated for you by HBXL so that you can simply download any changes in order to keep your **Price Book** up to date. For easy identification, the **Purchase Price** of the web-based items are in bold type within the **Price Book**. In order to access the online Price Tracker service, you must have a valid subscription to **Customer Care**. [To download latest prices into your **Price Book** see page 28.]

You can of course manually add your own resources to the **Price Book** to tailor it to your exact needs and modify the rates at any time to ensure they reflect your local conditions. These items are not linked to the **EstimatorXpress™** website and therefore their prices must be checked and maintained manually.

You can also create your own (secondary) **Price Books** which are saved for future use in the **Library of Price Books**. This feature is only available with the Total Toolkit edition. Note that unlike the **Master Price Book**, these secondary **Price Books** will not be directly plugged into the **EstimatorXpress™ Price Tracker** updates or any on-line merchant catalogues. However, it is possible to synchronise secondary **Price Books** with the **Master Price Book** if you wish.

*[In addition you may also be able to open **HBXL Trade Accounts** with our Merchant Partners which will give you access to merchant catalogues on-line @ hbxl.co.uk and the ability to download thousands of new products into your software. Please note that a fee may be payable. See page 8 for more information]*

Close New Resource Edit Resource Delete Resource Edit Adjustments Download Prices Web Catalogue					
Find Filters (All) Material					
Master Price Book – Material Resources Click here for Help ?					
Editing Mode Description	List Price	Discount	Adjustment	Units of Supply	Purchase Cost
Ballast Bulk Bag	£ 44.00	0.00%	0.00%	EA	£ 44.00
Building Sand Bulk Bag	£ 44.00	0.00%	0.00%	EA	£ 44.00
Building Sand Standard Bag	£ 3.30	0.00%	0.00%	EA	£ 3.30
Kiln Dried Sand Standard Bag	£ 6.60	0.00%	0.00%	EA	£ 6.60
Pea Gravel Bulk Bag	£ 49.00	0.00%	0.00%	EA	£ 49.00
Plastering Sand Bulk Bag	£ 46.00	0.00%	0.00%	EA	£ 46.00
Sharp Sand Bulk Bag	£ 44.00	0.00%	0.00%	EA	£ 44.00
Sharp Sand Standard Bag	£ 3.30	0.00%	0.00%	EA	£ 3.30
Sub Base MOT Type 1 Bulk Bag	£ 50.00	0.00%	0.00%	EA	£ 50.00
Tarmac 20mm base course (16 to 20 Tonne) (Allowance £75)	£ 75.00	0.00%	0.00%	Tonne	£ 75.00

The Specification

EstimatorXpress™ is provided with five standard **Specifications** to get you started. The **Specifications** are stored in the **Library of Specifications**. These standard **Specifications** are **New Build Specification** (Brick & Block), **Timber Frame Specification**, **Extension Specification**, **Renovation Specification** and **Site Fabricated Timber Frame Specification**. Each contains typical **Materials** and associated **Labour** and **Plant** rates for those types of construction. All these resources are sourced from the **Price Book**.

You can modify these standard **Specifications** to contain your choice of **Materials**, **Labour** and **Plant**. E.g. you can define the blocks you prefer and your own usage rate. Pre-defining and saving your preferences early on avoids having to make repetitive adjustments when estimating since the **Materials**, **Labour** and **Plant** you specified will be used as 'standard'. [See page 36 to modify your **Specification**]


This is particularly useful if you repeatedly build houses or extensions of a similar 'style' or **Specification**. For example, you may want to create a **Specification** for high quality brick and block houses using clay tiles and hand-made bricks or you may wish to develop a **Specification** for economy brick and block using concrete tiles and a cheaper brick.

Extension Specification					Click here for Help
Extension Specification		Purchase Units	Purchase Cost	Build Phase	
Item used for:	Description				
Cavity Wall Specification (And General Walling Specification)					
Structural concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations	
Mass concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations	
Cavity Fill	R'mix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85)	M3	£ 85.00	Footings	
Trench Blocks	Trench Block 440 x 215 x 275mm	M2	£ 42.00	Footings	
Blockwork to inner leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 10.00	Footings	
Blockwork to outer leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 10.00	Footings	
Bricks below splash course	Facing Bricks - Provisional (Allowance £0.50 each)	Each	£ 0.50	Footings	
Bricks for use in splash course	Engineering Brick - Class A Blue 65mm	EA	£ 0.70	Footings	
Bricks above dpc less openings	Facing Bricks - Provisional (Allowance £0.50 each)	Each	£ 0.50	Brickwork Shell	
Blocks above dpc less openings	Celcon Block Standard 440 x 215 x 100mm	M2	£ 13.00	Brickwork Shell	
Coursing blocks above dpc	Celcon Block Coursing Brick 3.5N 100mm	M2	£ 28.00	Brickwork Shell	
Coursing blocks to inner leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.55	Brickwork Shell	
Coursing blocks to outer leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.55	Brickwork Shell	
Cavity Insulation	Cavity Wall Insulation 75 x 455 x 1200mm 14 Sheets 7.64m2	EA	£ 35.00	Brickwork Shell	
Brick ties	ANCON Staifix Housing Tie to DD140 Type 4	TH	£ 163.00	Brickwork Shell	
DPC to brickwork	Pitch Polymer DPC 100mm x 20m	EA	£ 22.00	Brickwork Shell	
DPC to blockwork	Pitch Polymer DPC 100mm x 20m	EA	£ 22.00	Brickwork Shell	
Sand below dpc in brickwork	Ballast Bulk Bag	EA	£ 44.00	Footings	
Sand below dpc in blockwork	Ballast Bulk Bag	EA	£ 44.00	Footings	
Sand below dpc in trench blocks	Ballast Bulk Bag	EA	£ 44.00	Footings	
Sand above dpc in brickwork	Ballast Bulk Bag	EA	£ 44.00	Brickwork Shell	
Sand above dpc in blockwork	Ballast Bulk Bag	EA	£ 44.00	Brickwork Shell	
Cement below dpc in brickwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 3.90	Footings	
Cement below dpc in blockwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 3.90	Footings	
Cement below dpc in trench blocks	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 3.90	Footings	
Cement above dpc in brickwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 3.90	Brickwork Shell	
Cement above dpc in blockwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 3.90	Brickwork Shell	
Plaster finish to walls	Board Finish Plaster 25kg	EA	£ 4.80	Plastering	
Plastering to inner blockwall	Plasterboard Square Edge 1200 x 2400 x 9.5mm	SH	£ 5.70	Plastering	
Wall plastering fixing system / basecoat	Plasterboard Adhesive 25kg	EA	£ 8.00	Plastering	
Wall plastering joint treatment	Plasterboard Tape 50mm x 90m	EA	£ 6.20	Plastering	
Skirting boards	Skirting Torus/Ovolo 19 x 125mm (Redwood)	MT	£ 1.80	Joinery 2nd Fix	
Fixings to skirtings	Cut Clasp Nails 65mm x 25kg	BX	£ 64.00	Joinery 2nd Fix	
Decoration to wall or plaster	Contract Emulsion Magnolia 5 Litre	EA	£ 15.00	Internal Decoration	
Primer for skirting boards	Undercoat White 5 Litre	EA	£ 24.00	Internal Decoration	
Under Coat for skirting boards	Undercoat White 5 Litre	EA	£ 24.00	Internal Decoration	
Paint for skirting boards	Gloss Brilliant White 5 Litre	EA	£ 24.00	Internal Decoration	
Excavate trench	Groundworker	Hours	£ 15.00	Foundations	
Backfill trench	Groundworker	Hours	£ 15.00	Footings	
Remove spoil from site	Groundworker	Hours	£ 15.00	Foundations	

The Workbooks

EstimatorXpress™ carries out the estimating in templates or 'Workbooks' as we call them. **Workbooks** are used to cost the different elements of the building process, i.e. House Slab, Cavity Wall, Block Wall, Apex Roof and so on. An estimate will therefore normally be made up of multiple **Workbooks** unless you specialise in certain areas of construction.

Many of the **Workbooks** are linked to the **Job Specification** meaning that the **Workbook** automatically 'looks up' the standard material, labour and plant resources from the **Specification** that you selected when you first created your estimate.



Workbook Name	Remarks	Total Cost	Comments
Subcontract Quotations		£ 2,800.00	
Shallow Access Manhole		£ 306.87	
Drain Runs		£ 127.97	
Drainage Plant		£ 177.20	
Extension Slab		£ 733.48	
Suspended Floor		£ 558.74	
Apex Valley Roof		£ 4,078.28	
Window		£ 1,182.09	
Structural Opening		£ 733.31	
Typical Panel Doors		£ 354.37	
Brick and Block Cavity Wall		£ 6,618.37	
Bathroom and Cloaks		£ 264.54	
*			

Simply enter your dimensions into your chosen **Workbooks** and **EstimatorXpress™** will calculate all of the **Materials**, **Labour**, **Plant**, **Subcontract** and **Sundry** quantities with associated costs in line with your chosen **Specification**.

EstimatorXpress™ comes with over 150 standard **Workbooks**. These **Workbooks** are stored in the **Library of Workbooks**.

You can also create your own **Workbooks** if you find certain works you undertake do not appear within the **Library of Workbooks**. You can do this in two ways. 1) By copying and modifying an existing **Workbook** to create your own bespoke **Workbook** or 2) By creating a completely new **Workbook** by using a composite, area, volume or perimeter or **PowerPack*** **Workbook**.




TIP: As well as complete builds, **EstimatorXpress™** is suitable for estimating individual elements of a build. For example, if you are a roofing contractor you can estimate and schedule just the tiling using one of the various **Workbooks** such as Apex Roof or Apex Truss Roof. Similarly if you are only involved in groundworks, you can estimate just the Drain Runs, Manholes & Plant, Driveways and Slab. If you only undertake foundations, simply use the Cavity Walls **Workbook** and select the **Foundations only** dimensional template.

***PowerPack** is an optional extra software module for experienced **EstimatorXpress™** users available to buy from HBXL. Please call 0870 850 2444 for more details.

BAR CHART PLANNER

EstimatorXpress™ includes an easy to use **Bar Chart Planner** to plan your build program realistically and professionally.



The fully interactive and modifiable chart displays the tasks to be performed throughout your build. Each **Build Phase** (or bar on the chart) is linked to resources in your estimate e.g. the Foundations bar on the chart is linked to all the **Materials, Labour, Plant, Subcontract** and **Sundry** involved with the construction of the foundations.

Depending on the scale of your project you may want to view your chart on a week-by-week or day-by-day basis.

Several charts are included in the **Library of Bar Charts** as standard with the system. You can modify any **Bar Chart** to suit your own project(s). Alternatively you can create your own bespoke charts in minutes by copying and modifying a 'standard' chart to create a new chart, e.g. Refurbishment, and save it to the **Library of Bar Charts** for future use.

You can update your **Job Bar Chart** at any time to reflect changes to your build program e.g. delays due to poor weather. It is also possible to add new bars to the chart specific to your project (if they don't already exist). You can print out your chart in full colour or black and white. These print outs will give you a professional edge when meeting customers and financial lenders. You'll also find them invaluable for on-site management.

REPORT MANAGER

With your **Estimate** and **Bar Chart** complete, **EstimatorXpress™** produces a variety of detailed and professional reports and charts, which you can print out from the **Report Manager**. Reports that can be printed include:

- Costs (with or without VAT)
- Costs (with or without wastage)
- Breakdown of Costs by Build Phase - Pie Chart
- Sales Price including Profit
- Profit Forecast
- Breakdown of Profit by Build Phase - Pie Chart
- Customer Quote
- Cash Flow
- Sales Price Cash Flow - Chart
- Labour Time Schedules
- Plant Task List
- Material Schedule
- Inflated Costs
- PLUS many more!

It is possible to produce a virtually unlimited number of **Reports** by filtering and sorting the estimate data from within the **Report Manager**. Data is fully exportable to Microsoft® Excel.

PLEASE NOTE: Depending on the edition of **EstimatorXpress™** you are using, there will be a different number of Reports available to you. If you are using **EstimatorXpress™ Total Toolkit** you will see over 50 reports available for you to view and print to review the output of your estimate including over 20 charts showing graphical breakdowns of profit, cost, price and cashflow by Workbook, Build Phase, Resource Type and Trade (marked by a pie chart symbol) and over 20 tabular reports including Sales Price inc. Profit, Materials Task List, Basic Costs, Inflated Costs and many more (these reports are marked by a document symbol) that can be viewed and modified to show as much or as little detail as you require. If you are using **EstimatorXpress™ Lite**, you will see a restricted set of these reports.

Build Phase	Item Costs	Wastage Costs	Total Costs	Sum of Profit (Ex VAT)	Sum of Tot Inc Prof(Ex VAT)
Brickwork Shell	£4,070.38	£230.96	£4,301.33	£1,290.40	£5,591.74
Drains	£581.82	£30.22	£612.04	£183.61	£795.65
Electrician 1st Fix	£1,500.00	£0.00	£1,500.00	£450.00	£1,950.00
First Floor Joists	£194.62	£9.97	£204.59	£61.38	£265.97
Footings	£445.70	£27.37	£473.06	£141.92	£614.98
Foundations	£1,018.70	£17.28	£1,035.98	£310.80	£1,346.78
Internal Decoration	£189.12	£2.67	£191.79	£57.54	£249.33
Joinery 1st Fix	£592.73	£47.69	£640.41	£192.12	£832.54
Joinery 2nd Fix	£213.12	£15.09	£228.20	£68.46	£296.66
Oversite and slabbing	£692.65	£40.83	£733.48	£220.04	£953.52
Plastering	£886.98	£14.00	£900.98	£270.29	£1,171.28
Plumb 2nd Fix	£1,300.00	£0.00	£1,300.00	£390.00	£1,690.00
Roof Structure	£1,460.13	£71.91	£1,532.04	£459.61	£1,991.65
Roof Tiling	£1,674.46	£72.51	£1,746.98	£524.09	£2,271.07
Grand Total	£14,820.41	£580.49	£15,400.90	£4,620.27	£20,021.17

STANDARD WORKBOOKS SUPPLIED WITH ESTIMATORXPRESS™

Below is a list of the **Workbooks** supplied with **EstimatorXpress™**. You can modify and save each **Workbook** to suit your way of working or create your own **Workbooks** based on the **Composite, Area, Volume** and **Perimeter Workbooks**.

Apex Truss Roof	Front Door	Removal of Concrete Slab
Apex Valley Roof	Garage Pedestrian Door	Removal of Floorboards
Apex Valley Truss Roof	Garage Slab	Removal of Plaster Ceilings
Area	Garden Walls	Rendering to Walls
Attic Gable Wall Decoration	Gas Flue System	Renovation Slab
Attic Gable Wall Finishing	General Electrical Installation	Replacement Windows
Attic Wall Decoration	Hacking Plaster from Walls	Repointing Brickwork
Back Door	Half Hip Roof	Roof Decoration
Bathroom and Cloaks	Half Hip Truss Roof	Roof Windows
Bathroom Electrics	Hardwood French Door	Scaffolding
Beam and Block Flooring	Header Course	Services Charges
Block Paving	House Slab	Services Installation
Block Wall	Inspection Chamber	Shallow Access Manhole
Brick and Block Cavity Wall	Internal Cavity Block Wall	Single Garage Door
Ceramic Wall Tiling	Internal Lighting	Site Acquisition Costs
Chimney	Internal Stripping Out	Site Appraisal Costs
Clad Dormer Walls For Flat Roof	Internal Timber Frame Studding	Site Clearance and Topsoil
Clad Dormer Walls For Hip Roof	Internal Timber Frame Studding for Gable	Site Establishment
Clad Dormer Walls For Slope Roof	Kitchen Electrics	Site strip
Cleaning	Landscaping	Sleeper Wall
Close Boarded Fencing	Lead Dormer Walls For Flat Roof	Sloping Stud Walling
Complete Room Decoration	Lead Dormer Walls For Hip Roof	Small Structural Opening
Complete Room Plastering	Lead Dormer Walls For Slope Roof	Softwood Windows 1050 Deep
Composite Items	Lean To Roof	Softwood Windows 1200 Deep
Concrete Edgings	Lean to Truss Roof	Soldier Course
Cut Roof Attic Interior	Loft Sundries	Stone Cavity Wall
Conversion	Multileaf Brick Wall	Straight Flight of Stairs
Decoration Sundries	Painting and Decorating Plant	Structural Opening
Decorative finishes	Panel Fencing	Structural Steelwork
Deep Manholes	Paving	Studwall
Demolition of Walls	Pavior edgings	Subcontract Quotations
Dentil Course	Perimeter	Suspended Floor
Design Costs	Plaster Patching	Suspended Timber Ground Floor
Dog Tooth Brickwork	Plastering to Attic Gable End Walls	Tarmac Drive
Double Garage Door	Plastering to Attic Internal Shaped Walls	Tiled Dormer Walls For Flat Roof
Drain Runs	Plastering to Attic Walls and Sloping Ceilings	Tiled Dormer Walls For Hip Roof
Drainage Plant	Plastering to Timbers	Tiled Dormer Walls For Slope Roof
Drylining to Walls	Plastering to Walls	Tiling and Roofing
Electrical Sockets	Plumbing and Heating	Timber Frame Panel
Extension Slab	Post and Netting Fencing	Timber Frame Panel for Gable
External Cavity Block Wall	Post and Rail Fencing	Traditional Brick Coping
External Door Decoration	Post and Wire Fencing	Truss Roof Attic Interior Conversion
External Lighting and Door Bell	PVCu 1800 French Door	Turfing
External Wall Decoration	PVCu 1800 Patio Door	Typical Fire Doors
External Window Decoration	PVCu 2100 Patio Door	Typical Panel Doors
Feature Fire Place and Fire	PVCu 2400 Patio Door	Underpinning
Fitted Kitchen	PVCu Replacement Window	Universal Cut Roof
Flat Roof	PVCu Windows 1050 Deep	Universal Truss Roof
Floor Screed	PVCu Windows 1200 Deep	Utility Room Fitting Out
	PVCu Windows 1200 Deep for Dormer	Volume
	PVCu Windows 900 Deep for Dormer	Windows


UNDERSTANDING THE DIFFERENT TYPES OF WORKBOOKS

The **Workbooks** supplied as standard with **EstimatorXpress™**, can be categorised as one of four types. Each of these **Workbooks** works in a slightly different way to automate and create as much flexibility within the system as possible. It is recommended that you study the different types of **Workbook** to understand their different structures and they how they fit together within the program.


THE SPECIFICATION LINKED WORKBOOKS

The **Specification Linked Workbooks** deal with the main fabric of a house. They include Cavity Walls, Block Walls and Roofs. These **Workbooks** carry out the detailed and complex calculations of the house. For example, the roof **Workbooks** will, with just a few basic dimensions, calculate all of the roof geometry including working out rafter lengths, roof areas and gutter requirements and then estimate all the labour, materials and plant required.

The **Specification Linked Workbooks** are, as the name suggests, linked to the **Specification**, and automatically “look up” the standard **Material**, **Labour** and **Plant** resources defined in the **Specification**.



A **Workbook** can contain several **Worksheets**. For example, you may wish to estimate two different types of cavity wall in one **Job** such as front cavity walls finished in stone and rear cavity walls in brick. You will need two separate **Worksheets**, one for the front and one for the rear, each **Worksheet** reflecting the different materials used in the walls.



Note that the **Specification Linked Workbook** “looks up” the materials from the **Specification**


THE COMPOSITE ITEMS WORKBOOKS

Composite Items Workbooks deal with the highly variable elements of a house and are simply a list of resources that go to make up the cost of any random selection of resources. Examples of **Composite Items Workbooks** include **Fitted Kitchen**, **Bathroom and Cloaks** and **Electrical Sockets**.


Based on a **Composite Items Workbook** you could create your own **Composite Item Workbook** for the cost of fitting out a luxury ensuite bathroom comprising for example:

- Bath
- Basin
- Bidet
- Paint
- Labour Costs...

NOTE: The **Composite Items Workbook** is not dependent on the inputting of dimensions but entering quantities. Other **Composite Items Workbooks** include items such as Bathrooms, Kitchens and Staircases. Note also that this type of **Workbook** is not linked to the **Specification**, as **Materials** and other resources contained in a **Composite Items Workbook**, are by their nature completely “free form” and not governed by the general **Specification**.



Ensuite Bathroom Worksheet in Luxury Bathroom Workbook



Note that the **Composite Items Workbooks** are a selection of resources chosen from the **Price Book**

THE NON-SPECIFICATION LINKED WORKBOOKS

The **Non-Specification Linked Workbooks** are linked to a range of calculators provided within **EstimatorXpress™**, and provide a variety of complex calculations for items such as manholes, fencing, patios, chimneys, plaster patching and other renovation items.

The **Non-Specification Linked Workbooks** are used to estimate quantities and list resources for elements of the build which have **not** been defined in the **Specification**.

THE AREA, PERIMETER AND VOLUME WORKBOOKS


The **Area, Perimeter** and **Volume Workbooks** are provided so that the user can easily create their own calculators based on area, length and volume. They are linked to a calculation tool provided with **EstimatorXpress™**, which works out the area, length and volume of different shapes and multiplies the unit costs by the calculated areas.

Based on an **Area Workbook** you could create your own **Workbook** for costing a wood blocked floor comprising:

- Wood Blocks
- Adhesive
- Sanding
- Labour

In this way, you can quickly build up your own **Library of Workbooks** for the specific **Jobs** you encounter.


NOTE: The **Area, Perimeter** and **Volume Workbooks** are **not** linked to the **Specification**, as Materials and other resources contained in the **Area, Perimeter** and **Volume Workbooks**, are by their nature completely “free form” and not governed by the general **Specification**.



Note that the **Area, Perimeter** and **Volume Workbooks** are a selection of resources you have chosen from the **Price Book**.

ESTIMATING ROOFS WITH ESTIMATORXPRESS™

EstimatorXpress™ can estimate any complex roof structure. Simply break up the roof into sections of **Apex**, **Lean-to**, **Hip End**, **Apex Valley** and **Flat** roofs. The image below demonstrates how to divide a complicated roof structure into its constituent parts for estimating:



You then estimate each section of roof in the relevant **Workbook**, depending on whether you are cutting and fixing the timbers manually or purchasing roof trusses:

Cut Roof	Truss Roof
Apex Roof	Apex Truss Roof
Apex Valley Roof	Apex Valley Truss Roof
Half Hip Roof	Half Hip Truss Roof
Lean To Roof	Lean To Truss Roof
Flat Roof	

Additionally, there are two **Workbooks** that will estimate an entire roof in one: **Universal Cut Roof** and **Universal Truss Roof**. These **Workbooks** require you to take off quantities manually for the different sections of roof.

Re-roofing tasks can be estimated using the **Tiling and Roofing Workbook**.


PRINCIPLES OF ESTIMATING

For a full discussion of estimating techniques, you would need to study an entire book! However, for the purposes of this Tutorial we will take only a couple of pages to discuss the basic principles.

- It is important that you understand the concept of **Production / Usage Factors** as they are at the heart of **EstimatorXpress™**.
- When estimating any build costs, you need to break down the various elements of the build into measurements of length, area, volume or simply a list of components such as doors, lintels, and furniture...

Example: Estimating The Cost Of Floor Joists

Consider the situation where you are estimating the cost of supplying and fixing floor joists. Clearly, you are interested in the number of metres used and the unit cost of fixing that joist.



Assume that you have a joist, 3.6 metres long. The cost of supplying and fixing the joist would be dependent on the size of the joist.

The size of the joist is normally defined in the **Specification**. The raw material **Purchase Cost** of the joists will be looked up from your **Price Book**.

In this example, the joists are purchased at £200.00 per hundred metres. To convert the **Purchase Cost** to the **Estimate Rate**, i.e. how much it costs per metre run, we need to apply the **Production / Usage Factor** of $1/100 = 0.01$ to convert from hundreds of metres to metres thus:

Estimate Rate for Joists =£200.00 x 0.01 =£2.00 per metre

The cost of the material =3.6m x £2.00 =£7.20 each

To calculate the cost of labour to fix the joist is a similar process in that the labour **Purchase Cost** for a joiner might be, say, £12.00 per hour. However it might only take the joiner 5 minutes to fix each metre of joists, i.e. 5 minutes/ 60 minutes = **0.0833** of an hour per metre.

This rate of production is again described in **EstimatorXpress™** as the **Production / Usage Factor**.

The **Estimate Rate** for fixing the joists =£12.00 x 0.0833 =£1.00 per metre

The cost of fixing each joist =3.6m x £1 =£3.60 each

Accordingly the total cost for supplying and fixing the 3.6 m long joist will be, ignoring any wastage of Material or time,

£7.20 + £3.60 = £10.80 each.

(**EstimatorXpress™** contains various templates, which will calculate the lengths and quantities of joists required and apply the unit costs and **Production / Usage Factor** appropriately.)


Example: Estimating The Cost Of A Brick Wall

Let's now consider something a little more complicated, say, a single ½ brick wall.

Let's assume we have a wall, 3 metres long by 2 metres high.

Clearly the area of this wall will be:

Area of Wall = 3m x 2m = 6 m²



The type of brick will normally be looked up from the **Specification** and its associated **Purchase Cost** from the **Price Book**.

The number of bricks per square metre of wall is normally around 60 to the square metre. In this example, assume a cost of £0.25 per brick. To convert the **Purchase Cost** to the **Estimate Rate**, i.e. how much it costs per m², we need to apply the **Production / Usage Factor** of 60 to convert single bricks to m².

Estimate Rate for bricks = £0.25 x 60 = £15.00 per m²

The cost of the material = 6m² x £15.00 = £90 total cost

(Again, wastage has been ignored)

Let's have a close look at pricing up the labour for our brick wall. The simplest way to tackle this is to pay the bricklayer per brick, or per thousand bricks. For example if the bricklayers are being paid, say, £300 per thousand bricks, then the **Production / Usage Factor** per square metre would be:

Production / Usage Factor = 60/1000 = 0.06

Accordingly the labour cost for the wall would be:

Estimate Rate for laying the bricks = £300 x 0.06 = £18.00 per m²

The cost of laying the bricks = 6 m² x £18.00 = £108 total cost

The total cost of the wall, excluding wastage (and mortar!) would be

£90 + £108 = £198.00

(**EstimatorXpress™** contains various templates, which will calculate the area of bricks required and apply the unit costs and **Production / Usage Factor** appropriately.)

NOTE: In **EstimatorXpress™** we always relate **Estimate Rates** to hourly rates for consistency and to avoid having to enter multiple rates for any particular trade. For example let's assume the bricklaying gang is costing £30.00 per hour. Also, assume that we are targeting an **Estimate Rate** of £18.00 per square metre, in these circumstances:

Estimate Rate for laying the bricks = £30 x 0.6 (**Production / Usage Factor**) = £18.00 per m²

The cost of laying the bricks = 6m² x £18.00 = £108 total cost

EXTENSION TUTORIAL

This chapter is designed as a "hands-on" Tutorial for people with no experience of using **EstimatorXpress™** for Excel 2000/XP/2003. It assumes you are an absolute beginner, and gives you explanations and step-by-step guides to:

- Downloading the latest Material prices from hbxl.co.uk
- Creating your own **Specifications**
- Estimating with **EstimatorXpress™**
- Producing **Bar Charts**
- Producing **Reports**
- Producing **Customer Quotations** (Total Toolkit edition only)

This tutorial takes you through estimating an extension (see diagrams on page 24) and demonstrates the basic procedures of **EstimatorXpress™**.

The time required to complete each section is indicated in minutes at the introduction. The whole Tutorial should take approximately 2-3 hours to complete.


When working through the Tutorial you are strongly advised that once you start a particular section, you continue it until it is complete. At the end of each section, you will be shown how to exit **EstimatorXpress™**, should you wish to.



EXTENSION PLAN


Below is a basic plan of the extension that you will be estimating throughout the Tutorial. You will need to refer back to this drawing. All dimensions on the plan are given in metres.

ORIGINAL HOUSE GROUND FLOOR




NOT TO SCALE

EXTENDED HOUSE GROUND FLOOR




NOT TO SCALE

ORIGINAL HOUSE 1st FLOOR



NOT TO SCALE

EXTENDED HOUSE 1st FLOOR



NOT TO SCALE

EXTENSION ELEVATION



This diagram shows the front elevation of the Extension that you will be estimating during the Tutorial. You may need to refer to this during the exercises. All dimensions on the plan are given in metres.

NOT TO SCALE

LAUNCHING ESTIMATORXPRESS™ & THE MAIN MENU

- [1] To launch **EstimatorXpress™** either double-click on the **EstimatorXpress™** icon on your desktop or select **EstimatorXpress™** from the Start, Programs Menu.
- [2] Once the program starts to open, depending on your system settings, you may need to press **Enable Macros** button on the Microsoft Excel virus protection dialog box.



Once you have launched **EstimatorXpress™**, the **Main Menu** will appear (see screen shot below).

My Estimates opens the estimating module of **EstimatorXpress™**.

Download Prices allows you to download the latest price updates from www.HBXL.co.uk Website. If you have an **HBXL Merchant Trade Account** you may also be able to download your personal discounts to your **Price Book**. Please see page 8 for more information.

My Settings opens the **My Settings** menu which provides access to all of the **Libraries** of information which underpin the **Estimates**. From here you can view and edit **Price Books**, **Specifications**, **Workbooks**, **Groups of Workbooks**, **Bar Charts**, **Reports**, **Profit Margins**, **Inflation Rates** and **My Favourites**.



Help allows you to access the Help System. This provides detailed 'How do I' questions and answers together with additional information about each screen. **EstimatorXpress™** Help can be accessed from most screens by clicking the Help button or by pressing the F1 key on your keyboard.

My Projects transfers you to the **My Projects** screen. **Projects** are groups of **Jobs** linked together to form a project. You will not need this button to complete the Tutorial. This feature is only available with the Total Toolkit edition.



TIP: If the **Main Menu** does not appear please see page 8 for details about setting you macro security levels.

SETTING UP ESTIMATORXPRESS™

Before creating an **Estimate**, we are going to introduce you to the **Price Book**. We are also going to look at creating a new **Specification** based upon the **Specifications** supplied as standard with **EstimatorXpress™** to reflect your method of construction.

DOWNLOADING LATEST MATERIAL RATES INTO
ESTIMATORXPRESS™

5.00
Minutes

This exercise will lead you through downloading latest prices from our on-line catalogue, which is the key to accurate estimating. These generic prices are kept up to date using HBXL **Price Tracker** technology.

NOTE: You must have a valid subscription to Customer Care in order to maintain your Price Book by downloading latest prices using Price Tracker. You may also be able to download products from our Merchant Partners' catalogues if you have a Trade Account and have subscribed for this additional service. Please see page 8 for more details.



[1] Having launched **EstimatorXpress™** the **Main Menu** screen will appear.

Click on **Download Prices** button.

[2] You will now see a list of all of the **Materials** supplied as standard with **EstimatorXpress™** and a dialog box automatically pops up asking you if you are currently logged on to the Internet.

CloseNew ResourceEdit ResourceDelete ResourceEdit AdjustmentsDownload Prices

FindFilters (All)Material

Master Price Book - Material Resources

Editing Mode	List Price	Discount	Adj
Description			
Ballast Bulk Bag	£ 44.00	0.00%	
Building Sand Bulk Bag	£ 44.00	0.00%	
Building Sand Standard Bag	£ 3.30	0.00%	
Kiln Dried Sand Standard Bag	£ 6.60	0.00%	
Pea Gravel Bulk Bag			
Plastering Sand Bulk Bag			
Sharp Sand Bulk Bag			
Sharp Sand Standard Bag			
Sub Base MOT Type 1 Bulk Bag			
Tarmac 20mm base course (16 to 20 Ton			
Tarmac 28mm base course (16 to 20 Ton			
Tarmac 6mm wearing course (16 to 20 To			
Dishwasher (Allowance £300)			
Freezer - Built In (Allowance £500)			
Fridge Freezer (Allowance £400)			
Gas Hob (Allowance £200)	£ 200.00	0.00%	
Kitchen Extractor Fan (Allowance £70)	£ 70.00	0.00%	
Microwave (Allowance £400)	£ 400.00	0.00%	
Oven - Built In (Allowance £700)	£ 700.00	0.00%	

EstimatorXpress™

Are you currently logged on to the internet?


YesNo

N.B. With some web browsers, you will have to launch your Internet browser (Microsoft Internet Explorer, Netscape Navigator...) and connect to the Internet manually. We therefore recommend that you do this before you click **Yes**.

If you click **No**, the procedure will be cancelled.

- [3] After a short period, a dialog box will pop up informing you that you can now disconnect from the web if you wish.

NOTE: If products have been discontinued or are no longer available in the on-line catalogue, you will be advised of these at this point.



Close New Resource Edit Resource Delete Resource Edit Adjustments	
Find Filters (All) Material	
Master Price Book - Material Resources	
Editing Mode	List
Description	Price
Ballast Bulk Bag	£ 44.00
Building Sand Bulk Bag	£ 44.00
Building Sand Standard Bag	£ 3.30
Kiln Dried Sand Standard Bag	£ 6.60
Pea Gravel Bulk Bag	£ 49.00
Plastering Sand Bulk Bag	£ 46.00
Sharp Sand Bulk Bag	£ 44.00

- [4] EstimatorXpress™ will now process the downloaded latest prices - this may take a minute or two. If you look at the Status Bar at the bottom of the screen, you will be able to see the progress of the **Price Book** update.

For more information on downloading and applying Merchant Terms to your prices (if applicable) click Help or press the F1 key on your keyboard. Please see page 8 for information on access to Merchant catalogues.

- [5] Your **Price Book** now contains the latest price information and EstimatorXpress™ will automatically filter your **Price Book** to show any items that have been added or whose prices have changed.



1. To close the **Master Price Book** press **Close** button, you are returned to the **Main Menu**.

SELECTING NEW MATERIALS FROM THE HBXL WEBSITE




5.00
Minutes

This exercise will lead you through selecting additional products from the Merchant Catalogue(s) on www.hbxl.co.uk to download into your **Master Price Book**. If you do not want to select additional products at this time, go to page 36 to create your **Specification**.

NOTE: To download additional material prices @ www.hbxl.co.uk, you must have a valid subscription to Customer Care and be the holder of a Trade Account with one of our Merchant Partners. See page 8 for more information.


- 
- [1] From the **Main Menu**, click on **My Settings**.




- 
- [2] From the **My Settings** Menu, click on **My Price Books** button.




- [3] Select the **Master Price Book** with your mouse and then press **Open Price Book** button.




- [4] A dialog box will pop up asking you which part of the **Price Book** you wish to open. Select **Materials** and click **Select**.



- [5]  To select new Materials from www.hbxi.co.uk in order to download them into your **Master Price Book**, click on the **Web Catalogue** button.

- [6] A dialog box pops up asking you if you are currently logged on to the Internet.

N.B. With some web browsers, you will have to launch your Internet browser (Microsoft Internet Explorer, Netscape Navigator...) and connect to the Internet manually. We therefore recommend that you do this before clicking **Yes**.



If you click **No**, the procedure will be cancelled.

- [7] You will now be automatically transferred to www.hbxi.co.uk where you should simply follow the on screen instructions, which involves selecting the items you want to download into your **Price Book**.

EstimatorXpress™'s website www.hbxi.co.uk will now store the items you have selected until you are ready to download them into your PC during your next price download. You can now close your web browser and return to **EstimatorXpress™** software.


- [8]  To download your newly selected new products to the **Master Price Book** of your **EstimatorXpress™** software click the **Download** button from inside the **Master Price Book** or press the

Download Prices button from the **Main Menu**



- [9] A dialog box pops up asking you if you are currently logged on to the Internet.

Click **Yes**.



- [10] **EstimatorXpress™** will now transfer the products to your computer.
 [11] Next a dialog box pops up to advise you that you can now disconnect from the internet if you wish.
 [12] Your **Price Book** now contains the item(s) you selected and **EstimatorXpress™** will automatically filter your **Price Book** to show any items that have been added or whose prices have changed.


From now on, each time you download prices from www.hbxi.co.uk, the prices for these products will be refreshed.


For more information on updating the prices of web-linked resources, click Help or press the F1 key on your keyboard. This service is only available with a valid Customer Care subscription and a Trade Account with one of our Merchant Partners. An additional fee may be payable. Please contact HBXL for more details Tel. 0870 850 2444.


1. To close the **Master Price Book** press **Close** button, you are transferred to the **Library of Price Books**.

2. Press **Close** button again to return to the **My Settings Menu**

3. In **My Settings Menu**, press **Back** button to return to the **Main Menu**.







IMPORTANT REMINDER:

Now you have ensured that the Materials rates are up to date in the Materials section of your Price Book, you should also visit the Labour, Plant, Subcontract and Sundry sections to ensure that their rates reflect your local conditions.

By ensuring the Library Price Book is up to date, all estimates created in the future will contain your accurate prices.

CREATING A NEW PRODUCT IN YOUR PRICE BOOK




5.00
Minutes

This exercise will lead you through manually creating a new product to add to your **EstimatorXpress™ Price Book**. If you do not want to create additional products at this time, go to page 36 to create your **Specification**.


- [1] 
- From the **Main Menu**, click on **My Settings**.




- [2] 
- From the **My Settings Menu**, click on **My Price Books** button.



- [3]
- Select the **Master Price Book** with your mouse and then press **Open Price Book** button.




[4] A dialog box will pop up asking you which part of the **Price Book** you wish to open. For this example, select **Materials** and click **Select**.




N.B. You can follow the same steps described in this exercise to add new products to the **Labour**, **Plant**, **Subcontractor** and **Sundry** sections of the **Price Book**.

[5] First, select a product similar to the product you wish to create. For example, to add a new block to your **Price Book**, click on **Solid Dense Concrete Block 7N 440 x 215 x 100mm** with your mouse.

TIP: Use the **Find** button or the **Filters** near the top of the screen to help you find items in the **Price Book**.



[6]  In the toolbar, click on the **New Resource** button.

[7] A dialog box pops up containing information about the product you selected to use as a template for your new product.

[8] Type over the **Description** field in the dialog box with the name of your new product, in this case **Thermalite Turbo Block 440 x 215 x 100mm**.

[9] Enter the **Unit Cost** and any **Discount** or **Adjustment**.

[10] Select the **Unit of Purchase**, the **Supplier**, the product **Type**.

 **NOTE:** To add a new **Supplier** to your **Price Book**, click on the **Add** button next to the **Supplier/Contractor** drop down box.

[11] Enter **Delivery** and **Payment** times.

[12] Finally, check the **VAT** and **Wastage** rates and click **OK** to save your new product.

Description: Thermalite Turbo Block 440 x 215 x 100mm

Code: 9813008096

Unit Cost (£): 12

Discount (%): 0

Adjustment (%): 0

Net Purchase Cost: £12.00

Units of Purchase: M2

Supplier/Contractor: HBXL Generic Catalogue

Type: Blocks

Delivery (Weeks): 2

Payment (Weeks): 5

Comments/Code:

Last Updated: 01/07/2006

VAT (%): 17.50%

Wastage (%): 10

Buttons: Clear, OK, Cancel

This new product will now be available to use in all future **Jobs**.

1. To close the **Master Price Book** press **Close** button, you are transferred to the **Library of Price Books**.
2. Press **Close** button again to return to the **My Settings Menu**
3. In **My Settings Menu**, press **Back** button to return to the **Main Menu**.



CREATING A SPECIFICATION




Having downloaded latest materials prices from **EstimatorXpress™**'s on-line catalogue and added your own products into your **Price Book**, it is now important to tailor the **Specifications** supplied as standard (**New Build**, **Timber Frame**, **Extension**, **Renovation** and **Site Fabricated Timber Frame**) or create your own **Specifications** to contain your choice of **Materials**, **Labour** and **Plant**, e.g. the blocks you typically like to use and their usage factor. By making and saving your preferences early on, you will avoid having to make repetitive adjustments when estimating future **Jobs**. This is particularly useful if you repeatedly build houses or extensions of a similar 'style' or **Specification**.

This exercise will lead you through the creation of you own **Specification**.




- [1] From the **Main Menu** press **My Settings**.



- [2] From the **My Settings** menu, press **My Specifications**.

- [3] A dialog box will pop up asking you which **Price Book** you wish to use in the **Specification**. Select **Master Price Book** and click **OK**.



Library of Specifications	
Specification name	
Timber Frame Specification	Master
Renovation Specification	Master
New Build Specification	Master
Extension Specification 	Master
Site Fab Timber Frame Spec *	Master

You are transferred to the **Library of Specifications**.

EstimatorXpress™ is provided with five standard **Specifications** within the **Library of Specifications**. These are **New Build Specification** (Brick & Block), **Timber Frame**, **Extension**, **Renovation** and **Site Fabricated Timber Frame** each containing typical **Materials** and associated **Labour** and **Plant** for those types of construction.

- [4] Select **Extension Specification** from the left hand side of the screen to copy.





Press **Copy Spec** button.

EstimatorXpress™

Enter a Specification name.

Name


 

- [5] A dialog box pops up asking you to name the new **Specification** you are creating.


Type **New Specification** or whatever name you think is suitable in the top white cell.

Click **OK** when complete.


You are transferred to your new **Specification**.

New Specification				
Click here for Help 				
New Specification	Description	Purchase Units	Purchase Cost	Build Phase
Item used for:				
Cavity Wall Specification (And General Walling Specification)				
Structural concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations
Mass concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations
Cavity Fill	R'mix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85)	M3	£ 85.00	Footings
Trench Blocks	Trench Block 440 x 215 x 275mm	M2	£ 42.00	Footings
Blockwork to Inner leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 10.00	Footings
Blockwork to outer leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 10.00	Footings
Bricks below splash course	Facing Bricks - Provisional (Allowance £0.50 each)	Each	£ 0.50	Footings
Bricks for use in splash course	Engineering Brick - Class A Blue 65mm	EA	£ 0.70	Footings
Bricks above dpc less openings	Facing Bricks - Provisional (Allowance £0.50 each)	Each	£ 0.50	Brickwork Shell
Blocks above dpc less openings	Celcon Block Standard 440 x 215 x 100mm	M2	£ 13.00	Brickwork Shell
Coursing blocks above dpc	Celcon Block Coursing Brick 3.5N 100mm	M2	£ 28.00	Brickwork Shell
Coursing blocks to inner leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.55	Brickwork Shell
Coursing blocks to outer leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.55	Brickwork Shell
Cavity Insulation	Cavity Wall Insulation 100 x 455 x 1200mm 14 Sheets 5.46m2	EA	£ 45.00	Brickwork Shell
Brick ties	ANCON Stalfix Housing Tie to DD140 Type 4	TH	£ 163.00	Brickwork Shell
DPC to brickwork	Pitch Polymer DPC 100mm x 20m	EA	£ 22.00	Brickwork Shell
DPC to blockwork	Pitch Polymer DPC 100mm x 20m	EA	£ 22.00	Brickwork Shell
Sand below dpc in brickwork	Ballast Bulk Bag	EA	£ 44.00	Footings
Sand below dpc in blockwork	Ballast Bulk Bag	EA	£ 44.00	Footings
Sand below dpc in trench blocks	Ballast Bulk Bag	EA	£ 44.00	Footings

(If you did not create this product, please simply select an alternative resource.)

[10]  Press **Select Resource** button to transfer the resource to your **Specification**.

TIP: You can use the **Find** button to help you find resources more easily in the **Price Book**.



The 'Edit Resource' dialog box contains the following fields:

- Purchase Cost:** Item used for: [Blockwork to Inner leaf below dpc], Thermalite Turbo Block 440 x 215 x 100mm, £12.00 per m²
- Usage:** Usage Units: [M2], Usage Factor: [1.00000]
- Estimate Rate:** £12.00 per m²
- Build Phase:** [Footings]
- Buttons:** [OK] [Cancel]

[11] A dialog box pops up.

Study the box for a moment.

The use of the resource is defined in the left hand corner of the dialog box. In this case as you previously selected a block for substitution in the footings it will say 'Blockwork to Inner leaf below dpc'.

Below this is the unit cost of the blocks together with the unit of supply.

Next are the units of usage, in this case, m², as this is the unit of measurement that **EstimatorXpress™** uses when calculating this item.

As you are buying the blocks in m2 and using them in m2, then the usage factor is 1. For more information on **Usage Factors** see page 20.



TIP: To help you work out what **Usage Factor** you should enter, click on the **Usage Factor Calculator** button






[12] The final option available to you for this product is to define the product's **Build Phase**. This allows you to modify when you would prefer those materials to be on site.

[13] Click **OK**.

[14] You are returned to the **Specification**. You will now see the new resource in the **Specification**.

You will need to review all suggested items in the **Specification** (including Labour and Plant) to check that they accord with your own method of construction. Although this will initially take a little time, once you have set up your **Specification**, all your estimates will precisely reflect the way YOU work, saving you time in the long run.

1. Now your Specification changes are complete, to close and save your Specification , press Close Button. You are transferred back to the Library of Specifications .	
2. In the Library of Specifications , press Close button to return to the My Settings Menu .	
3. In My Settings Menu , press Back button to return to the Main Menu .	

IMPORTANT REMINDER:

The **Specification** you have just created has now been stored within the **Library of Specifications**.


It is important to be aware that each time you set up a new estimate, **EstimatorXpress™** will automatically make a **COPY** of your chosen **Specification** and place the **COPY** in your estimate. This **COPY** can be viewed or changed at any time by double clicking on the **Spec** tab from within a **Job**.

This means that you can make changes to the **Specification** for the **Job** in hand without altering your **Master Specification** that is stored in the **Library of Specifications** inside **My Settings**.

For additional Help press the help button or press the F1 Key on your keyboard.

CREATING THE EXTENSION ESTIMATE

Let's start Estimating!




- [1] Having launched EstimatorXpress™ the **Main Menu** screen will appear.




To begin the Extension Demonstration Estimate, press **My Estimates** button.


- [2] EstimatorXpress™ transfers you to the **My Jobs Screen**. This is a list of all the **Jobs** you have estimated together with their estimated values and details of when they were last edited. If this is the first time that you have used the system no **Jobs** will be listed.



To create a new Estimate, press **New Estimate** button.


- [3] A dialog box then pops up. Enter a name for your **Job**, for example, enter Mr Phillips.
- [4] Next give the **Job** a brief description from the drop-down menu. (This description simply helps to describe the **Job** and does not affect the outcome of any calculations.) Click **Next**.





- [5] Now select the **Master Price Book** from the drop down menu by clicking on the down arrow. (When you purchase **EstimatorXpress™**, only the **Master Price Book** exists but you can also create your own if you are using Total Toolkit edition).

When you have selected **Master Price Book** click **Next**.




- [6] Next, select a **Specification** for use in the Estimate.

The **Specification** is a list of resources chosen from the **Price Book**, which define the materials, plant and labour used in the main fabric of the building, that's to say, how the **Job** is constructed.

Select the **New Specification** that you created earlier in the tutorial (see page 36) from the drop down box in the dialog. (When you purchase **EstimatorXpress™**, a **New Build (Brick & Block) Specification**, **Timber Frame Specification**, **Extension Specification**, **Renovation Sepcification**, and a **Site Fabricated Timber Frame Specification** are included).

When finished, click **Next**.



- [7] In the next dialog box, you are required to choose a **Group of Workbooks** or a bespoke set of **Workbooks** which most closely matches your **Job**. **Workbooks** are the estimating calculators of the system. In this case, select **Extension Demonstration** from the drop-down. Note that you can add or delete extra **Workbooks** to a **Job** by ticking or unticking the relevant check boxes in the list below.


The **Extension Demonstration** has been pre-prepared to include the main **Workbooks** you will need to estimate an extension. The **Extension Demonstration** includes **Workbooks** to cost cavity walls, slab, suspended floor, apex valley roof, structural opening, block walls, internal doors, drain runs, manhole and drainage plant, windows, and subcontractors. When you have selected **Extension Demonstration** click on **Next** button.



TIP: EstimatorXpress™ comes with several **Groups of Workbooks** that include all the **Workbooks** that might need to be considered for estimating a house, a flat roof extension, an apex roof extension, typical renovation etc. You can also create your own **Groups of Workbooks** for the different types of work you carry out by visiting **My Groups of Workbooks** from inside the **My Settings Menu**. For example if you regularly build offices, you can create an office **Groups of Workbooks** which lists all of the typical estimating templates or **Workbooks** encountered whilst building offices.

For more information about Creating Groups of Workbooks, from the **My Settings Menu** click on **My Groups of Workbooks** button and press **Help** or press your **F1 Key** on your keyboard.

- [8] Next enter a start date for your **Job** by clicking the calendar button and select a **Bar Chart** type from the drop-down box that will be used as a template to plan your **Job** later on. Click **Next**.



[9] Now enter the Customer's **Name** and **Address Details**. These will appear on your printed quotation later should you choose to print one. You can skip this step if you wish by simply clicking **Next**.

NOTE: You can add or change these details from within the **Job** later on.

Estimate Wizard - Step 6 of 9

Enter your customer address details.

It is recommended that you enter these now so they appear on your reports and quotes.

Name:

Mr Phillips

Address 1:

69 Hayward Road

Address 2:

Bristol

Address 3:

Postcode:

BS49 1XY

Tel:

X

Cancel

Back

Next

[10] Now confirm your target **Profit Margins** for this **Job**. Click **Next** when you are happy with them.

NOTE: You can edit the **Profit Margins** from within the **Job** later on.

Estimate Wizard - Step 7 of 9

Confirm your Profit Margins.

Labour %

30

Plant %

30

Material %

30

Subcontractor %

30

Sundry %

30

X

Cancel

Back

Next

- [11] Now confirm any **Inflation Rates** you would like to apply to the **Job** and then click **Next**.

NOTE: You can edit the **Inflation Rates** from within the **Job** later on.

Estimate Wizard - Step 8 of 9

Confirm your Inflation Rates.

Labour %	<input type="text" value="5"/>
Plant %	<input type="text" value="5"/>
Material %	<input type="text" value="5"/>
Subcontractor %	<input type="text" value="5"/>
Sundry %	<input type="text" value="5"/>
Delay before inflating cost in weeks	<input type="text" value="13"/>

- [12] Now click **Finish** to complete the creation of your **Job**. **EstimatorXpress™** will now build your estimate using the information you have entered.

Estimate Wizard - Step 9 of 9

Click Finish to build your Estimate. This may take a few seconds.

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last
Subcontract Quotations						
Shallow Access Manhole				Yes		
Drain Runs				Yes		
Drainage Plant				Yes		
Extension Slab				Yes		
Suspended Floor				Yes		
Apex Valley Roof				Yes		
Window				Yes		
Structural Opening				Yes		
Typical Panel Doors				Yes		
Brick and Block Cavity Wall				Yes		

No of Items 11

Sub Total £ -
(ex: VAT & Profit)

Remarks

[13] **EstimatorXpress™** then transfers you to the **Job Summary** screen. This screen provides an overall summary of the estimate.

From this screen, you can open individual **Workbooks** to estimate the various parts of your **Job**.

By double clicking on the tabs along the top of the screen, you can also access the **Price Book** and **Specification** which have now been copied into your **Job**, access the **Bar Chart Planner** and **Report Manager** as well as modify the **Customer Address** details and change the **Job Inflation Rates** and **Job Profit Margins**.

Note that from within the **Price Book** tab inside a **Job**, you can also synchronise the prices being used in this **Job** with the **Master Price Book**.

Press **Help** or **F1 Key** on your keyboard for further details.

You have now assembled the basic elements for estimating the extension. You have:

- ✓ Named the **Job** and entered a **Customer Address**
- ✓ Selected a **Price Book**
- ✓ Selected a **Specification** (to tell **EstimatorXpress™** what **Materials, Labour, Plant...**to use in your Estimate)
- ✓ Chosen a **Group of Workbooks** (to tell **EstimatorXpress™** what elements are included in the Estimate)
- ✓ Specified a **Job Start Date** and selected a **Bar Chart**
- ✓ Set **Profit Margins** and **Inflation Rates**

You are now ready to start estimating!

NOTE: **EstimatorXpress™** has made COPIES of the Price Book, Specification and Workbooks and transferred them into your Estimate, ensuring you do not damage the originals.

Any changes you make to the Price Book, Specification and Workbooks in your estimate *will not* affect the Master Price Book, Specification and Workbooks in their respective Libraries. Remember that the Master versions of the Price Book, Specification and Workbooks can only be viewed or modified using the My Settings Menu.

If you wish to stop and close the estimate you have created so far:

1. Press **Close** button on the top left of the screen **Job Summary** Screen.
2. You will now be in the **My Jobs** screen. Close this screen, once again using **Close** button.
3. You are now transferred to the **Main Menu** screen. To close **EstimatorXpress™** press **Exit** button on the top right of screen.



ESTIMATING THE EXTENSION



30.00
Minutes

BRICK & BLOCK CAVITY WALLS

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.
If you have joined this tutorial after having closed **EstimatorXpress™**, see the following steps:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.



Now that you have set up the extension estimate, you can now start actually estimating. This exercise will lead you through the estimating of the **Brick & Block Cavity Walls** and **Gables** for the extension.

The **Brick & Block Cavity Wall Workbook** is an example of a **Specification Linked Workbook**, which is linked to the **Specification**. Notice that there is a **Yes** in the column **Linked to Spec?** to indicate this. As its name suggests, this means that it is populated with resources from the **Specification** (see page 16 for further explanation). To estimate the walls, you will enter your dimensions into the system and **EstimatorXpress™** will then schedule all **Materials**, **Labour** and **Plant** required and estimate their associated costs. The **Brick & Block Cavity Wall Workbook** will estimate the foundations, blockwork, brickwork, cavity insulation, plastering, skirting and decoration if needed.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate Save Email						
Summary Price Book Spec Chart Reports Address						
Mr Phillips, Extension: Job Summary						
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last
Subcontract Quotations						
Shallow Access Manhole						
Drain Runs						
Drainage Plant						
Extension Slab				Yes		
Suspended Floor				Yes		
Apex Valley Roof				Yes		
Window				Yes		
Structural Opening				Yes		
Typical Panel Doors				Yes		
Brick and Block Cavity Wall				Yes		
No of Items 11		Sub Total	£ -			
Remarks		(ex VAT & Profit)				

[1] The **Job Summary** screen is the “control centre” or “hub” of your Estimate.

Notice that **EstimatorXpress™** has copied the Extension Demonstration **Workbooks** into the **Job Summary** screen.

At this stage, no costs are indicated for each **Workbook**, as you have not carried out any estimating for the extension.

For further **Help** about this screen press the help button or press the function key **F1**.

NOTE: If any of the descriptions are not fully visible in any cell or you see ##### anywhere on screen, select the **Autofit** option from the **View** drop-down menu in the Menu bar at the very top of the screen. This will automatically fit any text into the cell.





TIP: To the right of each **Workbook** name you will see a small **Help** button. Click on any of these for detailed information about exactly what each **Workbook** will estimate.

- [2] To start estimating, select a **Workbook** from the left-hand side of the screen with the cursor.

Click on **Brick & Block Cavity Wall**.



Press **Open Workbook** button.



- [3] EstimatorXpress™ transfers you to the **Summary of Brick & Block Cavity Wall Workbook**.

The **Summary of Brick & Block Cavity Wall** is used to list different **Worksheets** that are stored within each **Workbook**.

Each **Worksheet** in this **Workbook** can contain a Cavity Wall with a slightly different **Specification**.

NOTE: In addition to the standard **Brick & Block Cavity Wall**, EstimatorXpress™ also contains **Workbooks** for estimating **Stone Facing Cavity Walls**, **Block Cavity Walls** and **Multileaf Brick Cavity Walls** amongst others, plus you can copy any of these **Workbooks**, substitute your own **Specification** and choice of **Materials** to create your own personalised **Workbooks**.


TIP: If you wanted to add any additional **Worksheets** to the **Brick & Block Cavity Walls Workbook**, you can simply click the **Add Worksheet** button located on the Toolbar and the dialog box asking for a Name and Location for your new **Worksheet** will appear again.

- [4] If this is the first time you have opened the **Brick & Block Cavity Wall Workbook**, a dialog box will automatically pop up, asking you to create a **Worksheet**. You will be prompted to type in a name for the **Worksheet**. Type **External Walls** into the top white cell. Do not enter full stops, apostrophes, commas or other symbols.

You must then select a location using the drop down box. Scroll down using the pull down arrow until you find **Extension**. Select **Extension**.

Click **OK** when finished.

NOTE: You must complete **both** boxes on the dialog box before clicking **OK**.




- [5] **EstimatorXpress™** then transfers you into the **Dimensions** section of the **External Walls Worksheet** and another dialog box will pop up, asking you to select a wall template. In order to help you begin estimating the **Brick & Block Cavity Walls**, **EstimatorXpress™** already contains several template wall types containing example dimensions including **Single storey cavity wall**, **Double storey cavity wall**, **Foundations only** and **Gable only**.

NOTE: When you are estimating your own **Jobs** in the future, it doesn't matter if the template you choose does not match the requirements of your **Job** exactly as you can modify the template once you have selected it.


- [6] For this two storey extension, select **Double storey cavity wall** and click **Select**.

Close Add Column Copy Column Delete Column Dims Wizard		
Summary Price Book Spec Chart Repc		
Mr Phillips, Extension: Brick and Block Cavity Wall Extension Walls		
£	-	
Mr Phillips		
Brick and Block Cavity Wall Extension Walls Worksheet		
Location		Totals
Description of Wall	Unit	
No of identical walls	No.	-
Length of main wall	M	
Height of main wall	M	
Area of openings in main wall	M2	
Foundation depth below site strip	M	
Structural concrete thickness	M	
Mass concrete thickness	M	
Height of Trench Blocks	M	
Foundation width	M	



Enter Dimensions Page 1 of 4

Wall dimensions



Area of openings in main wall (M2) 0

No of identical walls (No.) 1,000

WALL ELEVATION

Gable details ☐ Show Tech Tip: ☐ Show Tech Labels

Cancel Back Next


- [7] The **Double storey cavity wall** template has now been transferred to your estimate for you to start entering dimensions and the **Dimensions Wizard** dialog box has popped up. The **Dimensions Wizard** contains drawings to assist you in entering and confirming dimensions.



TIP: EstimatorXpress™ won't let you estimate any unrealistic or inappropriate figures. When you have entered dimensions into the **Dimensions Wizard** screens, **EstimatorXpress™** checks the information you have entered using its built in **Data Checker**. If it detects that any abnormally large or small data, or data of the wrong type (e.g. a letter in a numerical cell) has been entered, a dialog box will pop up asking you to re-check the information you entered.

Enter Dimensions Page 1 of 4

Wall dimensions



Area of openings in main wall (M2) 0

No of identical walls (No.) 1,000

WALL ELEVATION

Gable details ☐ ☒ Show Tech Tip: ☐ Show Tech Labels

Cancel Back Next

Height of main walls:
The height of the wall is the overall external brickwork measurement measured from ABOVE the dpc. For simplicity differences between the height of the inner blockwork leaf and outer leaf are ignored.

- [8] Dimensions are entered into the system using a series of drawings for each **Workbook** so that you can see which measurement you should be typing in. Once you are happy with a dimension, press **Enter** on your keyboard or use the tab key to move to the next one. The software is programmed to move from cell to cell when you press **Enter**.

TIP: To see explanations of the dimensions, click on the **Show Tech Tip** check box on the bottom of the dialog box and a hint will appear on the top right hand corner of the screen.


TO ESTIMATE WALL 1 & 2:

If you examine the extension plan on page 24, you will see there are 3 walls, 2 identical walls and 1 with a gable and window to each floor:

Wall No.	Length (m)	Door & Window Area (m ²)
1	2.5	0
2	2.5	0
3	4	=1.8*1.2*2 = 4.32

- [9] Let's start with the 2 identical walls. In the cell showing the **Height of Wall**, enter 4.6. (Do not type in m for metres!). Press **Enter** to move to the next cell.
- [10] Now enter the **Wall Length** of 2.5 and press **Enter** on your keyboard.
- [11] Enter **0** for **Area of openings in main wall** and press **Enter** on your keyboard.
- [12] Confirm that **Height of Coursing Blocks above DPC** is 0.
- [13] The next cell is called **No. of Identical Walls**. As there are 2 identical walls in this extension, enter 2 and then click **Next**.

- [14] EstimatorXpress™ is now asking you for details of the **Foundation**. Confirm or make any changes to the **Foundation Depth**, **Structural Concrete Thickness**, **Mass Concrete** (if any), **Foundation Width**, whether you want to allow for **Planking and Strutting** and the **Bulking Factor** for spoil using your own usual methods, pressing **Enter** to move from one cell to the next.
- [15] Click **Next** when you want to move on to the next screen.



- [16] Now confirm or make any changes you think are necessary to the **Footling Details**.

If you are unsure what dimension the software requires, turn on the **Tech Tips** by clicking on **Show Tech Tips** checkbox. Extra help will appear in the top right hand corner of the dialog box.

Click **Next** when you are satisfied with the footling details.

TIP: Clicking **Show Tech Labels** check box underneath the graphic will switch on useful extra labels on the drawings.



- [17] Finally confirm the **Finishes** for the **Brick & Block Cavity Walls**. On this screen you can decide if you want to include plastering, decorating and skirting boards in your estimate. To exclude any of these items, simply change the Y to an N.

Click **Finish** when you have checked these details.

EstimatorXpress™ has now closed the **Dimensions Wizard** and returned you the **Brick & Block Cavity Wall External Walls Worksheet** that you have created. The white column now contains all the dimensions you have just entered for the 2 identical walls.



NOTE: To add or modify the dimensions on any **Worksheet** that already contains a white column of dimensional data, press the **Dims Wizard** button at any time. The dialog box containing drawings will then pop up again.

Close Add Column Copy Column Delete Column Dims Wizard

Summary Price Book Spec Chart Report

Mr Philips, Extension: Brick and Block Cavity Wall External Walls Worksheet

£	3,662.21	
Mr Philips		
Brick and Block Cavity Wall External Walls Worksheet		
Location	Wall 1 and 2	Totals
Description of Wall	Double storey cavity wall	
	Unit	
No of identical walls	No.	2.000
Length of main wall	M	2.500
Height of main wall	M	4.600
Height of coursing blocks above dpc	M	-
Area of openings in main wall	M2	-
Foundation depth below site strip	M	0.900
Structural concrete thickness	M	0.400
Mass concrete thickness	M	-
Height of Trench Blocks	M	0.225
Foundation width	M	0.600

[18] Label this column of information by clicking on the white cell above where it says **Double storey cavity wall** and type **Wall 1 and 2**.

TO ESTIMATE WALL 3:


If you examine the elevation on page 26 you will see there is a front gable.

[19]  To create this wall including its gable, press **Add Column** button.

[20] Click on **Double storey cavity wall** again and then press **Select**.

The **Dims Wizard** opens automatically again.

- [21] Enter **Wall Height** of 4.6 as before and press **Enter** to move to **Wall Length**.
- [22] Type in **Wall Length** 4.0 in the cell labelled **Wall Length**. Press **Enter** key.
- [23] The extension will have a 1.8m x 1.2m window to each storey of the front elevation. To work out the wall area that will be omitted, in the cell labelled **Area of openings in main wall** calculate the area (i.e. =1.8 x 1.2 x 2) and enter 4.32 then press **Enter** key.
- [24] Leave the **Height of coursing blocks above dpc** as 0.
- [25] Leave the **No. of Identical Walls** as 1.



NOTE: By inputting the door and window area, **EstimatorXpress™** is simply calculating the wall area to be omitted. This will then deduct the bricks, blocks, plastering etc from the overall wall...the actual windows and reveals will be added later!

- [26] Now click on the **Gable Details** button located in the bottom left of the **Dimensions Wizard** box.
- [27] The **Gable Details** screen is displayed.
- [28] Enter **Width of Brick Gable** of 4.00.
- [29] Enter **Height of Brick Gable** of 3.00.
- [30] Click **Return** when you have finished on this screen.

Page 1 Additional Inputs

Gable details

Height of brick gable:
Enter the height in metres of a conventional triangular gable.

IDENTIFY GABLE TYPE AND ENTER CORRESPONDING DIMENSIONS A & B

Area of openings in gable (M)

Width of brick gable (M) A

Height of brick gable (M) B

TYPICAL LEAN TO ROOF GABLE ELEVATION TYPICAL APEX ROOF GABLE ELEVATION

Return ☒ Show Tech Tip ☐ Show Tech Labels

- [31] Click **Next** to review the **Footing** details as before.
- [32] Continue estimating the rest of **Wall 3** by confirming and modifying where necessary the rest of the dimensions shown in the dialog boxes. Press the **Enter** key to move from one cell to the next cell and use the **Next** and **Back** buttons to move between the screens.
- [33] When you reach page 4, click **Plastering and Decoration to Gable** button on the bottom left of the **Dimensions Wizard**.
- [34] Carefully check the **Dimensions** and other information relating to **Plastering and Decoration to Gable** and then click **Return** to go back to page 4 of the **Dimensions Wizard**.
- [35] Click **Finish**.

Page 4 Additional Inputs

Plastering and decoration to gable

IDENTIFY GABLE TYPE AND ENTER CORRESPONDING DIMENSIONS A, B, C & D

SECTION THROUGH TYPICAL APEX GABLE SECTION THROUGH TYPICAL LEAN TO GABLE

Width of collared ceiling (M) A Is gable insulated? (Y/N) Is gable skated? (Y/N)

Width of base of plaster (M) B Is gable plastered? (Y/N) Is gable skirting primed? (Y/N)

Height of upstand (M) C Is gable plastering/blockwork decorated? (Y/N) Is gable skirting painted? (Y/N)

Height of ceiling (M) D

Return ☐ Show Tech Tip ☐ Show Tech Labels

CloseAdd ColumnCopy ColumnDelete ColumnDims WizardView R

SummaryPrice BookSpecChartReports

Mr Phillips, Extension: Brick and Block Cavity Wall External Walls Worksheet

£	6,618.37			
Mr Phillips Brick and Block Cavity Wall External Walls Worksheet				
Location		Wall 1 and 2	Wall 3	Totals
Description of Wall		Double storey cavity wall	Double storey cavity wall	
	Unit			
No of identical walls	No.	2.000	1.000	3.000
Length of main wall	M	2.500	4.000	
Height of main wall	M	4.600	4.600	
Height of coursing blocks above dpc	M	-	-	
Area of openings in main wall	M2	-	4.320	
Foundation depth below site strip	M	0.900	0.900	
Structural concrete thickness	M	0.400	0.400	
Mass concrete thickness	M	-	-	
Height of Trench Blocks	M	0.225	0.225	
Foundation width	M	0.600	0.600	
Splash course depth	M	0.150	0.150	
Brickwork depth below splash course	M	0.075	0.075	
Cavity fill depth below top of dpc	M	0.225	0.225	
Height of blockwork to inner leaf below dpc	M	0.450	0.450	
Height of blockwork to outer leaf below dpc	M	0.225	0.225	
Height of coursing blocks to inner leaf below dpc	M	-	-	
Height of coursing blocks to outer leaf below dpc	M	-	-	
Plank and strut excavation	Y/N	Y	Y	
Bulking of excavated material	No.	1.50	1.50	
Overall width of wall (below ground)	M	0.300	0.300	
Cavity Width (below ground)	M	0.100	0.100	
Is main wall blockwork plastered ?	Y/N	Y	Y	
Is main wall plastering/blockwork decorated ?	Y/N	Y	Y	
Number of skirting boards to main wall		2.000	2.000	
Is main wall skirting primed?	Y/N	Y	Y	
Is main wall skirting decorated?	Y/N	Y	Y	
Is there a separate DPC?	Y/N	Y	Y	
Is main wall insulated?	Y/N	Y	Y	
Height of brick gable	M	-	3.000	
Width of brick gable	M	-	4.000	

When finished you will be returned to the **Brick & Block Cavity Wall External Walls Worksheet Dimensions** screen with 2 columns of data as shown opposite.

[36] Click on the top white cell of the new column and type in **Wall 3** to label this column of information.

NOTE: If you wanted to estimate a **Gable** separately from the rectangular part of the **Wall**, you can use the **Gable Only** template, which only deals with the triangular section of the wall.



TIP: If you wanted to add **Walls** that were very similar, you could click with your mouse anywhere on a column you have already estimated and press the



Copy Column button, which creates an identical copy for you to check and/or modify using the **Dimensions Wizard**.

You have now entered all the information required to estimate all of the cavity walls. At the top of the screen, you will see an estimated price for the build of the 3 walls including the gable.

So, what do you get for your money? The next exercise will show you how to look at your estimate output.

It is best to complete the next exercise before closing **EstimatorXpress™**. Instructions for closing are given at the end of the next exercise. The next exercise will take approximately 5 minutes.

VIEWING THE OUTPUT FOR THE BRICK & BLOCK CAVITY WALLS



5.00
Minutes


In this section of the tutorial, you will look at the output that **EstimatorXpress™** produces. **EstimatorXpress™** has produced a schedule of **Materials**, **Labour** and **Plant** required to build the cavity walls and gables, including costs and an allowance for wastage.



View Resources

- From the **Brick & Block Cavity Wall Dimensions** screen, press **Output** button.
- You are transferred to the **Brick & Block Cavity Wall Resources Output** screen. You will see that **EstimatorXpress™** has calculated the order quantities and costs associated with all the **Material**, **Labour** and **Plant**, including an allowance for wastage for all of the **Brick & Block Cavity Walls**. Scroll across the screen with the horizontal scroll bar to see all of the data.
- Now use the **Views** drop-down menu to look at the output. Choose from **Show Cost Summary**, **Show Basic Costs**, **Show Total Costs**, **Show Quantities** and **Show All**.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard				Address Profit Inflation			
Summary Price Book Spec Ch				Click here for Help ?			
Mr Phillips, Extension: Brick and Block Cavity Wall E							
No. of Groups of Walls Total Cost of Group of Walls				1.00 6,618.37 r m of Wall			
Item used for: Structural concrete Mass concrete Cavity Fill Trench Blocks Blockwork to inner leaf below dpc Blockwork to outer leaf below dpc Bricks below splash course Bricks for use in splash course Bricks above dpc less openings Blocks above dpc less openings Coursing blocks above dpc Coursing blocks to inner leaf below dpc				Mr Phillips Description R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80) R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80) R'mix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85) Trench Block 440 x 215 x 275mm Thermalite Turbo Block 440 x 215 x 100mm Solid Dense Concrete Block 7N 440 x 215 x 100mm Facing Bricks - Provisional (Allowance £0.50 each) Engineering Brick - Class A Blue 65mm Facing Bricks - Provisional (Allowance £0.50 each) Celcon Block Standard 440 x 215 x 100mm Celcon Block Coursing Brick 3.5N 100mm Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm			
				Purchase Unit Purchase Build Cost Phase Production/ Usage Factor Estimate Rate			
				M3 £ 80.00 Foundations 1.00000 £ 80.00 M3 £ 80.00 Foundations 1.00000 £ 80.00 M3 £ 85.00 Footings 1.00000 £ 85.00 M2 £ 42.00 Footings 1.00000 £ 42.00 M2 £ 12.00 Footings 1.00000 £ 12.00 M2 £ 10.00 Footings 1.00000 £ 10.00 Each £ 0.50 Footings 60.00000 £ 30.00 EA £ 0.70 Footings 60.00000 £ 42.00 Each £ 0.50 Brickwork Shell 60.00000 £ 30.00 M2 £ 13.00 Brickwork Shell 1.00000 £ 13.00 M2 £ 28.00 Brickwork Shell 1.00000 £ 28.00 EA £ 0.55 Brickwork Shell 60.00000 £ 33.00			




If you press **Show Cost Summary** button from the **Views** drop-down menu, you will see a summary of Costs, Wastage Costs and Total Cost inc. Wastage for each **Resource**.


If you press **Show Basic Costs** button from the **Views** drop-down menu, you will see basic cost information including purchase unit, cost per purchase unit and no. of units required.

If you press **Show Total Costs** button from the **Views** drop-down menu, you will see extended cost information including estimated units required, total quantities including wastage allowance, and total cost of each resources.

If you press **Show Quantities** button from the **Views** drop-down menu, this shows total quantities of materials required including wastage.


If you press **Show All**, this shows you all the **Resources Output** for the estimate relating to **Brick & Block Cavity Walls**.

- [4]  Assuming you are satisfied with the estimate output for your external walls, return to the **Brick & Block Cavity Walls Worksheet Dimensions** screen using the **Back** button.




No. of Groups of Walls		1.00
Total Cost of Group of Walls		£ 6,618.37
		£ 735.37 per m of Wall
Item used for:	Mr Phillips Description	Cost
Structural concrete	R/mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	£ 172.80
Mass concrete	R/mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	£ -
Cavity Fill	R/mix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85)	£ 22.95
Trench Blocks	Trench Block 440 x 215 x 275mm	£ 85.05
Blockwork to inner leaf below dpc	Thermalite Turbo Block 440 x 215 x 100mm	£ 48.60
Blockwork to outer leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	£ 20.25
Bricks below splash course	Facing Bricks - Provisional (Allowance £0.50 each)	£ 20.25
Bricks for use in splash course	Engineering Brick - Class A Blue 65mm	£ 56.70
Bricks above dpc less openings	Facing Bricks - Provisional (Allowance £0.50 each)	£ 1,292.40
Bricks above dpc less openings	Celcon Block Standard 440 x 215 x 100mm	£ 560.04
Coursing blocks above dpc	Celcon Block Coursing Brick 3.5N 100mm	£ -

- [5]  Then press **Close** button to return to **Summary of Brick & Block Cavity Walls Workbook**.




£ 6,618.37	
Mr Phillips Brick and Block Cavity Wall External Walls Worksheet	
Location	Wall 1 and 2 Wall 3
Description of Wall	Double Storey Double Storey Cavity Wall Cavity Wall with without Gable Gable
No. of identical walls	Unit No. 2,000 1,000




List of walls in workbook	Remarks	Location	Total Cost	Comments
External Walls		Extension	£ 6,618.37	
				£ 6,618.37
Remarks				


- [6] You will now see a final cost for the **External Brick & Block Cavity Walls**.

 Now, to return back to **Job Summary**, again press **Close** button. This will automatically save your **Brick & Block Cavity Walls Workbook**.

- [7] A dialog box pops up asking if this item (Cavity Walls) is now complete. Click **Yes**. (This marks the **Brick & Block Cavity Walls "Complete" in the Job Summary Screen**)



You will now see a final estimate costing for your cavity walls as part of your overall estimate in the **Job Summary** screen.




Mr Phillips, Extension: Job Summary						
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Subcontract Quotations						
Shallow Access Manhole						
Drain Runs						
Drainage Plant						
Extension Slab				Yes		
Suspended Floor				Yes		
Apex Valley Roof				Yes		
Window				Yes		
Structural Opening				Yes		
Typical Panel Doors				Yes		
Brick and Block Cavity Wall		£ 6,618.37		Yes	Completed	16/08/2006 10:16
No of Items	11	Sub Total	£ 6,618.37			

If you wish to stop and close this current Estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You will be transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press the **Exit** button on the top right of the screen.



EXTENSION SLAB



7.5
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1.

Press **My Estimates** button at the top of the **Main Menu** screen.
2.

This will transfer you to the **My Jobs**. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
3.

Press **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of the **Extension Slab**.

The **Extension Slab** is an example of a **Non-Specification Linked Workbook** to which you add any **Sundry items** that you require. (See page 18 for an explanation of this.) The **Extension Slab Workbook** calculates all Materials and Labour required to construct the slab but you must specify the Plant you require as a **Sundry** item because the Plant is assumed to be independent of the area of slab required.

- [1]
- To start estimating your **Extension Slab** in the **Job Summary** screen, select **Extension Slab**.



Press **Open Workbook** button.



- [2]
- You are now transferred to **Summary of Extension Slab Workbook** and a dialog box will automatically pop up asking you to label and give a location for the slab.

EstimatorXpress™

Enter a Worksheet name for this Extension Slab.

Name

Location

- [3] Enter **Extension Slab** or any name you think is sensible and then select **Extension** for location. Click **OK**.
- [4] **EstimatorXpress™** transfers you to the **Extension Slab Worksheet Dimensions** screen.

EstimatorXpress™

Select a Dimensional Template, or click Edit to create your own.

- [5] Another dialog box will automatically pop up asking you to select a template. Choose the **Unreinforced Slab** template.

Click **Select**. These templates have already been set up for you to speed up the estimating process. By simply changing the area of slab required, a new cost will automatically be calculated.

Enter Dimensions Page 1 of 3

Slab preparation details

SECTION THROUGH CONCRETE SLAB

Length of slab (ft)

Other irregular areas of slab (ft²)

- [6] **EstimatorXpress™ Dimensions Wizard** will automatically open up a dialog box containing drawings to assist you in entering and confirming dimensions.
- [7] To calculate the area of the **Extension Slab** the extension can be thought of as a rectangle.


Rectangle 1	
Length (m)	3.4
Width (m)	2.2

- [8] (The above dimensions are the **internal** wall dimensions.) Firstly, input 2.2 into **Width of Slab** and press **Enter**.
- [9] Confirm or alter the thickness of sand blinding and sub-base. Just press **Enter** if you are happy with the standard value.
- [10] Input 3.4 in the white cell **Length of Slab** and press **Enter**. Click **Next**.

Enter Dimensions Page 2 of 3

Slab details

Thickness of slab (with allowance for uneven sub-base):
Enter the thickness of the concrete slab taking into account any unevenness in the surface of the prepared sub-base



SECTION THROUGH CONCRETE SLAB

Is there a DPM? (Y/N)

Overlap of DPM to perimeter of slab (M)

Is there insulation to underside of slab? (Y/N)

Length of perimeter insulation (M)

Is there reinforcement to bottom of slab? (Y/N)

Is there reinforcement on top of slab? (Y/N)

Is slab (power) float finished? (Y/N)


No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

[11] Next confirm the **Thickness of Slab** and details relating to the **Damp Proof Membrane, Insulation, Reinforcement** and **Finishes**. Click **Next**.

Enter Dimensions Page 3 of 3

Plant required for concrete slab

Number of hours required by excavator:
Enter the total number of hours required by the excavator to prepare the formation and sub-base



PLANT FOR CONCRETE SLAB

Number of hours required by excavator (Hours)

Number of days required for plate compactor (Days)

Number of days required for wheel barrow (Days)

Number of days required for shovel (Days)

Number of days required for bolt cutters (Days)

Number of days required for concreting vibrator (No.)

Number of days required for power float (Days)

Number of deliveries and collections for plant (No.)

No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

[12] On the final page of the **Dimensions Wizard**, you will see a list of the **Plant** items that relate to the construction of the slab. These items are not dependent directly on the area of the slab, for example you may need to allow for certain items of **Plant** to be on site for a certain number of days regardless of the dimensions of the slab.

EstimatorXpress™ automatically loads these resources as it assumes you will require them to build the **Extension Slab**. You may wish to work on a different basis depending on the scale of the building work you are undertaking and of course, you can modify or change these items before clicking **Finish**.

Close Add Column Copy Column Delete Column Dims Wizard View Resources Output

Summary Price Book Spec Chart Reports Address

Mr Phillips, Extension: Extension Slab Worksheet

£	733.48	
Mr Phillips		
Extension Slab		
Extension Slab		
	Location	Unreinforced Slab
Description	Units	
Is there insulation to underside of slab?	Y/N	Y
Is there reinforcement to bottom of slab?	Y/N	N
Is there reinforcement on top of slab?	Y/N	N
Is slab (power) float finished?	Y/N	Y
Number of hours required by excavator	Hours	2.000
Number of days required for plate compactor	Days	1.000
Number of days required for wheel barrow	Days	1.000
Number of days required for shovel	Days	1.000
Number of days required for bolt cutters	Days	-
Number of days required for concreting vibrator	No.	1.000
Number of days required for power float	Days	1.000
Number of deliveries and collections for plant	No.	4.000

*

[13] **EstimatorXpress™** then transfers you back into the **Extension Slab Worksheet Dimensions** screen showing the dimensions you have just entered in the white column.

[14] To see the full output of your **Slab Workbook**, click **View Resources Output** button.


[15] **EstimatorXpress™** transfers you to the **Extension Slab Worksheet Resources Output** screen. This screen specifies all the Materials, Labour and Plant required just for the Extension Slab.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard				
Summary Price Book Spec Chart Reports Address Profit Inflation				
Mr Phillips, Extension: Extension Slab Extension Slab Worksheet				Click here for Help ?
No. of Groups of Items	1.00			
Total Cost of Groups	£ 733.48			
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost	Build Phase
Sub-base to concrete slab	Sub Base MOT Type 1 Bulk Bag	EA	£ 50.00	Oversite and slabbing
Sand blinding to slab	Ballast Bulk Bag	EA	£ 44.00	Oversite and slabbing
Concrete in slab	R'mix Concrete RC 30, 50mm slump 6m3 (Allowance £75)	M3	£ 75.00	Oversite and slabbing
DPM to concrete slab	Visqueen DPM Blue 300mu 4 x 25m PIFA (27.6kg)	EA	£ 65.00	Oversite and slabbing
Insulation to underside of slab	Flooring Grade Polystyrene Insulation Sheet 2400 x 1200 x 100mm	SH	£ 64.00	Oversite and slabbing
Perimeter insulation	Flooring Grade Polystyrene Insulation Sheet 2400 x 1200 x 25mm	SH	£ 16.00	Oversite and slabbing
Reinforcement to underside of slab	Steel Reinforcement Mesh 4.8 x 2.4m B785	EA	£ 218.00	Oversite and slabbing
Reinforcement to top of slab	Steel Reinforcement Mesh 4.8 x 2.4m B785	EA	£ 218.00	Oversite and slabbing
Place and compact sub-base to slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Lay sand blinding	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Lay DPM to slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Lay insulation to underside of slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Fix perimeter insulation	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Fix bottom reinforcement	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Fix top reinforcement	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Place and compact concrete slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Tamp finish to concrete slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Float finish to concrete slab	Groundworker and Labourer	Hours	£ 25.00	Oversite and slabbing
Excavator for preparation of slab	Mini Digger & Driver (8hr. day)	Day	£ 200.00	Oversite and slabbing
Wheel barrow for slab construction	Wheelbarrow	Week	£ 10.00	Oversite and slabbing
Plate compactor for preparation of slab	Plate Compactor	Week	£ 55.00	Oversite and slabbing
Shovel for slab construction	Shovel	Week	£ 6.00	Oversite and slabbing
Power float for slab construction	Power Float 36"	Week	£ 78.00	Oversite and slabbing
Bolt croppers for slab construction	Bolt Croppers	Week	£ 25.00	Oversite and slabbing
Concrete vibrator for slab construction	Vibrating Poker	Week	£ 60.00	Oversite and slabbing
Plant delivery and collection	Delivery (10 to 15 Miles)	Each	£ 25.00	Oversite and slabbing
*				

- [16] Towards the top of the screen, you will see the resources, which relate to the dimensions of the slab such as concrete, sand and labour. These items are automatically adjusted by **EstimatorXpress™** to match the area of the slab, which have been entered in the dimensions screen.
- [17] Further down the screen, you will see the Plant items that you entered in step [12]. You will recall from the **Dimensions Wizard** that they do not relate *directly* to the area of the extension but you manually specified the length of time required for each item.
- [18] Let's assume that the resources are **OK** for the purpose of this **Job**.

If you do wish to replace any of the materials for example please refer to the **Help** by pressing the **Help** button or by pressing the **F1** function key.

- [19] To view the output of the **Extension Slab Workbook**, use the 5 options inside the **Views** drop-down menu.





- [20]  Assuming you are satisfied with the estimate output for the **Extension Slab**, close the **Extension Slab Workbook** by pressing **Back** to return to the **Extension Slab Worksheet Dimensions** screen.

Close Add Column Copy Column Delete Column Dims Wizard View Resources Output		
Summary Price Book Spec Chart Reports Address		
Mr Phillips, Extension: Extension Slab Worksheet		
£ 733.48		
Mr Phillips		
Extension Slab		
Extension Slab	Location	Unreinforced Slab
Description	Units	
Is there insulation to underside of slab?	Y/N	Y
Is there reinforcement to bottom of slab?	Y/N	N
Is there reinforcement on top of slab?	Y/N	N
Is slab (power) float finished?	Y/N	Y
Number of hours required by excavator	Hours	2.000
Number of days required for plate compactor	Days	1.000
Number of days required for wheel barrow	Days	1.000
Number of days required for shovel	Days	1.000
Number of days required for bolt croppers	Days	-
Number of days required for concreting vibrator	No.	1.000
Number of days required for power float	Days	1.000
Number of deliveries and collections for plant	No.	4.000
*		

- [21]  Then press the **Close** button to return to the **Summary of Extension Slab Workbook**.

You will now see a final cost for the **Extension Slab** on screen.

- [22]  Now to return back to **Job Summary** screen, press **Close** button. This will automatically save your **Extension Slab Workbook**.



- [23] A dialog box pops up asking if the item is now complete. Click **Yes**.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate Save Email Sign Off Estimate						
Summary Price Book Spec Chart Reports Address Profit Inflation						
Mr Phillips, Extension: Job Summary						
Click here for Help						
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Subcontract Quotations						
Shallow Access Manhole						
Drain Runs						
Drainage Plant						
Extension Slab		£ 733.48		Yes	Completed	16/08/2006 10:24
Suspended Floor				Yes		
Apex Valley Roof				Yes		
Window				Yes		
Structural Opening				Yes		
Typical Panel Doors				Yes		
Brick and Block Cavity Wall		£ 6,618.37		Yes	Completed	16/08/2006 10:18
*						
No of Items 11	Sub Total	£ 7,351.85				

You will now see a final estimate costing for your **Extension Slab** as part of the overall estimate cost on screen.

If you wish to stop and close the current Estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.




2. You are transferred to the **My Jobs** screen. Close this screen also using **Close** button.



3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button at the top right of screen.



SUSPENDED FLOOR



7.5
Minutes

If you are starting this tutorial immediately after the previous section, you are already in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below.

If you wish to start this tutorial having closed **EstimatorXpress™**:

- Press **My Estimates** button at the top of the **Main Menu** screen.
 - This will transfer you to the **My Jobs** screen. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
 - Press **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through the estimating of a **Suspended Floor**.

The **Suspended Floor Workbook** is an example of a **Workbook** that is linked to the **Specification** (see page 16 for an explanation of this). To estimate the floor for the 2nd storey of the Extension, simply enter your dimensions into the appropriate cells and **EstimatorXpress™** will schedule all the Materials, Labour and Plant required and then cost it for you. The **Suspended Floor Workbook** will schedule the floor joists, floor surface, insulation, plastering and decorating.

Close	Open Workbook	Add Workbook	Delete Workbook	Recalc Estimate
Open Workbook (Ctrl+O)				
Summary Price Book Spec Chart Reports				
Mr Phillips, Extension: Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor				Yes
Apex Valley Roof				Yes
Window				Yes
Structural Opening				Yes
Typical Panel Doors				Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
No of Items 11	Sub Total	£ 7,351.85		

- [1] To start estimating the **Suspended Floor** , select **Suspended Floor** from the left-hand side of the **Job Summary** screen with your mouse.



Press **Open Workbook** button

EstimatorXpress™

Enter a Worksheet name for this Suspended Floor.

Name1st Floor Suspended Floo


LocationExtension

OK

Cancel


- [2] You are then transferred to **Summary of Suspended Floor Workbook** and a dialog box will automatically pop up asking you to label and give a location for the **Suspended Floor**.

[3] Enter **1st Floor Suspended Floor** or any name you think is sensible and then select **Extension** for location. Click **OK**.



[4] EstimatorXpress™ then transfers you into the **Dimensions Section** of the **Suspended Floor Worksheet**.

[5] Another dialog box will pop up asking you to select a template. Choose from **Suspended Floor Typical House Floor** or **Suspended Floor above Garage**. Choose the **Suspended Floor Typical House Floor** and click **Select**.



[6] The **Dimensions Wizard** will automatically open up a dialog box containing drawings to assist you in entering and confirming dimensions for the **Suspended Floor**.

[7] EstimatorXpress™ has pre-loaded a standard **Suspended Floor** template to speed up the estimating process. You must alter the dimensions to suit the **Job** you are estimating.

[8] Enter the **Span of the Joists** as 3.4 and press **Enter**.


[9] Work your way around the screen confirming the dimensions as you go. As there are no trimmers and hangers, they will be set to zero values. Both ends will be strapped and **Spacing between Floor Bracing** should be set at 1.2

[10] Enter **Joist End Bearings** of 0.1. Click **Next**.

[11] Now enter or confirm the following dimensions:

Joist Centres	0.4
Width of Floor	2.2
Joist Strap Centres	2

Click **Next**.



Enter Dimensions Page 3 of 5

Trimmer details

No of joist hangers for trimmers:
Enter the total number of hangers required to support adjacent trimmers.

Perimeter of floor to receive sealing (M)



SECTION THROUGH FLOORING

Number of trimmers No 1 (No.)
Length of trimmer No 1 (M)
Number of trimmers No 2 (No.)
Length of trimmer No 2 (M)
No of joist hangers for trimmers (No.)


No Options Available ☒ Show Tech Tip ☒ Show Field Layout

[12] Check and enter **Dimensions** in the **Trimmer Details** and **Joist End Details** screens as required, pressing **Enter** to move between cells as before and clicking **Next** to move to the next screen.

Enter Dimensions Page 5 of 5

Plastering and decorating details

Ceiling plastered?:
If the ceiling is to be plastered enter Y.



SECTION THROUGH FLOORING


Ceiling plastered? (Y/N)
Plastering decorated? (Y/N)
Insulation? (Y/N)
Insulation overlap to ceiling edge (M)

No Options Available ☒ Show Tech Tip ☒ Show Field Layout

[13] Finally confirm that you require the **Ceiling Plastered** and **Decorated** and that the ceiling should be **Insulated** with an **Overlap** of 0.

[14] Click **Finish**.

EstimatorXpress™ then transfers you back into the **Suspended Floor Worksheet Dimensions** screen showing the dimensions you have just confirmed in the white column.


[15]  **View Resources Output** To see the full output of your **Suspended Floor Worksheet**, press **View Resources Output** button.


EstimatorXpress™ transfers you to the **Suspended Floor Worksheet Resources Output** screen. This screen specifies all the **Materials, Labour** and **Plant** required for the **Suspended Floor**.

Close				Add Column				Copy Column				Delete Column			
Summary				Price Book				Spec				Char			
Mr Phillips, Extension: Suspended Floor 1st Floor Sus															
£				558.74											
Mr Phillips															
Suspended Floor 1st Floor Suspended Floor								Worksheet							
Location															
Description								Suspended Floor Typical House floor							
Clear span of floor joist								M		3.400					
Joist centres								M		0.400					
Width of floor								M		2.200					
No of ends to generally have joist hangers								No.		2					
No of ends to generally have joist boots								No.		-					
Additional no of joist hangers required								No.		-					
Number of trimmers No 1								No.		-					
Length of trimmer No 1								M		-					
Number of trimmers No 2								No.		-					
Length of trimmer No 2								M		-					
No of joist hangers for trimmers								No.		-					
Perimeter of floor to receive sealing								M		-					
Ceiling plastered?								Y/N		Y					
Plastering decorated?								Y/N		Y					
Insulation?								Y/N		Y					
Insulation overlap to ceiling edge								M		-					
End bearings for joists (each end)								M		0.100					
No of ends strapped (0, 1 or 2)								No.		2.000					
Joist strap centres								M		2.000					
Spacing of joist bracing								M		1.200					


<a>Back <a>Change Resource <a>Edit Resource <a>Markers <a>Views <a>Add Resources <a>Resources Wizard			
<a>Summary <a>Price Book <a>Spec <a>Chart <a>Reports <a>Address <a>Profit <a>Inflation			
Mr Phillips, Extension: Suspended Floor 1st Floor Suspended Floor Worksheet <a>Click here for Help			
No. of Groups of Floors		1.00	
Total Cost of Group of Floors	£	558.74	
		£ 72.78 per m2	
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost Phase Production/ Usage Factor
Floor joists	Sawn Dry Graded Structural Softwood 47.0 x 200mm	MT £ 2.70	First Floor Joists 1.00000
Bracing between floor joists	Sawn Dry Graded Structural Softwood 47.0 x 200mm	MT £ 2.70	First Floor Joists 1.00000
Floor joist straps	Lateral Restraint Strap 30 x 5 x 1200mm bent at 150mm	EA £ 5.90	First Floor Joists 1.00000
Floor joist hangers	Joist Hanger 50mm Standard Leg	EA £ 1.70	First Floor Joists 1.00000
Floor joist boots	Joist boot	EA £ 5.00	First Floor Joists 1.00000
Floor trimmer No 1	Sawn Dry Graded Structural Softwood 75.0 x 200mm	MT £ 5.60	First Floor Joists 1.00000
Floor trimmer No 2	Sawn Dry Graded Structural Softwood 75.0 x 200mm	MT £ 5.60	First Floor Joists 1.00000
Joist Hangers for trimmers	Not required	Unit £ -	Joinery 1st Fix 1.00000

From this screen you can click on **Resources Wizard** should you wish to review and edit any of the materials, labour and plant associated with the **Suspended Floor**.

- [16]  Assuming for now, you are satisfied with the estimate output for the **Suspended Floor**, close the **Suspended Floor Workbook** by pressing **Back** button to return to the **Suspended Floor Worksheet Dimensions** screen.

- [17]  Press **Close** button to return to the **Summary of Suspended Floor Workbook**.

- [18] Note the summary price for your **Suspended Floor**.

- [19]  To return back to **Job Summary**, press **Close Workbook** button. This will automatically save your **Suspended Floor Workbook**.

- [20] A dialog box pops up asking if this item is now complete. Click **Yes**.

- [21] You will now see a final estimate cost for your **Suspended Floor** on the **Job Summary** screen.

<a>Close <a>Open Workbook <a>Add Workbook <a>Delete Workbook <a>Recalc Estimate				
<a>Summary <a>Price Book <a>Spec <a>Chart <a>Reports				
Mr Phillips, Extension: Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor		£ 558.74		Yes
Apex Valley Roof				Yes
Window				Yes
Structural Opening				Yes
Typical Panel Doors				Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
*				
No of Items 11	Sub Total	£ 7,910.58		

If you wish to stop and close this current Estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button in the top right of screen.



APEX VALLEY ROOF



15.00
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to the **My Jobs** screen. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through the estimating of an **Apex Valley Roof**. **EstimatorXpress™** also includes **Workbooks** for **Apex Roofs**, **Lean To Roofs**, **Flat Roofs** and **Hip Roofs**.

The Roof **Workbooks** are **Specification Linked Workbooks** (see page 16 for an explanation of this). To estimate the roof, simply enter your dimensions into the appropriate cells and **EstimatorXpress™** will schedule all the **Materials**, **Labour** and **Plant** required and then cost it for you. The **Apex Valley Roof Workbook** will schedule the carcassing timber, roof tiling, felt undercloak and lead work, fascias and guttering, decorating, plastering and insulation.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate				
Summary Price B Open Workbook (Ctrl+O) Chart Reports				
Mr Phillips, Extension: Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor		£ 558.74		Yes
Apex Valley Roof				Yes
Window				Yes
Structural Opening				Yes
Typical Panel Doors				Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
No of Items 11		Sub Total	£ 7,910.58	

- [1] To start estimating the **Apex Valley Roof**, click on **Apex Valley Roof** on the left-hand side of the **Job Summary**.



Press **Open Workbook** button


EstimatorXpress™

Enter a Worksheet name for this Apex Valley Roof.

Name

Location


- [2] You are then transferred to **Summary of Apex Valley Roof Workbook** and a dialog box will automatically pop up asking you to give a name and location for the roof.
- [3] Enter **Extension Roof** or any name you think is sensible and then select **Extension** for location. Click **OK**.



EstimatorXpress™ then transfers you into the **Dimensions** screen of the **Apex Valley Roof Worksheet**.

- [4] Another dialog box will automatically pop up asking you to select a template. Choose the **Tiled Roof without Fascias and Bargeboards with Insulation and Plastering to Ceiling** template. These templates have already been set up for you to speed up the estimating process.


Click **Select**.




TIP: Before you enter any dimensions, you may find it useful to switch on **Tech Tips** by ticking the **Show Tech Tips** check box in order to display useful information about each dimension in the top right of the screen, and also to switch on **Tech Labels** by ticking the **Show Tech Labels** check box. You can turn them on and off at any time by ticking and unticking the check boxes.

- [6] Now examine the extension plan. You will note the following dimensions:

Clear Span (internal) (m)	3.4
Eaves Length (internal) (m)	2.2
Pitch (Measured from the horizontal)	40°




- [7] Assuming the **Wall Widths** are correct, press the **Enter** key twice to move the cursor to the **Clear Span of Joists** cell and type 3.4 and press **Enter** (there is no need to type in unit m).
- [8] Next, press **Enter** again a couple of times until your cursor is in the cell labelled **Slope/Pitch of Roof**. Enter 40 (no need for unit °) and press **Enter**.
- [9] Enter 40 for the **Slope/Pitch of Parent Roof** and press **Enter**.
- [10] For this extension, you could reuse the tiles from the main roof that you will be removing in order to abut the valley roof, so change the % tile intersection reuse to 75. Press **Enter**.
- [11] Before you click **Next**, click on the button in the left hand corner of the dialog called **Timber & Roof Strap Details**.




- [21] The final stage of this **Apex Valley Roof** is to decide if you want to include plastering and decorating to the ceiling and specify whether you want to allow for decorating the soffits, bargeboards and fascias by entering Y or N.
- [22] Once you have confirmed these details, click **Finish** to return to the **Apex Valley Roof Worksheet Dimensions** screen showing all the dimensions you have just entered.

- [23] You have now entered all the information required to estimate the **Apex Valley Roof**. To view a full schedule of all timbers required together with details of tiling, guttering, insulation, plastering etc. including a cutting list, click on the **Filters** menu and select **Filter Material Quantities**.




Mr Phillips, Extension: Apex Valley Roof Extension Roof Worksheet			
4,062.37			
Tiled Roof without fascias and barge boards, insulation and plastering to ceiling			
Description of roof			
Material Quantities			
Apex valley roof joists	M	7 @ 3.00	21.000
Noggings between roof joists	M	24 @ 0.35	8.400
Apex valley roof rafters	M	14 @ 3.007	42.098
Noggings between rafters	M	54 @ 0.35	18.900
Apex valley roof gable ladder rafters	M	-	-
Apex valley roof intersection rafters	M	6 @ 3.007	18.040
Gable ladder noggings	M	-	-
Soffit carriers	M	-	-
Wall plate	M	2 @ 2.525	5.050
Purlins to valley roof	M	2 @ 3.6	7.200
Valley lay boards	M	4 @ 3.814	15.255
Valley boards	M	4 @ 3.814	15.255
Tile undercloak valley strip	M	4 @ 3.814	15.255
Apex valley binders	M	2 @ 2.425	4.850
Apex valley roof ridge	M	1 @ 4.875	4.875
Roof structure fixings (allowance)	M2	21.348	21.348
Eaves fascia	M	-	-
Eaves fascia fixings	M	-	-
Bargeboard	M	-	-



- [24] To see the full output of your **Apex Valley Roof Worksheet**, now press **View Resources Output** button.

EstimatorXpress™ then transfers you into the **Apex Valley Roof Resources Output** screen. Scroll down and across the screen with the scroll bars to see all the information relating to the **Materials, Labour and Plant**.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard									
Summary Price Book Spec Chart Reports Address Profit Inflation									
Mr Phillips, Extension: Apex Valley Roof Extension Roof Worksheet Click here for Help									
No. of Groups of Roofs		1.00							
Total Cost of Group of Roofs		£ 4,062.37							
		£ 190.28 per M2 of Sloped area							
Item used for:		Mr Phillips Description		Purchase Unit	Purchase Price	Build Cost Phase	Production/ Usage Factor	Estimate Rate	
Apex valley roof joists		Sawn Dry Graded Structural Softwood 47.0 x 150mm		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Noggings between roof joists		Sawn Softwood Kiln Dried 47.0 x 50mm		MT	£	0.90	Roof Structure	1.00000	£ 0.90
Apex valley roof rafters		Sawn Dry Graded Structural Softwood 47.0 x 125mm		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Noggings between rafters		Sawn Softwood Kiln Dried 47.0 x 50mm		MT	£	0.90	Roof Structure	1.00000	£ 0.90
Apex valley roof gable ladder rafters		Sawn Dry Graded Structural Softwood 47.0 x 125mm		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Apex valley roof intersection rafters		Sawn Dry Graded Structural Softwood 47.0 x 125mm		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Gable ladder noggings		Sawn Softwood Kiln Dried 47.0 x 50mm		MT	£	0.90	Roof Structure	1.00000	£ 0.90
Soffit carriers		Sawn Batten Treated 25.0 x 38mm		MT	£	0.40	Roof Structure	1.00000	£ 0.40
Wall plate		Sawn Dry Graded Structural Softwood 75.0 x 100mm		MT	£	2.90	Roof Structure	1.00000	£ 2.90
Purlins to valley roof		Sawn Dry Graded Structural Softwood 47.0 x 175mm		MT	£	2.80	Roof Structure	1.00000	£ 2.80
Valley lay boards		PSE Softwood 25 x 150mm (Redwood)		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Valley boards		PSE Softwood 25 x 150mm (Redwood)		MT	£	2.00	Roof Structure	1.00000	£ 2.00
Tile undercloak valley strip		Sawn Batten Treated 25.0 x 38mm		MT	£	0.40	Roof Structure	1.00000	£ 0.40
Apex Valley Binders		Sawn Dry Graded Structural Softwood 47.0 x 175mm		MT	£	2.80	Roof Structure	1.00000	£ 2.80
Apex valley roof ridge		PSE Softwood 25 x 200mm (Redwood)		MT	£	3.60	Roof Structure	1.00000	£ 3.60
Roof structure fixings (allowance)		Round Wire Nails Bright 100mm x 25kg		BX	£	26.00	Roof Structure	0.01000	£ 0.26
Eaves fascia		PSE Softwood 25 x 175mm (Redwood)		MT	£	2.80	Roof Structure	1.00000	£ 2.80
Eaves fascia fixings		Lost Head Round Wire Nails Bright 65mm x 25kg		BX	£	30.00	Roof Structure	0.00100	£ 0.03
Bargeboard		PSE Softwood 25 x 175mm (Redwood)		MT	£	2.80	Roof Structure	1.00000	£ 2.80
Bargeboard fixings		Lost Head Round Wire Nails Bright 65mm x 25kg		BX	£	30.00	Roof Structure	0.01000	£ 0.30
Lathe		Sawn Batten Treated 19.0 x 38mm		MT	£	0.30	Roof Tiling	1.00000	£ 0.30
Lathe nails		Round Wire Nails Galvanised 65mm x 25kg		BX	£	37.00	Roof Tiling	0.00070	£ 0.03
Tilting fillets		Sawn Furring 47.0 x 50mm		MT	£	1.40	Roof Structure	0.50000	£ 0.70



[25] Use the five output options from the **Views** drop-down menu to view the output:

- Show All
- Show Cost Summary
- Show Basic Costs
- Show Total Costs
- Show Quantities

[26] Select **Show All** before continuing to step [27].


Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard			
Summary Price Book Spec Chart Reports Address Profit			
Mr Phillips, Extension: Apex Valley Roof Extension Roof Worksheet Click			
No. of Groups of Roofs	1.00		
Total Cost of Group of Roofs	£ 4,062.37		
	£ 190.28 per M2 of Sloped area		
Item used for:	Mr Phillips Description	Cost	
Apex valley roof joists	Sawn Dry Graded Structural Softwood 47.0 x 150mm	£	53.20
Noggings between roof joists	Sawn Softwood Kiln Dried 47.0 x 50mm	£	7.56
Apex valley roof rafters	Sawn Dry Graded Structural Softwood 47.0 x 125mm	£	84.19
Noggings between rafters	Sawn Softwood Kiln Dried 47.0 x 50mm	£	17.01
Apex valley roof gable ladder rafters	Sawn Dry Graded Structural Softwood 47.0 x 125mm	£	-
Apex valley roof intersection rafters	Sawn Dry Graded Structural Softwood 47.0 x 125mm	£	36.08
Gable ladder noggings	Sawn Softwood Kiln Dried 47.0 x 50mm	£	-
Soffit carriers	Sawn Batten Treated 25.0 x 38mm	£	-

[27] Notice that the **Apex Valley Roof Rafters** are currently set to **Sawn Dry Graded Structural Softwood 47.0 x 125mm**. Let's say that you want to change this timber to **47.0 x 150mm**.



[28] Click the **Resources Wizard** button in the top right of the toolbar.


[29] A dialog will pop up which will allow you to review and change any item of **Material**, **Labour**, **Plant** and **Sundry** that is being used inside the **Worksheet**. Click on the **Apex Valley Roof Rafters** label. Notice that this item is now highlighted in yellow.



[30] On the right hand side of the dialog you will see that the **Resource Used** i.e. **Sawn Dry Graded Structural Softwood 47.0 x 125mm** and also the **Cost**, **Estimate Rate**, **Total Item Cost** and **Order Quantity** are also displayed here for this product. To change the **Resource Used**, simply select a different timber from the **Resource Used** drop-down menu. Select **Sawn Dry Graded Structural Softwood 47.0 x 150mm**.

[31] The **Edit Resource** dialog box pops up. Click **OK** to confirm the change. Notice that the **Cost**, **Estimate Rate**, **Total Item Cost** also change to reflect the new timber.


NOTE: You can swap any material at any time from inside the **Worksheet** by pressing the **Resources Wizard** button.



[32] You can also look at **Labour** and **Plant** associated with the rafters in the same way. To do this select **Labour**, **Plant**, **Subcontract** and **Sundry** from the drop down menu at the bottom of the page.

[33] Notice that the drawing now has labels which list the **Labour**, **Plant** and **Sundry** items associated with this part of the **Apex Valley Roof**. Click on **Fix Valley Roof Joists** to review the labour for this item.

[34] This dialog box shows you that the **Specification** currently specifies that this work is done by a joiner and mate at their current hourly rate of £27 per hour and that it will take them just under 2 hours at a rate of about three and a half mins per metre of joist. Let's say your joiner works a little slower than that. We can easily change his rate of working by clicking on **Edit Build Phase & Usage Factor** button.




The **Edit Resource** dialog box pops up.

[35] If your joiner actually takes around 4 mins to fix each metre of joist i.e 0.06667 of an hour per metre (0.06667 is 4 mins/60 mins) then change the **Usage Factor** to 0.06667 to show that your joiner works at a rate of 4 mins per metre of joist.

[36] Notice that the **Estimate Rate** and **Total Cost** have increased accordingly. Click **OK** to close the **Edit Build Phase & Usage Factor** dialog box.





TIP: To help you work out what **Usage Factor** you should enter, click on the **Usage Factor Calculator** button .



[37] Click **Next** in the corner of the **Resources Wizard** dialog to review all the other resources that are required for the construction of the **Apex Valley Roof**. Click on any of them to highlight them in yellow and then make any changes by selecting alternative resources from the **Product Used** drop down menu.

[38] When you get to the last page, click **Finish** to return to **Apex Valley Roof Worksheet Resources Output** screen. Notice that the timber you changed is now showing in **bold** to indicate to you that this item is no longer what is specified in the **Job Specification** and that the price has been recalculated taking this change into account.


[39]  Assuming you are now satisfied with the estimate output for the **Apex Valley Roof**, close the **Apex Valley Roof Workbook** by pressing **Back** button to return to the **Apex Valley Roof Worksheet** Dimensions screen.

 Press **Close** button to return to **Summary of Apex Valley Roof Workbook**.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard			
Summary Price Book Spec Chart Reports Address Profit Inflation			
Mr Phillips, Extension: Apex Valley Roof Extension Roof Worksheet Click here for Help			
No. of Groups of Roofs	1.00		
Total Cost of Group of Roofs	£ 4,078.28		
	£ 191.03 per M2 of Sloped area		
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost Build Phase
Apex valley roof joists	Sawn Dry Graded Structural Softwood 47.0 x 150mm	MT	£ 2.00 Roof Structure
Noggings between roof joists	Sawn Softwood Kiln Dried 47.0 x 50mm	MT	£ 0.90 Roof Structure
Apex valley roof rafters	Sawn Dry Graded Structural Softwood 47.0 x 150mm	MT	£ 2.00 Roof Structure
Noggings between rafters	Sawn Softwood Kiln Dried 47.0 x 50mm	MT	£ 0.90 Roof Structure
Apex valley roof gable ladder rafters	Sawn Dry Graded Structural Softwood 47.0 x 125mm	MT	£ 2.00 Roof Structure
Apex valley roof intersection rafters	Sawn Dry Graded Structural Softwood 47.0 x 125mm	MT	£ 2.00 Roof Structure
Gable ladder noggings	Sawn Softwood Kiln Dried 47.0 x 50mm	MT	£ 0.90 Roof Structure
Soffit carriers	Sawn Batten Treated 25.0 x 38mm	MT	£ 0.40 Roof Structure
Wall plate	Sawn Dry Graded Structural Softwood 75.0 x 100mm	MT	£ 2.90 Roof Structure
Purlins to valley roof	Sawn Dry Graded Structural Softwood 47.0 x 175mm	MT	£ 2.80 Roof Structure


Close Open Worksheet Add Worksheet Copy Worksheet Delete Worksheet				
Summary Price Book Spec Chart Reports A				
Mr Phillips, Extension: Summary of Apex Valley Roof				
List of Roofs in workbook	Remarks	Location	Total Cost	Comments
Sheet Name				
Extension Roof		Extension	£ 4,078.28	
			£ 4,078.28	
Remarks				

[40] Note the price in the **Summary of Apex Valley Roof**.

 To return back to **Job Summary**, press **Close** button. This will automatically save your **Apex Valley Roof Workbook**.



[41] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Apex Valley Roof** on screen.



If you wish to stop and close this current Estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button in the top right of screen.



STRUCTURAL OPENING



15.00
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, see the following steps.

If you wish to start this tutorial having closed **EstimatorXpress™**:

1.

Press **My Estimates** button at the top of the **Main Menu** screen.
2.

This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3.

Press **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through estimating the openings that are required for the new layout formed by the extension using the **Structural Opening Workbook**.

The **Structural Opening** is a **Specification Linked Workbook**. However, you must also specify a number of sundry items of **Labour** and **Plant** (see page 16 for an explanation of this). **EstimatorXpress™** will automatically calculate all **Materials**, **Labour** and **Plant** to form the opening, fit lintels, plastering and decorating although it is recommended that you carefully scrutinise the **Labour** and **Plant** items carefully as they are not *directly* dependent on the size of the opening.


NOTE: **EstimatorXpress™** also includes a **Small Structural Opening Workbook** for estimating door sized openings etc.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate				
Summary Price Book Open Workbook (Ctrl+O) Chart Reports				
Mr Phillips, Extension: Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations	2			
Shallow Access Manhole	2			
Drain Runs	2			
Drainage Plant	2			
Extension Slab	2	£ 733.48		Yes
Suspended Floor	2	£ 558.74		Yes
Apex Valley Roof	2	£ 4,078.28		Yes
Window	2			Yes
Structural Opening	2			Yes
Typical Panel Doors	2			Yes
Brick and Block Cavity Wall	2	£ 6,618.37		Yes
No of Items 11		Sub Total	£ 11,988.86	

[1] To start estimating your windows you must select the **Structural Openings Workbook** from inside the **Job Summary**.



Press **Open Workbook** button.



[2] EstimatorXpress™ then transfers you into the **Summary of Structural Openings Workbook**.

The **Summary of Structural Openings Workbook** is used to list all the structural openings that you may have within your estimate. Each different type or size opening must be estimated separately and listed in this screen. A **Worksheet** containing a **Standard Structural Opening** is automatically included in this type of **Workbook**.




Rather than creating a new **Worksheet** yourself, open the existing **Worksheet** by selecting the **Worksheet** and pressing **Open Worksheet** button.

Close	Add Column	Copy Column	Delete Column	Dims Wizard
Summary	Price Book	Spec	Chart	Report
Mr Phillips, Extension: Structural Opening Structural Opening Work				
£				759.10
Mr Phillips				
<u>Structural Opening Structural Opening Worksheet</u>				
Location				
Description of Opening				Standard Opening
Opening Width		Unit		
Opening Height	M		3.000	
Reveal Depth	M		2.100	
Lintel(s) bearing (each end)	M		0.275	
Wall thickness (if opening formed to calculate spoil)	M		0.150	
Bulking factor for spoil	No.		0.275	
No of bricks required at each end	No.		2.000	
Are padstones required?	Y/N		6.000	
No of slates required for packing	No.		Y	
Spacing of noggings to steels	M		4.000	
Length of noggings to steels	M		0.400	
Are reveals plastered?	Y/N		0.300	
Are reveals to be painted?	Y/N		Y	
No of angle beads required (0,1 or 2)	No.		2.000	

[3] There is only one standard template available for estimating a **Structural Opening** so EstimatorXpress™ will automatically load the dimensions from this **Standard Opening** template into the white column in the **Structural Opening Worksheet Dimensions** screen. The dimensions that have already been set up in the template will speed up the estimating process. By simply making a few changes to these template dimensions, a new cost will automatically be calculated for our specific opening.



[4] Click anywhere in the column of dimensions and press **Dims Wizard** button to open up the **Dimensions Wizard** dialog box containing drawings to assist you in entering and confirming dimensions for the **Structural Opening**.



[5] Enter the **Opening Width** of 2.7.

[6] Enter the **Opening Height** of 2.1.

[7] The **Reveal Depth** should automatically be set to 0.275. Press **Enter**.

[8] Confirm the **Lintel Bearing (each end)** of 0.150.

[9] Confirm whether **Padstones** are required, the **number of bricks required** to form them and the **number of slates required for packing**.

[10] Confirm **Bulking Factor for Spoil** of 2.

[11] Enter the **Wall Thickness** of 0.275 (NOTE: This is the width of the existing wall).

Enter Dimensions Page 2 of 2

Plastering

Length of noggings to steels (M) 0.300
Are reveals plastered? (Y/N) Y
No of angle beads required (0,1 or 2) (No.) 2.000
Are reveals to be painted? (Y/N) Y

STRUCTURAL OPENING ELEVATION

No Options Available Show Tech Tip Show Tech Labels Edit Cancel Back Finish

- [12] Click **Next**.
- [13] Confirm the **Length of noggings to steel**.
- [14] Confirm that **Reveals** are to be **Plastered** and **Painted**.
- [15] Enter 2 for the **Number of Angle Beads Required**.

Close Add Column Copy Column Delete Column Dims Wizard

Summary Price Book Spec Chart Repo

Mr Phillips, Extension: Structural Opening Structural Opening Work


£	733.31
Mr Phillips	
Structural Opening Structural Opening Worksheet	
Location	
Description of Opening	Standard Opening
	Unit
Opening Width	M 2.700
Opening Height	M 2.100
Reveal Depth	M 0.275
Lintel(s) bearing (each end)	M 0.150
Wall thickness (if opening formed to calculate spoil)	M 0.275
Bulking factor for spoil	No. 2.000
No of bricks required at each end	No. 6.000
Are padstones required?	Y/N Y
No of slates required for packing	No. 4.000
Spacing of noggings to steels	M 0.400
Length of noggings to steels	M 0.300

- [16] Click **Finish** to return to the **Structural Opening Worksheet** screen.





- [17] Before you press **Close** button to return to the **Summary of Structural Openings Workbook**, you might want to view the output of your **Structural Opening Workbook** by clicking on **View Resources Output** button.


Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard	
Summary Price Book Spec Chart Reports Address Profit	
Mr Phillips, Extension: Structural Opening Structural Opening Worksheet Click	
No. of Identical openings	1.00
Total cost of openings	£ 733.31
Item used for: Mr Phillips	
Description	
Intel Number 1	R51 178 x 102 x 19 kg per m
Intel Number 2	R51 178 x 102 x 19 kg per m
Bricks to support steelwork	Engineering Brick - Class A Blue 65mm
Padstones to support steelwork	Concrete Padstone 440x140x215mm
Slates to pack steelwork	Natural Slate 400 x 250mm (Allowance £1.5)
Noggings to steelwork	Sawn Softwood Kiln Dried 47.0 x 50mm
Reveal plaster finish to structural opening	Plasterboard Square Edge 1200 x 2400 x 9.5mm
Reveal plastering fixing system / basecoat to opening	Plasterboard Adhesive 25kg
Reveal plaster joint treatment structural opening	Plasterboard Tape 50mm x 90m
Reveal finish to plaster structural opening	Board Finish Plaster 25kg
Corner Bead to structural opening reveal	PVC Plastering Corner Bead 2.44m
Decoration to structural opening reveal plastering	Contract Emulsion Magnolia 5 Litre
Fix structural opening reveal plaster	2 Plasters and 1 Plasterers Mate
Apply finish to structural opening reveal plaster	2 Plasters and 1 Plasterers Mate
Prepare plaster structural opening reveals for decoration	Painter
Apply decoration to plaster structural opening reveals	Painter
Remove spoil from structural opening	2 Bricklayers and Mate
Plant to remove spoil from site	Skip 7m3 inc. Land Fill Tax




[18] Use the **Views** drop-down menu in the **Resources Output** screen to view the costs and quantities of materials, labour and plant required to form the **Structural Opening**.

[19] Assuming you are satisfied with the output, press  **Back** button to return to **Structural Opening Worksheet Dimensions** screen.

[20]  **Close** Then press **Close** button to return to the **Summary of Structural Openings Workbook**

[21]  **Close** Now to return to **Job Summary**, press **Close** button. This will automatically save your **Structural Opening** estimate.



[22] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Structural Opening** on screen together with all of the previously estimated items in the **Job Summary**.

If you wish to stop and close the current estimate:



1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button in the top right of screen.



WINDOWS




If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, see the following steps.

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through the estimating of the windows of the extension using the **Windows Workbook**. If you refer to your plan of the extension, you will see that there are 2 identically sized windows.

If you were estimating several **Windows** of different sizes or **Windows** with different types of frame, each different size/type must be estimated separately in a different **Worksheet**.

The **Windows Workbook** is an example of a **Specification Linked Workbook**. However, you must also specify a number of **Sundry** items (see page 16 for an explanation of this). NOTE: **EstimatorXpress™** will automatically calculate all **Materials**, **Labour** and **Plant** to construct the **opening** around the window based on the dimensions you input, whilst as mentioned above, you must specify your own sundry items such as the window and lintel as well as the fitting costs, because these items are independent of the dimensional calculations. To clarify this concept, have a look at your first window.

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor		£ 558.74		Yes
Alpen Valley Roof		£ 4,076.28		Yes
Window				Yes
Structural Opening		£ 733.31		Yes
Typical Panel Doors				Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
No of Items 11				
Sub Total		£ 12,722.17		

- [1] To start estimating your windows you must select the **Window Workbook** from the **Job Summary**.



Press **Open Workbook** button.

- [2] **EstimatorXpress™** then transfers you into the **Summary of Windows Workbook**.

The **Summary of Windows Workbook** is used to list the range of windows **Worksheets** that you may have within your estimate such as 1.2 x 1.2m or 1.8 x 1.2m. Each different type or size window must be estimated separately and listed in this screen.



- [3] A dialog box will automatically pop up asking you to name and give a location for the **Window**.
- [4] Type 1800 x 1200 as the **Name** (do not enter full stops, commas or other symbols into the dialog box).


NOTE: This is just a name given to the window for your reference and does not affect the calculations

- [5] In the drop down box below, specify the location of the window e.g. **Front Extension**
Click **OK** when you have finished.

- [6] **EstimatorXpress™** then transfers you into the **Dimensions** screen of the **1800 x 1200 Window Worksheet**.

- [7] There is only one template available for estimating **Windows**, so **EstimatorXpress™** will automatically load the dimensions from this **Standard Window Template** into the white column in the **1800 x 1200 Window Worksheet Dimensions** screen. The dimensions that have already been set up should speed up the estimating process. By simply making a few changes to these dimensions, a new cost will automatically be calculated.



- [8]  Click anywhere in the column of dimensions and press **Dims Wizard** button.
- [9] The **Dimensions Wizard** will open up a dialog box containing a drawing to assist you in entering and confirming dimensions for the **Windows**.
- [10] Check the **Window height** is 1.200 metres.
- [11] Check the **Window width** is 1.800 metres.

If either dimension is incorrect, type the correct value into the white cell provided and press **Enter** key after each one. Ensure that the **Wall Thickness** and **Bulking Factor** are set to **0** as the windows are being fitted into the new external walls of the extension.

- [12] Click **Reveals and Fixing Details** button on the bottom left hand side of the **Dimensions Wizard** to check this information. If you are happy with the standard data, click **Return**.
- [13] Click **Next** and review the rest of the details for the **Window**. Most of the standard details copied from the template should apply to the **Extension**.

Enter Dimensions Page 3 of 3

Decoration specification

Is sealant to be applied to perimeter (Y/N) ☐ Y ☐ N

Does window require add primer internally (Y/N) ☐ Y ☐ N

Does window require painting internally (Y/N) ☐ Y ☐ N

Does window require add primer externally (Y/N) ☐ Y ☐ N

Does window require painting externally (Y/N) ☐ Y ☐ N

Is internal windowboard to be primed (Y/N) ☐ Y ☐ N

Is internal windowboard to be painted (Y/N) ☐ Y ☐ N

Are reveals to be painted (Y/N) ☐ Y ☐ N

WINDOW PLAN VIEW

No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

Cancel Back Finish

- [14] Click **Next**. Once you are satisfied with all the items inside the **Windows Worksheet Dims Wizard** screens. Click **Finish** to return to the **Window Worksheet Dimensions** screen showing all the dimensions you have just entered.

Add Resources

- Add Material
- Add Labour
- Add Plant
- Add Sundry
- Add Subcontract
- Delete
- Go to Sundry Area

For this **Job** we are going to re-use the existing Windows from the original house. This means that you need to tell **EstimatorXpress™** that the Windows themselves are **Not Required**.

- [15] **View Resources Output** To do this, click on **View Resources Output** button to view the list of materials, labour, plant and sundry items associated with this **Windows Worksheet**.

- [16] The **Window** itself is listed under the **Sundry** items because the type of **Window** not directly dependent on the dimensions you have entered. To jump quickly down the screen to the **Sundry** items, click the **Add Resources** drop-down menu and select **Go to Sundry Area**.

Click on the **Window** itself and then in the **Markers** drop-down menu, select **Not Required**. The **Window** will change to **Not Required** and the **Total Cost of the Worksheet** will be automatically recalculated to deduct the associated cost.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard

Summary Price Book Spec

Mr Phillips, Extension: Window 1800 x 1200

No. of Identical windows: 1.00
Total cost of groups of windows: 768.49

Item used for:

Sundry Items

Window	312C Softwood Non-Bar Side Hung Window 1800 x 1200mm	EA	£ 169.00	Brickwork Shell
Sealed units	Low E glass nominal 600 x 1200mm (Allowance £60)	Each	£ 60.00	Joinery 1st Fix
Beading	Not required	Unit	£ -	Joinery 2nd Fix
External/Combination lintel	Steel Lintel 75 mm Cavity x 2100mm	EA	£ 64.00	Brickwork Shell
Internal lintel	Not required	Unit	£ -	Brickwork Shell
External cill	Not required	Unit	£ -	Brickwork Shell
Dummy frame timber	Sawn Softwood Kiln Dried 47.0 x 75mm	MT	£ 1.10	Brickwork Shell
Form Dummy frame	Joiner	Hours	£ 17.00	Brickwork Shell

Address Profit Inflation

Click here for Help

[17] You will remember that there are 2 windows of dimension 1800x1200.

To estimate both of the identical **Windows**, which have identical dimensions you would type in the number of windows of the same dimensions into the white cell at the top of the screen called **No. of identical Windows**. This would then multiply all resources, and subsequently the cost, by that factor. Enter 2 as shown below and press **Enter**.

Back		Change Resource		Edit Resource		Markers		Views		Add Resources		Resources Wizard					
Summary		Price Book		Spec		Chart		Reports		Address		Profit		Inflation			
Mr Phillips, Extension: Window 1800 x 1200 Worksheet														Click here for Help ?			
No. of Identical windows										2.00							
Total cost of groups of windows										£		1,182.09					
Mr Phillips														Purchase Purchase Build			

Views

Show All

Show Cost Summary


Show Basic Costs


Show Total Costs

Show Quantities

[18] To see the full output of your **1800x1200 Window Worksheet**, use the five output buttons from the **Views** drop-down menu on the toolbar.

- Show All
- Show Cost Summary
- Show Basic Costs
- Show Total Costs
- Show Quantities

[18]  Assuming you are satisfied with the estimate output for the **Window Workbook**, return to the **Window Worksheet Dimensions** screen by pressing **Back** button.

[19]  Close the **Window Workbook** with **Close** button to return to **Summary of Windows Workbook**.


EstimatorXpress™

?

Is this Workbook now complete?

Yes

No

[20]  Click **Close** button from the **Summary of Windows Workbook**. A dialog box pops up asking if the item is complete. Click **Yes**.

You will now see a final estimate costing for your **Window** in the **Job Summary**.

If you wish to stop and close the current estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button on the top right of screen.



TYPICAL PANEL DOORS



20
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.




If you refer to your plan of the extension, you will see that we need to add a new internal door upstairs and form an opening through the existing cavity wall. This tutorial leads you through the estimating of the internal door that is to be added to the extension using a standard door (6"6" x 2"3" / 2m x 0.85m) and also forming the opening.

Doors are examples of **Specification Linked Workbooks**. However, you must also specify a number of sundry items associated with doors (see page 16 for an explanation of this). **EstimatorXpress™** will automatically calculate all materials, labour and plant to construct the *opening* around the door based on the dimensions you input, but as mentioned above you must specify your own sundry items such as the door itself and its frame, which are independent of the dimensional calculations. To clarify this concept, have a look at your first door.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate				
Summary Open Workbook (Ctrl+O) Pricebook Spec Chart Reports				
Mr Phillips, Extension: Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor		£ 558.74		Yes
Apex Valley Roof		£ 4,078.28		Yes
Window		£ 1,182.09		Yes
Structural Opening		£ 733.31		Yes
Typical Panel Doors				Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
No of Items 11		Sub Total	£ 13,904.26	



[1] To start estimating your internal doors you must select the **Typical Panel Doors Workbook** and press **Open Workbook** button.



Sheet Name	Remarks	Location	Total Cost	Comments
Door into studding		Upstairs	£ 230.83	
Wide access into studding		Upstairs	£ 235.27	
Door into blockwork		Downstairs	£ 248.96	
Wide access into blockwork		Downstairs	£ 254.72	
			£ 969.78	
Remarks				

[2] You are now transferred to **Summary of Typical Panel Doors Workbook**.

The **Summary of Typical Panel Doors Workbook** already contains 4 standard **Worksheets** for estimating internal doors: **A Standard Sized Door into Studding**, a **Standard Sized Door into Blockwork**, a **Wide Access Door into Studding** and a **Wide Access Door into Blockwork**.


Each of these **Worksheets** can contain multiple internal doors so that you can estimate all the downstairs doors together and all the upstairs doors together. You can add your own **Worksheets** by clicking **Add Worksheet** if you need to estimate non-standard door sizes.

For now just select **Door into Blockwork** and click **Open Worksheet**.

- [3] **EstimatorXpress™** then transfers you into the **Dimensions** section of the **Typical Panel Door Door into Blockwork Worksheet**.
- [4] A template for a **Standard Door No Reveals Fully Painted** is automatically loaded into the **Worksheet** for you to speed up the estimating process. Click anywhere on this column of data to select it.



- [5] Press **Dims Wizard** button. **EstimatorXpress™ Dimensions Wizard** will pop up containing a diagram to assist you in entering and confirming dimensions for the **Internal Doors**.



- [6] Enter the door height of 2
Press **Enter**.
- [7] Enter the door width of 0.85
Press **Enter**.
- [8] Enter the thickness of the wall 0.275
EstimatorXpress™ will automatically calculate the amount of spoil that will be created when the opening is formed.
- [9] Now click on **Reveal and fixing details** button on the bottom left of the dialog box.

Change the **Reveal Depth** to 0.15 and leave the **Lintel Bearing**, **Casing Fixing Centres** and **Casing fixing Centres**.

- [10] Click **Return** for now to return to the main screen of the **Dimension Wizard**.
- [11] You are returned to **Door Frame Dimensions** page. Click **Next** to continue
- [12] Ensure that the reveals are to be plastered, add a threshold board and 2 angle beads. Click **Next**.

Enter Dimensions Page 3 of 3

Is threshold board to be primed: Enter Y if the threshold board is to be primed over and above that supplied by the manufacturer.

Decoration specification

DOOR PLAN VIEW

Is threshold board to be primed (Y/N)

Is threshold board to be painted (Y/N)

Number of architraves

Architraves fixing centres (M)

Are architraves to be primed (Y/N)

Are architraves to be painted (Y/N)

Does door casing require add'l primer (Y/N)

Does door casing require painting (Y/N)

Does door require add'l primer (Y/N)

Does door require painting (Y/N)

Are reveals to be painted (Y/N)

No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

Cancel Back Finish

- [13] On the final screen, confirm the finishes you require for the internal door including painting the reveals.
- Click **Finish** to return to the **Typical Panel Doors Worksheet Dimensions** screen showing all the dimensions you have just entered.

Back Change Resource Edit Resource Markers Views Add Resources Resources Wizard


Summary Price Book Spec Chart Reports Address Profile Inflation

Mr Phillips, Extensions, Typical Panel Doors Door into Blackrock Worksheet Click here for Help

No. of identical doors	1	1.00
Total cost of doors	£	290.85








Item used for	Mr Phillips Description	Purchase Unit	Purchase Price	Build Cost Phase
Door casing fixings to sides	Cut Cleop Nails 75mm x 25kg	BOX £	65.00	Joinery 1st Flt
Door casing fixings	Cut Cleop Nails 75mm x 25kg	BOX £	65.00	Joinery 2nd Flt
Architraves	Torus Architrave 25 x 75mm (Redwood)	MT £	1.50	Joinery 2nd Flt
Primer for architrave	Travel Ins Bright Glaze v1.25kg	EA £	3.00	Internal Decoration
Undercoat for architrave	Undercoat White 5 Litre	EA £	24.00	Internal Decoration
Paint for architrave	Gloss Brilliant White 5 Litre	EA £	24.00	Internal Decoration
Internal door threshold board	Hardwood Ply WBP 2440 x 1200 x 12mm	SH £	27.00	Joinery 2nd Flt
Priming to internal door threshold board	Lost Head Round Wire Nails bright 60mm x 25kg	BOX £	30.00	Joinery 2nd Flt
Reveal plaster finish	Plasterboard Square Edge 1200 x 2400 x 9.5mm	SH £	6.70	Plastering
Reveal plastering fixing system / basecoat	Plasterboard Adhesive 25kg	EA £	6.00	Plastering
Reveal plaster joint treatment	Plasterboard Tape 50mm x 90m	EA £	6.20	Plastering
Reveal finish to plaster	Board Finish Plaster 25kg	EA £	4.50	Plastering
Corner bead to internal door reveal	PVC Plastering Corner Bead 2.4m	EA £	2.20	Plastering
Decoration to internal door reveal plastering	Contract Emulsion Magnolia 5 Litre	EA £	15.00	Internal Decoration
Primer for door casing	Undercoat White 5 Litre	EA £	24.00	Internal Decoration
Undercoat for door casing	Undercoat White 5 Litre	EA £	24.00	Internal Decoration
Paint for door casing	Gloss Brilliant White 5 Litre	EA £	24.00	Internal Decoration
Primer for door	Undercoat White 5 Litre	EA £	24.00	Internal Decoration
Undercoat for door	Undercoat White 5 Litre	EA £	24.00	Internal Decoration
Paint for door	Gloss Brilliant White 5 Litre	EA £	24.00	Internal Decoration
Primer for internal door threshold board	Quick Drying Floor Varnish Clear Gloss 2.5 Litre	EA £	29.00	Internal Decoration
Undercoat for internal door threshold board	Quick Drying Floor Varnish Clear Gloss 2.5 Litre	EA £	29.00	Internal Decoration
Paint for internal door threshold board	Quick Drying Floor Varnish Clear Gloss 2.5 Litre	EA £	29.00	Internal Decoration
Fix architrave	Joiner	Hours £	10.00	Joinery 2nd Flt
Fix internal door threshold board	2 Plasters and 1 Plasterers Mate	Hours £	17.00	Joinery 2nd Flt
Fix internal door reveal plastering	2 Plasters and 1 Plasterers Mate	Hours £	50.00	Plastering
Apply finish to internal door reveal plaster	Painter	Hours £	15.00	Internal Decoration
Prepare plaster internal door reveals for decoration	Painter	Hours £	15.00	Internal Decoration
Apply decoration to plaster internal door reveals	Painter	Hours £	15.00	Internal Decoration
Prepare door casing for decoration	Painter	Hours £	15.00	Internal Decoration
Apply primer to door casing	Painter	Hours £	15.00	Internal Decoration
Apply undercoat to door casing	Painter	Hours £	15.00	Internal Decoration
Apply paint to door casing	Painter	Hours £	15.00	Internal Decoration

- [14] You now need to ensure we have allowed for the lintels since there are two leafs to the existing wall to be supported. Because these items are not automatically calculated from dimensions, only one lintel is included as default. You need to add a second one to the sundries section of the **Workbook**.

 Press **View Resources Output** button to go to the **Typical Panel Doors Worksheet Resources Output** screen.

Towards the top of this screen, you will see resources, which relate to the actual opening of the door such as plastering, fixings, painting and associated labour. These are automatically adjusted by **EstimatorXpress™** to match the size of the opening that you entered in the **Dimensions** section.

Add Resources ▾

-  Add Material
-  Add Labour
-  Add Plant
-  Add Sundry
-  Add Subcontract
-  Delete
-  Go to Sundry Area

- [15] From the **Add Resources** drop down menu, click on **Go to Sundry Area** to move quickly to the **Sundry Items** associated with **Typical Panel Doors**. This section of the screen relates to the various lump sum items, which make up the internal door, e.g. the actual door, the door casing, lintel and door handle etc. Clearly, these items do not automatically change as a result of alterations to the dimensions you input. These **Sundry Items** are not linked to the **Specification**.

A standard door and frame are already included in your estimate, which are suitable for the size opening. If they were not suitable you could change them for other resources using the **Resources Wizard** or **Change Resource** button.

[16] Now select the Internal Lintel and then scroll across the screen to the white cells in the column called **Quantity Per Item**.

Sundry Items	
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm
Door furniture	Georgian Brass Internal Latch Pack
Hinges	Butt Hinge Brassed 76mm
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm
Form opening	Bricklayer
Fix lintel	Bricklayer
Fix door casing	Joiner
Hang door	Joiner
Fix door furniture	Joiner
Return to ease door	Joiner
Plant for forming opening (1)	Not required
Plant for forming opening (2)	Not required
*	

[17] Change the number required to 2 for **Internal Lintel**.

Sundry Items			
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm	Material	1.000
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm	Material	1.000
Door furniture	Georgian Brass Internal Latch Pack	Material	1.000
Hinges	Butt Hinge Brassed 76mm	Material	1.000
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm	Material	2.000
Form opening	Bricklayer	Labour	1.000
Fix lintel	Bricklayer	Labour	1.000
Fix door casing	Joiner	Labour	1.000
Hang door	Joiner	Labour	1.000
Fix door furniture	Joiner	Labour	1.000
Return to ease door	Joiner	Labour	1.000
Plant for forming opening (1)	Not required	Plant	1.000
Plant for forming opening (2)	Not required	Plant	1.000
*			

We also now need a bricklayer to fix the additional lintel. Let's allow for 4 hours to do this.








[18] Click on the white cell in the row called **Fix Lintel** and change the hours to 4 in the **Quantity Required Column** and then press **Enter**.

Sundry Items			
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm	Material	1.000
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm	Material	1.000
Door furniture	Georgian Brass Internal Latch Pack	Material	1.000
Hinges	Butt Hinge Brassed 76mm	Material	1.000
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm	Material	2.000
Form opening	Bricklayer	Labour	1.000
Fix lintel	Bricklayer	Labour	4.000
Fix door casing	Joiner	Labour	1.000
Hang door	Joiner	Labour	1.000
Fix door furniture	Joiner	Labour	1.000
Return to ease door	Joiner	Labour	1.000
Plant for forming opening (1)	Not required	Plant	1.000
Plant for forming opening (2)	Not required	Plant	1.000
*			

He might also need labourer to assist him. Let's allow for 4 hours of a bricklayer's labourer.

[19] Click on **Add Resources** on the toolbar and select **Add Labour**.

Add Resources ▾

-  Add Material
-  Add Labour
-  Add Plant
-  Add Sundry
-  Add Subcontract
-  Delete
-  Go to Sundry Area

EstimatorXpress™ will now open up the **Labour** section of the **Price Book** over the top of the **Resources** section of the **Workbook**.

- [20] Select **Bricklayer's Labourer** with the mouse and click on the **Select Resource** button located in the top left of the main screen outside of the **Price Book** window.

Cancel Select Resource New Resource Web Catalogue Find Filters (All)									
Summary Price Book Spec Chart Reports Address Profit Inflation									
Mr Phillips, Extension: Typical Panel Doors Door into blockwork Worksheet Click here for Help									
No. of Identical doors		1.00							
Total cost of doors		£ 314.37							
Price Book									
Resource selection required for:									
Item used for:	Description	Code	List Price	Discount	Adjustment	Units of Supply	Purchase Cost	Contractor	Wastage
Sundry Items	2 Bricklayers and Mate	9720000001	£42.00	0.00%	0.00%	Hours	£ 42.00	Provisional	0.00%
Door	4 Bricklayers and 2 Mates	9720000002	£84.00	0.00%	0.00%	Hours	£ 84.00	Provisional	0.00%
Door casing	Bricklayer	9720000003	£16.00	0.00%	0.00%	Hours	£ 16.00	Provisional	0.00%
Door furniture	Bricklayer and Labourer	9807776010	£26.00	0.00%	0.00%	Hours	£ 26.00	Provisional	0.00%
Hinges	Bricklayers Labourer	9720000004	£10.00	0.00%	0.00%	Hours	£ 10.00	Provisional	0.00%
Internal lintel	2nd Fix Carpenter	9720000005	£17.00	0.00%	0.00%	Hours	£ 17.00	Provisional	0.00%
Form opening	Included in Timber Frame	9720000006	£ -	0.00%	0.00%	Hours	£ -	Provisional	0.00%
Fix: lintel	Joiner	9720000007	£17.00	0.00%	0.00%	Hours	£ 17.00	Provisional	0.00%
Fix door casing	Joiner + Mate	9720000008	£27.00	0.00%	0.00%	Hours	£ 27.00	Provisional	0.00%
Hang door	Joiners Mate	9720000009	£10.00	0.00%	0.00%	Hours	£ 10.00	Provisional	0.00%
Fix door furniture	Ceramic Tiler	9720000010	£15.00	0.00%	0.00%	Hours	£ 15.00	Provisional	0.00%
Return to ease door	Electrician	9720000011	£20.00	0.00%	0.00%	Hours	£ 20.00	Provisional	0.00%
Plant for forming opening	Electrician and Mate	9720000012	£33.00	0.00%	0.00%	Hours	£ 33.00	Provisional	0.00%
Plant for forming opening	Electricians Mate	9720000013	£13.00	0.00%	0.00%	Hours	£ 13.00	Provisional	0.00%
*	Groundwork Labourer	9720000014	£10.00	0.00%	0.00%	Hours	£ 10.00	Provisional	0.00%
Location	Groundworker	9720000016	£15.00	0.00%	0.00%	Hours	£ 15.00	Provisional	0.00%
	Groundworker and Labourer	9720000015	£25.00	0.00%	0.00%	Hours	£ 25.00	Provisional	0.00%
Remarks	Insulation Specialist	9720000017	£15.00	0.00%	0.00%	Hours	£ 15.00	Provisional	0.00%
	Landscape Gardener	9720000018	£15.00	0.00%	0.00%	Hours	£ 15.00	Provisional	0.00%
	Site manager	9720000019	£20.00	0.00%	0.00%	Hours	£ 20.00	Provisional	0.00%
	Painter	9720000020	£15.00	0.00%	0.00%	Hours	£ 15.00	Provisional	0.00%
	2 Plasters and 1 Plasterers Mate	9720000022	£50.00	0.00%	0.00%	Hours	£ 50.00	Provisional	0.00%
	Plasterer	9720000021	£19.00	0.00%	0.00%	Hours	£ 19.00	Provisional	0.00%
	Plasterers Mate	9720000023	£12.00	0.00%	0.00%	Hours	£ 12.00	Provisional	0.00%
	Plumber	9720000024	£20.00	0.00%	0.00%	Hours	£ 20.00	Provisional	0.00%
	Plumber & Mate	9720000025	£32.00	0.00%	0.00%	Hours	£ 32.00	Provisional	0.00%
	Plumbers Mate	9720000026	£12.00	0.00%	0.00%	Hours	£ 12.00	Provisional	0.00%
	2 Roof tilers + mate	9720000027	£42.00	0.00%	0.00%	Hours	£ 42.00	Provisional	0.00%
	3 Roof tilers + mate	9720000028	£58.00	0.00%	0.00%	Hours	£ 58.00	Provisional	0.00%
	Roof tiler	9720000029	£16.00	0.00%	0.00%	Hours	£ 16.00	Provisional	0.00%

The **Edit Resource** dialog will pop up asking you what this new labour item is going to be used for.

- [21] Enter **Form Opening** in the **Item Used For** field and then change the **Build Phase** to **Brickwork Shell** so that this labour item is linked to the correct **Build Phase**.

- [22] Finally change the **Quantity** to **4** (for 4 hours) and then, assuming you are happy with the price at £10 per hour, click **OK**.

Purchase Cost

Item used for: Form opening

Bricklayers Labourer

£10.00 per Hours

Usage

Usage Units: Hours

Usage Factor: 1.000000

Estimate Rate

£10.00 per Hours

Purchase Quantities

Quantity: 4

Wastage: 0.00%

Build Phase

Brickwork: Shell

Cost Summary

Cost: £40.00

Wastage Cost: £0.00

Total Cost: £40.00

OK

Cancel

You will notice that this item is now in bold type to indicate that it is a user-added item. You have now completed the **Typical Panel Doors Workbook**.

Sundry Items	PREMDOR Int Colonist 6P Textured Door Undercoated 762 x 1981 ... 12411	EA £ 35.45	Joinery 2nd Fix
Door	Door Lining Set Unprimed (loose stops) 686/762 32 x 138 x 5100mm	EA £ 15.40	Joinery 1st Fix
Door casing	JEWSON Georgian Polished Brass Internal Latch Pack JD023	EA £ 13.85	Joinery 2nd Fix
Door furniture	Narrow Pattern Butt Hinge Cranked Knuckle Electro Brassed 76mm 1838	PR £ 1.07	Joinery 2nd Fix
Hinges	STRESSLINE Prestressed Concrete Lintel 100 x 65 x 1050mm	EA £ 8.06	Brickwork Shell
Internal lintel	Bricklayer	Hours £ 16.00	Brickwork Shell
Form opening	Bricklayer	Hours £ 10.00	Brickwork Shell
Form opening	Joiner	Hours £ 16.00	Brickwork Shell
Fix: lintel	Joiner	Hours £ 17.00	Joinery 1st Fix
Fix door casing	Joiner	Hours £ 17.00	Joinery 2nd Fix
Hang door	Joiner	Hours £ 17.00	Joinery 2nd Fix
Fix door furniture	Joiner	Hours £ 17.00	Completion
Return to ease door	Not required	Unit £ -	Structural Openings
Plant for forming opening (1)	Not required	Unit £ -	Structural Openings
Plant for forming opening (2)			
*			

TIP: If your estimate included several identical doors with identical dimensions you would type in the number of doors of the same dimensions into the white cell at the top of the screen called **No. of identical Doors**. This would then multiply all resources by that factor. The cost would subsequently be increased by that factor.



[23] Assuming you are satisfied with the estimate output for the internal doors, press **Back** button to return to the **Typical Panel Doors Door into Blockwork Worksheet** dimensions screen.



[24] Close the **Typical Panel Doors Workbook** with the **Close** button to return to **Summary of Typical Panel Doors Workbook**.


Finally, you need to delete the other **Door Worksheets** as they are not required for this estimate.



[25] Select **Wide access into blockwork Worksheet** and press **Delete Worksheet** button.

[26] **EstimatorXpress™** will ask you to confirm **Are you sure?** Click **Yes**.

[27] Repeat the process for the 2 other **Door Worksheets** you don't require.




[28] Close the **Typical Panel Doors Workbook** with **Close** button to return to **Summary of Typical Panel Doors Workbook**.

Sheet Name	Remarks	Location	Total Cost	Comments
Door into studding		Upstairs	£ 230.83	
Wide access into studding		Upstairs	£ 235.27	
Door into blockwork		Downstairs	£ 354.37	
Wide access into blockwork		Downstairs	£ 254.72	
			£ 1,075.19	


[29] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Typical Panel Doors** on screen together with all of the previously estimated items in the **Job Summary**.




If you wish to stop and close the current estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button on the top right of screen.



BATHROOM FITTING OUT



10
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed EstimatorXpress™:


1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.




If you refer to your plan of the extension, you will see that we need to add a new bathroom to the 1st floor. This Tutorial leads you through the estimating of the various components of this bathroom using the **Bathroom & Cloaks Workbook**.

The **Bathroom & Cloaks Workbook** is an example of a **Composite Workbook** (see page 17 for an explanation of this). It is simply a collection of items of **Labour**, **Material** and **Plant** required to fit out various different bathrooms and cloakrooms. You should review each item to see if they are required and that the quantities and prices are adequate. The **Workbook** includes sanitaryware and fittings, boxing in of soil pipes and boxing of bath sides.


NOTE: There is a separate **Workbook** for **Ceramic Tiling** and the costs for the actual plumbing will be added as a **Subcontractor Quotation**.



- [1]  Since the **Bathroom & Cloaks Workbook** has not been automatically loaded as part of the **Extension Group of Workbooks** you selected when creating the Job, you need to add this **Workbook** to the **Job** by pressing **Add Workbook** button in the **Job Summary**.

- [2] Scroll down using the scroll bar on the right hand side of the dialog box until you find the **Fitting Out Workbook Type**. Click the checkbox next to **Bathroom and Cloaks** in the dialog box that pops up and press the **Select** button.

TIP: To help you locate the **Workbook** you are looking for, the **Add Workbook** dialog is arranged alphabetically by **WorkbookType**, e.g. Doors, Plastering, Electrics and Walls.




You will see that the **Bathroom & Cloaks Workbook** has been added to the list of **Workbooks** in the **Job Summary**.

[3] To start estimating your Bathroom you must select the **Bathrooms & Cloaks Workbook** and press **Open Workbook** button.

You are now transferred to **Summary of Bathroom & Cloaks Workbook**.

The **Summary of Bathroom & Cloaks Workbook** already contains 3 standard **Worksheets** for estimating a standard bathroom, a standard shower room and a standard cloakroom. Each of these **Worksheets** can contain multiple bathrooms of the same **Specification**. You can also add your own additional **Worksheets** by clicking **Add Worksheet** if you need to estimate several bathrooms of different **Specifications** for a large house for example.



[4] You do not need the **Shower Room** or the **Cloakroom** this time so you can delete those first of all.




Highlight the **Workbook** you wish to delete and press **Delete Worksheet** button on the **Toolbar**. Do that for both **Worksheets** that are not required for this **Job**.

[5] **EstimatorXpress™** will ask you to confirm **Are you sure?** Click **Yes**.




[6] Now click on **Bathroom Fitting Out** and press **Open Worksheet** button.



[7] **EstimatorXpress™** then transfers you into the **Resources Section** for the **Bathroom Worksheet**.


Note that there is no **Dimensions** screen because this type of **Workbook** does not contain dimensions. It is a collection of sundry items including **Material** and **Labour** that do not depend upon any dimensions.

As you are only estimating the fitting of one bathroom, the standard values should be fine here.



The **Job Price Book** will then pop up over the top of your estimate and will open in the section containing alternative bathroom suites. Use the **Find** button to help you locate what you are looking for.

The new resources will then be transferred into your **Bathroom Fitting Out Worksheet** and the price will be adjusted accordingly.

 Close Close

You will now see a final estimate costing for your **Bathroom** on screen together with all of the previously estimated items in the **Job Summary**.

 Close

- 
- Close



SUBCONTRACT QUOTATIONS



5:00
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through adding in budget figures for **Subcontract Quotations** for **Plumbing** and **Electrics** for the Extension.

The **Subcontract Quotations Workbook** is an example of a **Composite Workbook** (see page 17 for an explanation of this). It is simply a checklist of possible subcontract costs including Groundworks, Bricklayer, Scaffolding, Carpentry, Roof Tiling, Joinery, Plastering, Electrical, Plumbing, Ceramic Tiling, Decorating, Kitchen Fitting, Landscape, General and Specialist.

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Subcontract Quotations				
Shallow Access Manhole				
Drain Runs				
Drainage Plant				
Extension Slab		£ 733.48		Yes
Suspended Floor		£ 558.74		Yes
Apex Valley Roof		£ 4,078.28		Yes
Window		£ 1,182.09		Yes
Structural Opening		£ 733.31		Yes
Typical Panel Doors		£ 354.37		Yes
Brick and Block Cavity Wall		£ 6,618.37		Yes
Bathroom and Cloaks		£ 264.54		
*				
No of Items 12		Sub Total	£ 14,523.17	


[1]




To add **Subcontract Quotations** to your **Estimate**, click on the **Subcontract Quotations Workbook** and press **Open Workbook** button.

You are now transferred to **Summary of Subcontract Quotations Workbook**.


- [2] The **Summary of Subcontract Quotations Workbook** already contains a standard **Worksheet** which contains several possible subcontract quotations.




- [3]  **Change Location** Before you go any further you may wish to change the standard **Location** given to the **Subcontract Quotations Worksheet**. Select **Subcontract Quotations** and press **Change Location** button.

A dialog box pops up.

- [4] Use the drop down box below to give the **Subcontract Quotations** a location. Select whatever location you think is most suitable e.g. Extension. Click **OK**.




- [5]  **Open Worksheet** Now select **Subcontract Quotations Worksheet** and press **Open Worksheet** button.



- [6] **EstimatorXpress™** then transfers you into the **Resources Section** of the **Subcontract Quotation Worksheet**.


Note that there is no **Dimensions** screen because this type of **Workbook** does not contain dimensions. It is a collection of sundry subcontract items to which you can add whatever price you have been quoted or a budget figure.





- [7] Scroll across the screen until you come to the column titled **Quantity Per Item**. You can modify quantity of the item required by typing into the white cells. The prices are all currently set to zero. All **Subcontract Quotations** are set to a default unit cost of £1 so whatever number you enter into the **Quantity Per Item** column will be multiplied by £1 to calculate a price.
- [8] Let's say that we have received a quotation from a plumber for £1300 to carry out the necessary plumbing for the new bathroom. Enter 1300 to the **Quantity Per Item** column of the row labelled **Plumbing Quotation** and press **Enter**. Notice that the cost of £1300 automatically appears in the **Cost** column.

[9] Finally, add an **Electrical Quotation** for £1500 by entering 1500 into the **Quantity Per Item** column of the row labelled **Electrical Quotation** and press **Enter**.

Notice again that the cost of £1500 automatically appears in the **Cost** column.

[10]  Once you are happy with these values, press **Close** button to return to **Summary of Subcontract Quotations Workbook**.

[11]  Now to return back to **Job Summary**, again press **Close** button. This will automatically save your **Subcontract Quotations**.



[12] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Subcontract Quotations** on screen together with all of the previously estimated items in the **Job Summary**.

If you wish to stop and close what you have estimated so far:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs**. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button on the top right of screen.



DRAIN RUNS, DRAINAGE PLANT AND MANHOLES




15.00
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, see the following steps.

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.





This tutorial leads you through the estimating of the drain runs and drainage fittings.

This tutorial will help you estimate 2 metres of 600mm drain run to connect the new soil and vent pipe to existing drains, plus a shallow access manhole.

The **Drain Runs Workbook** is an example of a **Non-Specification Linked Workbook**. It is used to calculate the length of drain run required as well as all the associated resources based on the dimensions you input (See page 18 for a full explanation). Drainage fittings are added in the Sundry Items Area because these resources are independent of the dimensions of the **Drain Runs**.


Drain Runs

- [1]  To start estimating your **Drain Runs** select the **Drain Runs Workbook** in the **Job Summary** and press **Open Workbook** button.
- [2] You are now transferred to **Summary of Drain Runs Workbook** and a dialog box will automatically pop up asking you to name and give a location for the drains.



- [3] Enter **Extension Drains** as a name for this **Worksheet** and then select **Extension** for location. Click **OK**.

Close Add Column Copy Column Delete Column Dims Wizard				
Summary Price Book Spec Chart Repo				
Mr Phillips, Extension: Drain Runs Extension Drains Worksheet				
£ 709.67				
Mr Phillips				
Drain Runs				
Extension Drains		Location	Basic Drain run with no fittings	
Description		Units		
Length of drain run		M	10.000	
Width of excavation		M	0.400	
Depth of excavation		M	1.000	
Depth of bedding material		M	0.200	
Depth of pipe cover material		M	0.200	
Depth of concrete protection		M	0.200	
Is excavated spoil used for backfill		Y/N	N	
No of collars required		No.	2.000	



EstimatorXpress™ will then transfer you to the **Drain Runs Extension Drains Worksheet Dimensions** screen, where a dialog box will pop up asking you to select a template.

- [4] Click on the **Basic Drain Run with No Fittings** template and click **Select**.

NOTE: If you want to add you own **Drain Run** template in the future, you can use the **Edit** button from this dialog box.

- [5] **EstimatorXpress™ Dimensions Wizard** will now automatically open up containing a diagram to assist you in entering and confirming dimensions for the **Drains**. By simply making a few changes to these dimensions, a new cost will automatically be calculated.
- [6] Enter the **Width of Excavation** of 0.4
Press **Enter**.
- [7] Enter the **Depth of Excavation** of 0.6
Press **Enter**.
- [8] Enter the **Depth of Concrete Protection** of 0.2
Press **Enter**.
- [9] Enter the **Depth of Pipe Cover Material** of 0.2
Press **Enter**.
- [10] Enter the **Depth of Bedding Material** of 0.2
Press **Enter**.
- [11] When you have completed the dimensions for this page, click **Next**.

Enter Dimensions Page 2 of 3

Drainage details

It excavated spoil used for backfill:
If excavated material is to be added back into the trench enter 'Y'. If imported material is to be used to fill up the trench enter 'N'.

2.000

Back fill material
Concrete pipe protection
Pipe cover material
Is excavated spoil used for backfill (Y/N) Y
Bulking factor on spoil (No.) 1.500
Pipe bedding


SIDE SECTION THROUGH TRENCH


No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

Cancel Back Next

- [12] Enter **Length of Drain Run** 2.000.
- [13] Change **Is Excavated Spoil used for Backfill** to a **Y**. Leave the **Bulking Factor** as 1.5.
- [14] Click **Next** when you have completed this page.

- [15] Now add the fittings required. Change the number of 87.5 degree bends required to 1 and leave the other fittings. They are not required for this short run. Click **Finish** to return to the **Drain Runs Worksheet** screen showing all the dimensions you have just entered.

- [16]  Press the **Close** button to return to **Summary of Drain Runs Workbook**.

- [17]  Now to return back to **Job Summary**, again press the **Close** button. This will automatically save your **Drain Runs Workbook**.

Close	Open Worksheet	Add Worksheet	Copy Worksheet	Delete Worksheet	Save As
Summary	Price Book	Spec	Chart	Reports	Address
Mr Phillips, Extension: Summary of Drain Runs					
List of worksheets in workbook					
Sheet Name	Remarks	Location	Total Cost	Comments	
Extension Drains		Extension	£ 127.97		
			£ 127.97		
Remarks					

EstimatorXpress™

Is this Workbook now complete?

Yes No

- [18] A dialog box pops up asking if the item (Drain Runs) is now complete. Click **Yes**.

You will now see a final estimate costing for your Drain Runs as part of the overall estimate on screen.


The next item to consider for the drainage is the plant.

Drainage Plant


This tutorial leads you through estimating drainage plant.

Since the **Plant** required for digging the drain run tends to spend most of its time standing idle, **EstimatorXpress™** allows you to apply your own judgment as to how long the **Plant** will be on site. For example, you may be able to excavate the drains with the digger that is already on site for the other groundworks.

The **Drainage Plant Workbook** is an example of a **Non-Specification Linked Workbook**. It is simply a collection of items of **Plant** and associated time scales that are required to construct the drains. You should review each item to see if they are required and that the quantities and prices are adequate. The **Workbook** includes **Excavator, Shovel, Wheel Barrow, Trench Compactor, Trench Sheets, Trench Props, Pipe Cutter** and **No. of Plant Deliveries**.

- 
- [1] To start estimating your **Drainage Plant** select the **Drainage Plant Workbook** in the **Job Summary** and press **Open Workbook** button.

You are now transferred to **Summary of Drainage Plant Workbook**.



EstimatorXpress™

Enter a Worksheet name for this Drainage Plant.

Name:

Location:

- [2] A dialog box will pop up asking for a name and location for the **Drainage Plant Worksheet**. Enter **Extension Drainage Plant** or similar and select **Extension** for location. Click **OK**.

Close Add Column Copy Column Delete Column			
Summary Price Book Spec Chart			
Mr Phillips, Extension: Drainage Plant Extension Drain			
£	708.80		
Mr Phillips			
Drainage Plant			
Extension Drainage Plant	Location	Typical plant requirement	
Description	Units		
Time required for excavator	Days	2.000	
Time required for shovel	Days	4.000	
Time required for wheel barrow	Days	4.000	
Time required for trench compactor	Days	4.000	
No of trench sheets required	No.		
Time required for trench sheets	Days		
No of trench props required	No.		
Time required for trench props	Days		
Time required for pipe cutter	Days	4.000	
Time required for other sundry plant	Days		
Deliveries and collections of plant	No.	4.000	
*			

EstimatorXpress™ will then transfer you to the **Drainage Plant Extension Drainage Plant Worksheet** screen, where a dialog box will pop up asking you to select a template.

- [19] Click on the **Typical Plant Requirement** and press **Select**.
- NOTE: If you want to add you own **Drainage Plant** template in the future, you can use the **Edit** button from this dialog box.

Enter Dimensions Page 1 of 1

Plant required for drainage


Deliveries and collections of plant:
Enter the number of deliveries and collections that will be made for various plant

Time required for excavator (Days)	0.5
Time required for shovel (Days)	1
Time required for wheel barrow (Days)	1
Time required for trench compactor (Days)	1
No of trench sheets required (No.)	0.000
Time required for trench sheets (Days)	0.000
No of trench props required (No.)	0.000
Time required for trench props (Days)	0.000
Time required for pipe cutter (Days)	1
Time required for other sundry plant (Days)	0.000
Deliveries and collections of plant (No.)	2

PLANT REQUIRED FOR DRAINAGE

No Options Available ☒ Show Tech Tip ☐ Show Tech Labels

Cancel Back Finish




- [3] **EstimatorXpress™ Dimension Wizard** will open up containing a diagram to assist you in entering and confirming the plant required for the **Drainage**.

The suggested durations for plant hire that have already been set up should speed up the estimating process although you will probably find you will not require them all for this small extension.

- [4] Enter **Time required for excavator** 0.5 (days).
- [5] Enter **Time required for shovel** 1 (day).
- [6] Enter **Time required for wheel barrow** 1 (day).
- [7] Enter **Time required for trench compactor** 1 (day).
- [8] Enter **Deliveries and collections of plant** as 2.
- [9] Click **Finish** to return to the **Drainage Runs Worksheet** screen showing all the values you have just modified.

At the moment the standard plant item for excavating drains is set as a JCB. You can change that to a mini-digger using the **Resources Wizard**.

- [10]  **Resources Wizard** Click **Resources Wizard** button.
- [11] Now change the view from **Materials** to **Labour, Plant, Subcontract & Sundry** by clicking on the drop-down menu at the bottom of the screen.
- [12] Now highlight the item **Excavator for Drains** by clicking it with the mouse.
- Notice that on the right hand side of the screen **Resource Used** is showing as **JCB 3CX Excavator & Driver**.
- [13] Click on the **Resource Used** drop-down and select **Mini-digger & driver (8hr day)** instead.

Drainage Plant: Review Resources - Page 1 of 1

Drainage plant and equipment

Excavator for drains

Shovel for drains

Wheelbarrow for drains

Trench compactor for drains

Trench sheets for drains

Trench props for drains

Pipe cutter for drains

Other plant for drainage

Deliveries and collections of plant

Item Used For:
Excavator for drains

Select Resource Type:
Excavators

Resource Used:
JCB 3CX Excavator & Driver (8hr. day)

14-Min 1/2 Driver (8hr. Day)

1/2 JCB 3CX Excavator & Driver (8hr. day)

Mini Digger & Driver (8hr. day)

Usage Factor:
1

Estimate Rate:
£250.00 per Day

Total Cost including Wastage:
£125.00

DRAINAGE PLANT AND EQUIPMENT

No Options Available Labour, Plant, Subcontract & Sundry Close Back Finish





The **Edit Resource** dialog will pop up asking you to confirm that you want to use this new plant item for **Excavating Drains** and that the **Build Phase** is **Drains**.

[14] Click **OK** to confirm.

Purchase Cost		Purchase Quantities	
Item used for:	Excavator for drains	Quantity:	0.5
Mini Digger & Driver (8hr. day)		Wastage:	0.00%
£200.00 per Day		Build Phase	Drains
Usage		Cost Summary	
Usage Units:	Days	Cost:	£100.00
Usage Factor:	1.00000	Wastage Cost:	£0.00
Estimate Rate		Total Cost:	£100.00
£200.00 per Days			

[15] Click **Finish** button to close the **Resources Wizard** and automatically save your changes.

[16]  Press the **Close** button to return to **Summary of Drainage Plant Workbook**.

[17]  Press the **Close** button to return back to **Job Summary** again. This will automatically save your **Drainage Plant Workbook**.

EstimatorXpress™

Is this Workbook now complete?

Yes No

[20] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Drainage Plant** as part of the overall estimate on screen.

Now we just need to add a **Shallow Access Manhole**.

Shallow Access Manhole

This tutorial leads you through the estimating of a shallow access manhole.

The **Shallow Access Manhole Workbook** is a **Non-Specification Linked Workbook**. It is used to calculate the depth of the manhole required as well as all the associated resources based on the dimensions you input. Plant items are added in the **Sundry Items** area because these resources are independent of the dimensions of the **Manhole**.

[1]  To start estimating your **Shallow Access Manhole**, select the **Shallow Access Manhole Workbook** in the **Job Summary** and press **Open Workbook** button.


EstimatorXpress™

Select a location for this Worksheet.


Location: Extension

OK Cancel

You are now transferred to **Summary of Shallow Access Manhole Workbook** where you will see there is already a **Worksheet** called **600 Deep Access Chamber**.

[2]  Firstly, press the **Change Location** button.


[3] Change the **Location** to **Extension** and click **OK**.




- [4] Now select **600 Deep Access Chamber Worksheet** and press **Open Worksheet** button.

Close		Add Column	Copy Column	Delete Column	Dims Wizard
Summary		Price Book	Spec	Chart	Report
Mr Phillips, Extension: Shallow Access Manhole 600 Deep Access Chamber					
£ 306.87					
Mr Phillips					
Shallow Access Manhole					
600 Deep Access Chamber		Location		Shallow access chamber	
Description		Units			
Width of excavation for manhole		M		0.600	
Length of excavation for manhole		M		0.600	
Depth of excavation for manhole		M		0.800	
Thickness of concrete for manhole base		M		0.150	
No of inlet bends		No.		2.000	
No of raising pieces		No.		2.000	
Volume of concrete to surround manhole		M3		0.200	
Bulking factor for spoil		No.		1.500	
Time allowed to construct manhole		Hours		4.000	
*					

- [5] **EstimatorXpress™** will then transfer you to the **Shallow Access Manhole Worksheet Dimensions** screen. There is only one Template available for estimating **Shallow Access Manholes** so **EstimatorXpress™** will automatically load the dimensions from this standard **Shallow Access Chamber** into the white column of this screen. The dimensions that have already been set up should speed up the estimating process. Because a manhole is usually a very standard size you may find you hardly have to change any of these dimensions.



- [6] To review and modify the standard dimensions, click anywhere on the white column of dimensions and press **Dims Wizard** button.



- [7] **EstimatorXpress™ Dimensions Wizard** will open up a dialog box containing a diagram to assist you in entering and confirming dimensions for the **Manhole**.
- [8] The standard width, depth and concrete base should be fine so unless you want to make any changes here, just click **Next** to continue.


- [9] Again 2 inlet bends, no rising sections and one manhole section should be OK so unless you want to make any changes here, just click **Next** to continue.
- [10] Finally if you are happy with the volume of concrete to the manhole surround and the suggested number of hours for constructing the manhole, just click **Finish** to return to the **Shallow Access Manhole Worksheet Dimensions** screen where the dimensions you have just seen are now confirmed in the white column.



- [11] Press **Close** button to return to **Summary of Shallow Access Manhole Workbook**.



- [12] To return back to **Job Summary**, press the **Close** button. This will automatically save your **Shallow Access Manhole Workbook**.



- [13] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your Manhole as part of the overall estimate on screen.

If you wish to stop and close the current estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button in the top right of screen.



BAR CHART PLANNER



10.00
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed EstimatorXpress™ follow the steps below:

If you wish to start this tutorial having closed EstimatorXpress™:

1.

Press **My Estimates** button at the top of the **Main Menu** screen.
2.

This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3.

Press **Open Estimate** button. You are now ready to start the next tutorial.



You are now going to look at producing **Bar Charts** with EstimatorXpress™ to help with the planning of your **Job**. In this example, you will schedule the activities involved in building the extension.

As mentioned earlier, the **Job Summary** screen is the control centre for your estimate and from here you can edit the planning **Bar Chart** that you selected when you created your **Job**.

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate Save Email Sign Off Estimate							
Summary Price Book Spec Chart Reports Address Profit Inflation							
Mr Phillips, Extension: Job Summary Click here for Help							
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened	
Subcontract Quotations	2	£ 2,800.00			Completed	17/08/2006 10:10	
Shallow Access Manhole	2	£ 306.87			Completed	17/08/2006 09:58	
Drain Runs	2	£ 127.97			Completed	16/08/2006 15:38	
Drainage Plant	2	£ 177.20			Completed	16/08/2006 15:48	
Extension Slab	2	£ 733.48		Yes	Completed	16/08/2006 10:24	
Suspended Floor	2	£ 558.74		Yes	Completed	16/08/2006 11:37	
Apex Valley Roof	2	£ 4,078.28		Yes	Completed	16/08/2006 11:27	
Window	2	£ 1,182.09		Yes	Completed	16/08/2006 12:25	
Structural Opening	2	£ 733.31		Yes	Completed	16/08/2006 11:53	
Typical Panel Doors	2	£ 354.37		Yes	Completed	16/08/2006 12:49	
Brick and Block Cavity Wall	2	£ 6,618.37		Yes	Completed	17/08/2006 09:58	
Bathroom and Cloaks	2	£ 264.54			Completed	16/08/2006 13:00	
No of Items 12		Sub Total		£ 17,935.20			

[1] Chart


To begin, double click on the **Chart** tab near the top of the screen. This will transfer you to the **Bar Chart Planner** inside your **Job**.

TIP: For more information about creating and modifying Bar Charts press Help or press your F1 Key on your keyboard.




TIP: EstimatorXpress™ automatically loads the **Bar Chart** for a **Large Extension** as this is what you selected when you created the **Job**. It is a template **Bar Chart** with suggested durations for this type/size of build. If you decide at any point that this chart is unsuitable for the **Job** you are estimating, you can load a different chart from the **Library of Bar Charts** using the **Library** button.

[2] You will now see on screen a full **Bar Chart** for your extension. On the X-axis, you will see the approximate weekly durations for each phase and on the Y-axis, you will see the **Build Phases** for the extension. Notice that the start date is the start date you entered when you created your **Job**.



NOTE: The **Chart** shown above is an example of what a completed **Bar Chart** might look like. It may not be identical to the **Chart** you see on screen.

TIP:  **Remove Unused Build Phases** If the **Chart** contains **Build Phases** which are not relevant to this **Job**, you can use the **Remove Unused Build Phases** button to delete them from the chart. You will need to close the **Edit Bar Chart** tool before you so this (see below).


Edit Bar Chart

Job Start Date: Tuesday Oct 10 2006


Build Phase: Start: Week 17, Day 0; Build Phase: Foundations; Duration: Week 1, Day 0

Cascade: Start Date: Tuesday Feb 6 2007; End Date: Tuesday Feb 13 2007

Buttons: Add Bars, Zoom, Filter Bars, Refresh, Close, Cascade

 **Edit Bar Chart** The **Edit Bar Chart** tool automatically pops up over the **Bar Chart**. This tool allows you to modify the Start Week and Durations of each Build Phase so that the chart is more in line with how you are going to be working. You can access this tool at any time by pressing **Edit Bar Chart** button.

TIP: If the dialog box obstructs your view of the **Bar Chart** simply click on the bar at the top of the dialog box and with the left mouse button held down; drag the box to one side. When it is in a good position release the mouse button.

 Increase Font Size


 Decrease Font Size

NOTE: If the Build Phase labels are too small to read simply press **Increase Font Size** button to increase the font. Use **Decrease Font Size** button to decrease the font size if it is too big. You will need to close the **Edit Bar Chart** tool in order to do this.


(With some PCs, Excel automatically hides some of the labels for clarity. Normally however these missing labels will be printed depending on your printer resolution. To check any individual bar description or duration, mouse-over the bar, **EstimatorXpress™** will then show the name and duration of the phase in days.)

- [3] To change the start date of the **Foundations**, select it with the drop down box in the centre of the dialog box.

Currently the start date for **Foundations** is set at week 17 to allow for the phases you have excluded this time.



- [4] To move this phase to week 2, for example, click on the Down Arrow of the Start Week in the dialog box.



- [5] You will see on the **Bar Chart** on screen that the **Foundations Phase** has been moved to week 2.

 Cascade



- [6] To move all the **Build Phases** after **Foundations** forward by the same duration, press **Cascade** button.

You will see that all the **Build Phases** following **Foundations** have been brought forward by the same number of weeks.

- [7] In the next example, you will increase the duration of a **Build Phase**. First, you must select the phase with the drop down box in the centre of the dialog box.

Scroll down until you find **Brickwork Shell**.

Select **Brickwork Shell** using the mouse.



- [8] Currently the duration for **Brickwork Shell** is set at three weeks.


To increase its duration to four weeks click on the Up Arrow of the duration in the dialog box. You can change the duration in weeks and days if you wish.

- [9] You will see on the **Bar Chart** on screen that the length of the **Brick Work shell** has increased by one week.



To nudge all the **Build Phases** after **Brickwork** to match the increased duration of the **Brickwork**, (assuming that the next phases cannot occur without the completion of **Brickwork shell**) click **Cascade** button.


- [10] You will see that all the **Build Phases** after **Brickwork shell** are moved back one week. Check the values of each subsequent bar to confirm that you are happy with the result.




- [11] When you have finished modifying the chart, click **Refresh** button to ensure all phases of your chart are on screen.



- [12] When finished click **Close** button on dialog box.


[13]  To print the chart, press **Print** button on the top toolbar.

[14]  To exit the **Job Bar Chart** screen to return to the **Job Summary**, double click on the **Summary** tab.

If you wish to stop and close what you have estimated and planned so far:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs**. Close this screen also using **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress™** press **Exit** button on the top right of screen.





15.00
Minutes

REPORT MANAGER

You are now going to look at producing **Reports** with the **EstimatorXpress™ Report Manager** to help with the costing, quoting, planning and management of your **Job**.

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress™**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress™**:

1. Press **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press **Open Estimate** button. You are now ready to start the next tutorial.



- [1] As mentioned earlier, the **Job Summary** screen is the control centre for your estimate and from here you can view and modify **Reports** for your **Job** - in this example for the extension demonstration.



To begin, double click on the **Reports** tab near the top of the **Job Summary** screen to open the **Report Manager** screen.

Open Report Copy Report Delete Report Quote Wizard	
Summary	Open Report (Ctrl+O) Spec Chart
Mr Phillips, Extension: Report Manager	
Report Name	Remarks
Sales Price Cash Flow	
Cost Cash Flow	
Profit By Workbook	
Sales Price By Workbook	
Cost By Workbook	
Profit By Plant Type	
Sales Price By Plant Type	
Cost By Plant Type	
Profit By Subcontract Type	
Sales Price By Subcontract Type	
Cost By Subcontract Type	
Profit By Material Type	
Sales Price By Material Type	
Cost By Material Type	
Profit By Trade	
Sales Price By Trade	
Cost By Trade	
Profit By Type	
Sales Price By Type	
Cost By Type	
Profit By Build Phase	
Sales Price By Build Phase	
Cost By Build Phase	
Labour Hours By Trade	
Sales Price Ind Profit	
Bricklayers Costs	
Joinery Costs	
Plasterers Costs	


You are transferred to the **Reports Manager**.




- [2] On the left of the screen, you will see all of the Reports that are automatically created for your estimate.

PLEASE NOTE: If you are using **EstimatorXpress™ Total Toolkit** you will see over 50 **Reports** available for you to view and print to review the output of your estimate including over 20 charts showing graphical breakdowns of profit, cost, price and cashflow by **Workbook**, **Build Phase**, **Resource Type** and **Trade** (marked by a pie chart symbol) and over 20 tabular **Reports** including **Sales Price inc. Profit, Materials Task List, Basic Costs, Inflated Costs** and many more (marked by a document symbol) that can be viewed and modified to show as much or as little detail as you require. If you are using **EstimatorXpress™ Lite**, you will see a restricted set of these reports and should therefore proceed to step [10] below.


If you are using **EstimatorXpress™** Total Toolkit you will also have access to the **Accounts Export** function and the **Variations** function which allows you to view, amend and resave previously printed **Customer Quotes**. To open and make changes to previous **Quotes**, use the **Previous Quotes** button.

- [3] Select the Chart Report called **Cost by Build Phase**. Click **Open Report** button.
- [4] The **Chart Report** called **Breakdown of Costs by Build Phase** opens showing the breakdowns as a percentage of the total cost of the **Job**.



- [5]  **Toggle** To see this information in monetary terms, click **Toggle** button on the toolbar.
- [6] The **Chart Report** will now display the breakdown in pounds excluding VAT, profit and inflation.
- [7]  **Print** To print this **Report**, click the **Print** button on the toolbar.
- [8]  **Close** Click **Close** button to return to the **Report Manager** screen.

Have a look at any of the other **Chart Reports** available before moving on to the next step.



When you are ready, take a look at the tabular Reports:


[9] Scroll down the screen to find the **Materials Task List Report**.

[10]  Click on the Report and press **Open Report** button.


[11] You will now see all of the materials required to build the extension that you have estimated alongside the quantity needed inclusive of wastage, costs and their Order by Date.

Order By	Date required	Description	Product Code	Purch Cost (£)	Purchase Units	Quantity required
30-Aug-06	25-Oct-06	Facing Bricks - Provisional (Allowance £0.50 each)		£ 0.50	Each	40.50
5-Sep-06	31-Oct-06	Facing Bricks - Provisional (Allowance £0.50 each)		£ 0.50	Each	2584.80
13-Sep-06	25-Oct-06	Engineering Brick - Class A Blue 65mm		£ 0.70	EA	81.00
19-Sep-06	31-Oct-06	Cavity Wall Insulation 100 x 455 x 1200mm 14 Sheets 5.46m2		£ 45.00	EA	6.79
11-Oct-06	25-Oct-06	Ballast Bulk Bag		£ 44.00	EA	0.22
		Blue Circle Mastercrete Original Cement 25kg Bag		£ 3.90	EA	2.57
		Solid Dense Concrete Block 7N 440 x 215 x 100mm		£ 10.00	M2	2.03
		Thermalite Turbo Block 440 x 215 x 100mm		£ 12.00	M2	4.05
		Trench Block 440 x 215 x 275mm		£ 42.00	M2	2.03
12-Oct-06	26-Oct-06	Ballast Bulk Bag		£ 44.00	EA	0.42
		Flooring Grade Polystyrene Insulation Sheet 2400 x 1200 x 100mm		£ 64.00	SH	2.66
		Flooring Grade Polystyrene Insulation Sheet 2400 x 1200 x 25mm		£ 16.00	SH	0.83
		Sub Base MOT Type 1 Bulk Bag		£ 50.00	EA	2.53
		Visqueen DPM Blue 300mu 4 x 25m PIFA (27.6kg)		£ 65.00	EA	0.14
17-Oct-06	24-Oct-06	Rmix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)		£ 80.00	M3	2.16
	31-Oct-06	ANCON Stalix Housing Tie to DD140 Type 4		£ 163.00	TH	0.24
		Ballast Bulk Bag		£ 44.00	EA	2.56
		Blue Circle Mastercrete Original Cement 25kg Bag		£ 3.90	EA	14.69
		Celcon Block Standard 440 x 215 x 100mm		£ 13.00	M2	43.08
		Pea Gravel Bulk Bag		£ 49.00	EA	0.70
		Pipe Bend DS 87.5 deg 110mm		£ 17.00	EA	1.00
		Pipe Bend SS 11.25 deg 110mm		£ 14.00	EA	2.00
		Pipe Coupling DS 110mm		£ 5.40	EA	2.00
		Pipe Plain Ended 3m x 110mm		£ 16.00	EA	0.67
		Pitch Polymer DPC 100mm x 20m		£ 22.00	EA	0.90
		Universal Manhole Access Chamber Base 215 x 100mm		£ 58.00	EA	1.00
		Universal Manhole Access Chamber Cover & Frame 345 x 345mm		£ 58.00	EA	1.00
		Universal Manhole Access Chamber Raising Piece 150mm		£ 25.00	EA	2.00

NOTE: To see all data either scroll using scroll bars or use the **View** menu on the menu bar to change the **Zoom** setting. It is normally set at 85% but if you set it to a lower number, more data will fit on your screen.

- [12]  If you make changes to the **Report** and you want to restore this data to being sorted by order date, click anywhere in the column labelled **Order By** and press the **Sort by Date Order** button on the top tool bar.

For more information about changing the appearance of Reports press **Help** or press your **F1 Key** on your keyboard

- [13]  When finished press **Close** button to return to **Reports Manager** screen.

Finally, you can now print out a **Customer Quotation** in Microsoft Word with the **EstimatorXpress™ Report Manager Quote Wizard**. N.B. This feature is only available if you have purchased **EstimatorXpress™ Total Toolkit**.

If you are using **EstimatorXpress™ Lite** you have completed the tutorial.


PRINTING OUT A CUSTOMER QUOTATION IN MICROSOFT WORD™



15.00
Minutes

NOTE: You must have Microsoft Word installed on your PC, for this feature to function.

[1]  From the **Reports** tab, click on **Quote Wizard** button.




[2] The **Quote Wizard** dialog will pop up.

[3] You can choose what level of information you wish to include in your **Quote** by checking any of the following options:


No Resources Specified
Key Resources Specified
All Resources Specified
Phase Totals
Build Phase Pictures
Sales Price inc. Inflation

If you select **Key Resources** or **All Resources Specified** you can then also choose whether you wish the following items to be included in your **Quote**:

Customer Friendly Descriptions
Order Quantities




[4] As you check and uncheck the various options, the sample text relating to **Footings** displayed in the dialog box will change to give you an idea of how the text might look in your finished **Quote**.

[5]  Click on the **More** button to see which **Build Phases** are to be automatically included in the **Quote**. You may wish to uncheck any of them in order to exclude them.


NOTE: The **Advanced Options** button allows you to change what materials are explicitly mentioned in the quote for each individual **Build Phase** e.g. you may wish to exclude screws and fixings from the phase **First Floor Joists** but you would want to include the **Carcassing Timber**.

We recommend you print your **Quote** with the default settings initially and then experiment with them later.



[6] Click **Print** to generate your **Quote** in Microsoft Word.



- [7] A dialog box will pop up asking if you wish to include VAT. Enter the rate of VAT you wish to include and click **OK**.



The process of creating your **Quote** may take a few moments as **EstimatorXpress™** has to transfer all the data from your estimate into Microsoft Word. A progress bar will appear to show you how much more the **Quote Wizard** has to do before the **Quote** is ready.

<u>Foundations</u>	
Excavate for foundations using mechanical plant (if required) and cast foundations. Please note that the Building Control Officer will inspect the foundation prior to concreting and may require changes to the foundation depth and construction. Variations for additional excavation, trench support and concrete etc. will be chargeable.	
Total Cost (Excluding VAT)	£1,346.78
<u>Footings</u>	
Construct brick and block footings off prepared foundations.	
Total Cost (Excluding VAT)	£614.98
<u>Oversite and slabbing</u>	
Lay and compact sub base on reduced levels. Form concrete slab comprising:	
Total Cost (Excluding VAT)	£953.52

- [8] Microsoft Word will automatically open and load your **Customer Quotation** which you can now edit, save and print as you would any other Word document.

NOTE: **Quotes** are stored in the folder C:\Program Files\HBXL\EstimatorXpress\Customer Quotes for future reference, where C:\Program Files\HBXL\EstimatorXpress is the location where you installed **EstimatorXpress™**.

- [9] Click on **EstimatorXpress™** in your Windows taskbar to return to the software.
- [10] To return to the **Job Summary** screen, double click on the **Summary** tab.

You are returned to the **Job Summary** screen.

TIP: In future, you may also want to review some of the **Preferences** for your printed quotation.

From the **Quote Wizard** dialog box, press **Preferences** button.

The **Preferences** dialog box will appear. From here you can modify the standard paragraphs of text that will appear in your quote including:




Opening Paragraph
Closing Paragraph
Build Phase Description

Plus you can use the **Page Setup** button to tell **EstimatorXpress™** that you want to use your own headed paper or you import your company logo.

You may also want to review **Resource Descriptions**. For example you may not want the Brick Ties to appear in the **Customer Quotation** as "ANSON Stayfix Housing Tie to DD140 Type 4 200mm HRT4200" so you can tell the software to simply substitute **Brick Ties**.

To view product descriptions that may required editing and to give them your choice of name, click the **Non-edited** button.

A dialog contained all full length product descriptions used in your estimate will appear. Click on the product you wish to change and type in a new name. This name will be remembered for future **Quotes**.

1.	To close your completed Job , press Close button on the top left of the Job Summary screen.	
2.	You are transferred to the My Jobs . Close this screen also using Close button	
3.	You are now in the Main Menu Screen. To close EstimatorXpress™ press Exit button at the top right of screen.	

Congratulations on working all the way through the Tutorial! You should now have a good grasp of how **EstimatorXpress™** works. Remember you can refer to the Help system at any time, accessed by clicking the Help button or pressing F1 on your keyboard will provides more details of each screen.

GLOSSARY

Accounts Export

Use this button to export data to QuickBooks™ and Builder Books™ software packages if you are using **Total Toolkit** edition.

Adjustment (Within Price Book)

This is a percentage you may apply to the list price of a resource in the **Price Book** to increase/decrease the price.

Area Estimator

See **Workbook** (Area/Volume/Perimeter)

Bar Chart

This is a visual planning chart that **EstimatorXpress™** produces in the **Bar Chart Planner**.

Build Phase

Build Phases are an important component within the structure of **EstimatorXpress™**, allowing you to manipulate the output in the Report Manager to organise Material deliveries and cashflows etc. Each Estimate is divided into the various phases of work, for example: Brickwork shell, First Fix or Roof Structure. Every item in an Estimate is assigned to a Build Phase to allow you to group together all items required in a particular Build Phase, for example you can group together all materials required to construct the roof structure, by applying the "Roof Structure" filter in the Report Manager. You define the start dates of each Build Phase in the Bar Chart.

Button Bar (With Reports)

These are horizontal grey bars, which appear in opened Reports and allow you to modify the Report by dragging the bar to different parts of the screen.

Cell

The Screen is divided into a number of rectangular areas called "cells". Coloured cells are "Locked" and cannot be edited. White cells are can be edited by moving the cursor into the cell and editing.

Code

This is the manufacturer's code for the described Resource.

Completed (Within Job Summary)

Defines whether you regard the estimating in a **Workbook** as having been completed. (Each time you close a **Workbook** you are asked whether the **Workbook** has been completed, and the **Job Summary** marked accordingly).

Composite Items Estimator

See **Workbook** (Composite)

Copy

This is the function, which allows you to create a duplicate of an existing item having selected it with your mouse, for example, a **Price Book**, **Worksheet** or **Column**.

Critical

Critical indicates an item, which you consider to be critical and worthy of close attention during estimating. For example, the cost of nails may not be particularly important but the cost of bricks will probably be regarded as critical.

Cursor

The small marker on the screen (often in the shape of a white arrow or white cross) that follows the movement of the mouse and indicates which area of the screen will be affected when you press the mouse button. The cursor changes shape during certain tasks.

Desktop

This is the main area of Windows where you can open and manage files. When **EstimatorXpress™** is properly installed, a **EstimatorXpress™** icon should appear on your desktop.

Dialog Box

A Dialog Box is a box of information, which “pops up” when various commands have been initiated by you using the various buttons on the Screen. Normally you will be expected to enter information or use the select arrow to choose information in the pull down box on the Dialog Box. Once the information has been entered or selected, press the OK or Cancel button to clear the Dialog Box. While the Dialog Box is on the Screen, no other button pressing or editing can occur.

Dimensions Section

This is the section of a **Worksheet** where you may add the dimensions of your building works, (provided you have selected a column from the Library of Templates). Once you have opened a work sheet, within a **Workbook**, press the dimension arrow button to access this area of the screen.

Discount (Within Price Book)

This is a percentage applied to the list price of a resource in the **Price Book** to decrease its Purchase Cost.

Double Click

Double Clicking accesses some commands without pressing a specific button. The Double Clicking command is assigned to various functions throughout **EstimatorXpress™** and changes as you move through the various Screens e.g. **Open Workbook**. The special Double Clicking function only functions on coloured, locked areas of the screen. In addition to the special functions, Double Clicking will allow you to edit text within cells, which are not locked.

Drag

To drag an item first select it with your mouse, next hold the left-hand mouse button down and, with the mouse button still pressed, move the pointer to the desired position, the selected item will then have been “dragged”. To drag over some text, select an item of text. Hold the left-hand mouse button down and, with the mouse button still pressed, move the pointer over the desired text. The selected text will change colour, indicating that it has been selected. Release the mouse button once the text has been selected.

Drop Down Box

This is a box in which you select an item by clicking on the small down arrow, this opens your options and allows selection of the item with the mouse. You may also have to use the scroll bar on the drop down box to find the item you require.

Duration Days (Within Bar Chart)

This is the number of days that you anticipate each phase will take to complete and is calculated by **EstimatorXpress™** from the Duration (Weeks) entry.

Duration Weeks (Within Bar Chart)

This is the number of weeks that you anticipate each phase will take to complete.

Estimate

This is any complete house/extension/garage/extension/office...

Estimate Rate

Estimate Rate is the cost per usage unit. For example, blocks are laid at £5 per m². (£5 is the Estimate rate). The Estimate rate is obtained by Multiplying the Production/ Usage Factor x Purchase Cost.

Export

Exporting allows the user to transfer any screen information into a new standard Microsoft Excel file, which can then be opened in Microsoft Excel™. All information is transferred in value or text form without any underlying formulas. All exported sheets are stored in the C:\Program Files\HBXL\EstimatorXpress\Exports folder where C:\Program Files\HBXL\EstimatorXpress is the location where **EstimatorXpress™** was installed.

Icon

This is a small picture, which represents something that you can manipulate, such as a folder or a document. When **EstimatorXpress™** is properly installed, a **EstimatorXpress™** icon should appear on your desktop.

Item Used For

Item Used For describes the usage of a Resource. E.g. Solid concrete blocks are used below dpc in cavity walls

Job Description

This is the description of the **Job** and is added by you when the **Job** is first created.

Job No.

This is the number automatically created by **EstimatorXpress™** when an estimate is created and ensures that each estimate has a unique reference.

Job Reference

Job Reference is the name provided for the **Estimate** or **Job** (created by the user) combined with the Job No. (Provided automatically by **EstimatorXpress™**).

Job Summary

When you create a new Estimate, **EstimatorXpress™** creates a summary of the elements (**Workbooks**) that the estimate contains and presents this information in the **Job Summary** Screen. The **Job Summary** allows you to view the progress of your estimate and provides access to the Profit Margin, Inflation, Bar Chart and Address Screens for the **Job** in hand.

Job Value

This is the overall cost of the estimate shown in the **My Jobs** and **Job Summary**. (Excluding Profit).

Group Of Workbooks

A Group of **Workbooks** is a list of **Workbooks** grouped together to allow the user to easily select a "check list" of items required in a particular type of **Job** and so speeds up the estimating process. For example, a simple extension estimate **Group Of Workbooks** could include...

Drain Runs **Workbook**, Manholes and Drainage Plant **Workbook**, Cavity Wall Estimator **Workbook**, Block Wall Estimator **Workbook**, Structural opening Estimator **Workbook**, Lean to roof Estimator, House Slab **Workbook**, Perimeter Insulation **Workbook**, Patio Door 2400 **Workbook**, Window Estimator **Workbook**.

The user can create their own **Group Of Workbooks** to reflect the different types of work they carry out. During the estimating process users may also add additional **Workbooks** to the selected **Group Of Workbooks** within the **Job Summary**.

Locations

Locations references are used to sort Reports by the position of the element within the Estimate. For example: Dining Room, Garage etc. **EstimatorXpress™** uses locations references for sorting Reports. For example if you had estimated an extension, it would be possible to create a Report, which “picks out” only those **Worksheets** and associated resources, which relate to the Dining Room.

Locked Cells

In most windows the Screen is divided into two distinct areas:

Coloured areas: These areas are locked and cannot be edited or typed into by the user.

White areas: The areas are unlocked and can be edited or typed into by the user.

NOTE that in Report Screens the usual Rules relating to Coloured and White Screen Areas do not apply.

Main Menu

This is the first screen that opens once **EstimatorXpress™** is fully installed.

Master

When the label “Master” appears on any summary/library screen, this indicates that the item cannot be modified. You can however copy items marked Master and then modify them.

My Jobs

This is the screen where your estimates are listed. You can open your Estimates or create new Estimates from this screen. This screen is accessed from the **Main Menu** by pressing **My Estimates** button.

Notice or Delivery (Within the Price Book)

Indicates the number of week’s notice or lead-time that is required to ensure that a particular Resource is available on site.

Payment Terms

Payment Terms is the number of weeks allowed by the supplier before payment is due on items supplied or delivered to site on each Resource. The Payment Terms are defined in the **Price Book** when each Resource is created or edited.

Price Book

This is a list of Resources which you have available to cost your Estimate. The Resources are split within the **Price Book** into 5 different sections. You may create your own resources or modify details of ones that already exist in **EstimatorXpress™**.

Production/Usage Factor

See Usage Factor

Profit Margin

Profit margin percentages are initially set “globally” for all new estimates by the user from the **My Settings Menu**. The user can then modify the margins on a **Job-by-Job** basis from the **Job Summary**. NOTE that the Profit Margins are added to each item in the Estimate in the Report Manager only. The calculated costs, which appear in the **Workbooks** and **Job Summary**, are the raw costs exclusive of any profits.

Project

A Project is a group of **Estimates**, which are grouped together to give an overall view of a site or an overall view of workload in the Project Manager. (See Project Manager)

Project Description

This is simply a label given to a particular Project for identification purposes by you. **EstimatorXpress™** does not use it for sorting.

Project Manager

This allows you to merge selected **Jobs** that you have previously estimated with the **EstimatorXpress™** into overall **Bar Charts** and **Reports**. The Project Manager accumulates all estimated costs and the materials, plant, labour required as well as overall cash flow for the selected **Jobs** and projected profit. The **Project Manager** produces the same **Reports** as the **Report Manager** but for several **Jobs** grouped together rather than an individual **Job**. This feature is only available with Total Toolkit edition.

Project Number

Project Number is the number automatically created by **EstimatorXpress™** and ensures that each Project has a unique reference.

Purchase Cost

Purchase Cost is the purchase cost from the supplier per unit of supply of the Resource, which is defined in the **Price Book** when each Resource is created or edited.

Purchase Unit

This is the "unit of supply" of the Resource that is defined in the **Price Book** when each Resource is created or edited. (E.g. Tins, Bags, Each etc.)

Quick Keys

In some cases where Quick keys have been assigned to a button, a message on the Status Bar or Tool tip will indicate the Quick key command. For example: Print- (Ctrl P). This indicates that the command button may be selected from the keyboard rather than the mouse by pressing the Control Key together with the appropriate letter.

Quote Wizard

Use the **Quote Wizard** from the **Reports Manager** screen to create **Customer Quotations** in Microsoft Word.

Report Manager

This combines the previously created Estimate and Bar Chart to produce Reports such as Material Schedules, Cash Flow, Overall Job Costs and Profit Forecast.

Resource

Resources are Labour, Materials, Plant, Subcontractor and Sundry Items. **EstimatorXpress™** uses resource references for sorting Reports and in the **Price Book**. This enables the user to produce a Report, which for example details all the Materials costs for a Project. You cannot create additional Resource *categories*, but are able to create additional Resources in the **Price Book** either from the **Main Menu** or during the course of an Estimate.

Resources Section

This is the section of a **Worksheet** where all the materials, plant and labour for a part element of a build are listed. For example, the resources section of a Cavity Wall **Worksheet** would include bricks, brick ties, cement and bricklayers.

Row

A horizontal collection of cells/information on screen.

Screen Shot

A picture showing all or part of the computer screen.

Scroll Bars

Scroll Bars are located at the bottom and side of each Screen and allow you to move the viewed area of the Screen. To use the Scroll Bar place the arrow on the scroll bar button and drag the button to move the Screen. Alternatively, click either side of the button or click on the arrows at the top and bottom of the scroll bar.

Sheet Name

This is the name of the **Worksheet** and is created by you or provided when the original **Workbook** was created.

Sort

This allows you to arrange data alphanumerically in A-Z order, date order, Build Phase order and others using specific sorting buttons.

Specification

The **Specification** defines the materials that make up the main fabric of a particular type of house. For example, the type of bricks, the type of roof tiles and the typical joist sizes.

Status Bar

The Status Bar appears at the bottom of the Screen and is used to display information about what **EstimatorXpress™** is doing during automatic routines.

Sundry Item

Diverse items required to build a house/ extension...that are not specifically related to the dimensions input into an estimate **Workbook**.

Sundry Items Area

The area in which you add sundry items to your estimate in a **Workbook**. The items are always unrelated to any automatic calculations carried out by **EstimatorXpress™**.

Suppliers

The organisation/ persons who provide you with your materials/plant/labour/subcontract.

Toolbar

A series of shortcut buttons that provide quick access to commands. Usually situated at the top and bottom of the screen.

Tool Tip

This is a Help feature that displays the function of a button when you move your cursor over a button.

Total Cost (Job Summary)

This is the estimated finished cost of a particular **Workbook** (Excluding Profit).

Total Order Quantity

This is the total order required, expressed in purchase units, as distinct from usage units.

Type

Type is a category, which is defined to enable you to sort similar items into groups. You may use the predefined types or create your own using the button on the **Main Menu**. (Opportunities to create new types and other sort references also occur in many Dialog Boxes). For example, the Type "Carcassing timber" includes all the various types of sawn timber.

Unit of Supply

These are the units that the supplier chooses to supply his Resource in. (NOTE that once a resource has been created the Units of Supply cannot be changed. If you wish to source the resource in different Units of Supply, you must create a new resource. This is to guard against the problem of the user modifying the units whilst considering one **Specification** or **Workbook** and taking into account that it may well affect other **Specifications** or **Workbooks**).

Unlocked

In most windows the Screen is divided into two distinct areas:

Coloured areas: These areas are locked and cannot be edited or typed into by you.

White areas: The areas are unlocked and can be edited or typed into by you.

NOTE that in Report Screens the usual Rules relating to Coloured and White Screen Areas do not apply.

Usage Factor

Production / Usage Factor is the factor which is applied to the purchase cost to convert the purchase cost to the "Estimate Rate". For example if the Bricklayer paid £8.00 per hour and the Estimate Rate for bedding a coping is £2.00, then the usage factor would be 0.25. Thus Cost for bedding the coping is $£8.00 * 0.25 = £2.00$.

Usage Factor Calculator

When you are editing resources in a **Worksheet** or **Specification**, the **Usage Factor Calculator** can help you work out the correct **Usage Factor** to input.

Usage Units

These are the units that you actually use a resource in. For example, paint will be purchased in "purchase units" of 5 litre tins, but will be used to paint areas in m², which is the "usage unit".

Variations

If you are using Total Toolkit edition, it is possible to create and save **Variations** to previously created **Customer Quotes**.

VAT Codes

VAT % is the rate of VAT defined by you when the Resource was created or modified by the user in **Price Book**.

Wastage Cost

This is the cost of the Wastage based on the Wastage Factor defined in the **Price Book**.

Wastage Factor

This is the wastage allowance (percentage) on each Resource that is defined in the **Price Book** when each Resource is created or edited.

Workbook

Within each Estimate, you must select the elements of work or **Workbooks** that you need to estimate. For example, there will be a **Workbook** for Cavity Walls, Block Walls, Roofs and Bathrooms... An estimate will therefore contain numerous **Workbooks**. Each **Workbook** can also contain several **Worksheets**.

Workbook (Area/Volume/Linear)

The **Area**, **Perimeter** and **Volume Workbooks**, are used to estimate quantities and list resources for elements of the build which have **not** been defined in the **Specification**. (Note that the items defined in the **Specification** deal with the main fabric of the house such as the walls, roofs, studding etc). The **Area**, **Perimeter** and **Volume Workbooks**, are similar to the **Composite Items Workbooks** in that they are lists of resources that go to make up the above elements of the build. However, unlike the **Composite Items Workbooks** they are linked to a calculation tool provided with **EstimatorXpress™**, which works out the area, length and volume of different shapes and multiplies the unit costs by the calculated areas. These workbooks are provided so that the user can easily create their own calculators based on area, length and volume.

Workbook (Non-Specification Linked)

The **Non-Specification Linked Workbooks** are linked to a range of calculators provided within **EstimatorXpress™**, and provide a variety of complex calculations for items such as as, manholes, fencing, patios, chimneys, plaster patching and other renovation items.

Workbook (Specification Linked)

The fully **Specification Linked Workbooks**, which include Cavity Walls, Block Walls and Apex Roofs carry out the detailed and complex calculations. For example, the roof **Workbooks** will, with just a few basic dimensions, calculate all of the roof geometry, working out rafter lengths, roof areas, gutter requirements etc. and then estimate all the labour and materials required. The fully **Specification Linked Workbooks** are **linked** to the **Specification**, and automatically “look up” the standard Material and labour resources defined in the **Specification**.

Workbook (Composite)

Composite item **Workbooks** such as Bathrooms, Kitchens and Staircases are simply a list of resources that go to make up that element of the build and are not dependant on you inputting dimensions.

For example, a Bathroom **Workbook** could contain several **Worksheets**... one for each bathroom in a house. Each **Worksheet** could contains the various fittings required for each bathroom

Worksheet

Each **Workbook** can contain several **Worksheets**. For example, you may wish to estimate two different types of cavity walls in one **Job** such as front cavity wall in stone and rear cavity wall in brick. You would then need a separate **Worksheet** for the Rear **Brick** Walls and a separate sheet for the Front **Stone** Faced Walls in a house reflecting the different materials used in the walls. Both of these **Worksheets** will be estimated with the Cavity Wall **Workbook**.

Zoom

EstimatorXpress™ allows you to predefine the amount of information viewable at any time by modifying the Zoom setting. The Zoom may be modified permanently by using the Zoom option in the View Menu on the Menu Bar.

ESTIMATORXPRESS™ TERMS & CONDITIONS

The software contained in this package is supplied on the terms and conditions of the software licence contained in the enclosed manual. The supply of this package is conditional upon you reading and accepting the terms and conditions of the licence. If you do not accept the terms and conditions you must not install or use the software and return the software, together with documentation and all packaging in good condition, to the supplier within 7 days.

Licence Agreement

Please note that this copy of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite only entitles the user to use the package on one computer in accordance with the Licence terms detailed below in these notes. This licence agreement applies to all versions of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite from time to time.

EstimatorXpress™ Total ToolKit and EstimatorXpress™ Lite.
Copyright House Builder XL Limited (HBXL)

All rights reserved. No part of this publication may be reproduced in any form without the written permission of House Builder XL Limited

This publication contains information, which is confidential to House Builder XL Limited, and all copyright, trademarks and other intellectual property rights of the EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite software and this manual are the exclusive property of HBXL Limited.

You have received a single user copy of EstimatorXpress™, which entitles you to place the software on one personal computer only, from the date of registration.

You should contact House Builder XL Limited for any other arrangements:

House Builder XL Limited

CityPoint

Temple Gate

Bristol

BS1 6PL

Current telephone, fax and email contact details are available at www.hbxl.co.uk

EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite

Microsoft Excel, Microsoft Word and Windows are trademarks of Microsoft Corp

Registration

All users must register their software online with www.hbxl.co.uk as indicated on loading the software. No support will be provided unless the software has been properly registered.

Annual Charges

The Initial Licence of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite entitles the user to use of the software on the terms described in this Licence from the initial date of registration.

In order to receive the Price Tracker service*, unlimited telephone and email technical support and software upgrades, users must subscribe to EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite Customer Care. Support will only be provided with a valid Customer Care subscription. On each and every anniversary of the initial EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite Customer Care subscription, a renewal fee will become due entitling the user to the Price Tracker service*, unlimited telephone and email technical support and all software upgrades for a further period of 12 months from the renewal date.

Should the user advise HBXL, prior to the anniversary date of the renewal of their Customer Care subscription, that they do not wish to renew their Customer Care subscription, then no further renewal fees will be due, and the user's access to the Price Tracker service*, telephone and email technical support and all software upgrades will cease on the anniversary of the payment of the last subscription.

*Price Tracker connects EstimatorXpress™ to circa 450 key building materials and prices via www.hbxl.co.uk. Optional links to selected merchant products & prices via www.hbxl.co.uk (where available from time to time) are a chargeable annual service on top of your Customer Care subscription.

Technical support

Technical support for EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite is available upon software registration by E-mail via support@hbxl.co.uk or by telephone on 0870 850 0199 with a valid EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite Customer Care subscription. Please also view our website www.hbxl.co.uk for further information on telephone technical support options and training.

Telephone support is normally provided between the hours of 9:00am and 5:30 pm Monday through to Friday (excluding Bank and other public holidays). The Company will use its reasonable endeavours to deal with telephone enquiries as soon as possible.

Technical support shall not include the diagnosis and rectification of any fault resulting from the improper use operation or neglect of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite, the modification of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite or its merger (in whole or in part) with any other unauthorised software, the failure of you to implement upgrades or recommendations in respect of all solutions to faults previously advised by the Company, any repair adjustment alteration or modification of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite by any person other than the Company without the Company's prior written consent, any breach by you of any of your obligations under this Licence or the use of EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite for a purpose for which it was not designed.

Licence

Unless otherwise stated on the CD-ROM, disk or invoice, you have acquired a single user licence, which means that you must only install on one PC only. House Builder XL Limited hereby grant you a non-exclusive non-transferable licence to use EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite on the terms and conditions herein contained. This licence is personal to you or your company and you may not assign part with or sub let or grant any right or interest in this licence to any other party. You may not copy or alter EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite or transfer it into any other medium. You may not alter, decompile, reverse engineer, disassemble or reverse translate or in any other way derive any source code from EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite.

Limited Warranty

The Limited Warranty is included in the cost of the software. House Builder XL Limited, (The Company) warrants that EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite will perform substantially in accordance with the accompanying written materials for a period of ninety (90) days from the date of receipt.

EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite are products in a range available from the Company and whilst the Company makes every reasonable effort to ensure that their products are compatible and will interface with each other, no warranty is given in this respect and by accepting this licence in EstimatorXpress™ Total Toolkit or EstimatorXpress™ Lite it is on the basis that its functionality will only be as a stand alone product.

Customer Remedies

The Company and its suppliers entire liability and your exclusive remedy shall be, at The Company's option, either (a) return of the price paid, or (b) repair or replacement of EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite that does not meet this Limited Warranty and which is returned to The Company with a copy of the receipt. This Limited Warranty is void if failure has resulted from accident, abuse or misapplication. Any replacement software will be warranted for the remainder of the original warranty period or thirty (30) days, whichever is longer.

No Other Warranties

To the maximum extent permitted by applicable law, The Company and its suppliers disclaim all other representations, warranties, conditions or other terms, either expressed or implied, including, but not limited to implied warranties and/or conditions of merchantability and fitness for a particular purpose, with regard to EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite, and any accompanying written materials. This Limited Warranty gives you specific legal rights.

Limitations of Liability

YOUR ATTENTION IS IN PARTICULAR DRAWN TO THESE PROVISIONS FOR LIMITATIONS OF LIABILITY.

To the maximum extent permitted by applicable law, in no event shall The Company or its suppliers be liable for any damages whatsoever (including without limitation, direct or indirect damages for personal injury, loss of business profits, business interruption, loss of goodwill, loss of business information, pecuniary loss) arising out of the use of or inability to use this product, even if The Company has been advised of such damages. In any case, The Company and its supplier's entire liability under any provision of this agreement shall be limited to the amount actually paid by you for the software.

The Company gives no warranty or service level commitment as regards technical support.

Entire Agreement

This is the only and entire agreement between you and House Builder XL Limited in relation to EstimatorXpress™ Total Toolkit and EstimatorXpress™ Lite. It cannot and shall not be capable of modification unless in writing and signed by you and an authorised officer of House Builder XL Limited

Governing Law

This Agreement shall be governed by and construed in all respects in accordance with the laws of England and Wales and the parties submit to the exclusive jurisdiction of the English Courts.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission in writing from HBXL.