

# **EstimatorXpress®**

## ***Tutorial***

**EstimatorXpress®** Tutorial

Software by  
Adrian Wild, Steven Mulgrew & James Pizzey

Written by  
Steven Mulgrew, Joanna Mulgrew, Liz Leaman & Olivia Wild  
House Builder XL Limited

© House Builder XL Limited 2006-2014







# HOW TO USE THIS BOOK AND GET STARTED

Firstly, we would like to thank you for choosing **EstimatorXpress®**. We hope that you find **EstimatorXpress®** an invaluable tool, helping you to price work quickly and accurately and manage your building projects professionally and profitably.

## Installing EstimatorXpress®

For full details on installing and registering your **EstimatorXpress®** software see page 7.

## What Can EstimatorXpress® Do?

This is perhaps one of the most important sections of this guide as it summaries the capabilities of **EstimatorXpress®** and what it can do for you. For a detailed description see page 9.

## Tutorials

To obtain maximum benefit from your **EstimatorXpress®** software, we recommend all new users work through the **Tutorial** in this guide. The Tutorial takes you through the costing and planning of a typical extension and will normally take you approximately 2-3 hours to complete. On completing the Tutorial you will have a good idea of how the system works and what it can do for you. See page 24 to start the Tutorial.

## Getting Started With 'Real' Estimates

Once you have grasped the principles of **EstimatorXpress®** you will want to start estimating immediately. However before you start working on a 'real' estimate it is essential to tailor the system to your own requirements to avoid repetitive adjustments to each estimate.

To do this you should:

- [1] Download latest materials prices from hbxl.co.uk into the software **Price Book** (see page 29)
- [2] Speak to your local builders merchant to agree terms on materials and enter them into the **Price Book**
- [3] Check that the labour, plant and subcontract rates accord with your own business and if not, modify them to suit
- [4] Create your own **Specifications** for the different types of work you undertake. By doing this you will avoid repetitive adjustments in each **Estimate** (see page 36)

## Additional Help

HBXL takes the accuracy of your project costings as seriously as you do and unlike many companies, we don't skimp on the help we provide to get you and your team up and running as fast as possible. After all, the reason you have purchased **EstimatorXpress®** is to save you time! HBXL offers full technical support from the **Help Team** on **0845 1234 085** provided that you hold a valid **Support and Updates** subscription. For more information, please contact HBXL on **0845 1234 085**.

Additional Context Sensitive Help is also available on every software screen by pressing the **F1** key on your keyboard at any time or pressing the **Help button** on every screen.







# Contents

<b>HOW TO USE THIS BOOK AND GET STARTED</b>	<b>3</b>
<b>INSTALLING ESTIMATORXPRESS® &amp; IMPORTANT NOTES</b>	<b>7</b>
1. Install Your EstimatorXpress® Software	7
2. Launching EstimatorXpress® For The First Time	7
3. Downloading Latest Material Prices	8
4. Opening Accounts With EstimatorXpress® Merchant Partners	8
<b>WHAT CAN ESTIMATORXPRESS® DO?</b>	<b>9</b>
Estimating System	9
Bar Chart Planner	13
Report Manager	14
Standard Workbooks Supplied With EstimatorXpress®	15
Understanding The Different Types Of Workbooks	17
The Specification Linked Workbooks	17
The Composite Items Workbooks	18
The Non-Specification Linked Workbooks	19
The Area, Perimeter And Volume Workbooks	19
Estimating Roofs With EstimatorXpress®	20
<b>PRINCIPLES OF ESTIMATING</b>	<b>21</b>
<b>EXTENSION TUTORIAL</b>	<b>24</b>
Extension Plan	25
Extension Elevation	27
Launching EstimatorXpress® & The Main Menu	28
Setting Up EstimatorXpress®	29
Downloading Latest Material Rates Into EstimatorXpress®	29
Selecting New Materials From The HBXL Website	31
Creating A New Product In Your Price Book	34
Creating A Specification	36
Creating The Extension Estimate	40
Estimating the Extension	45
Brick & Block Cavity Walls	45
Viewing The Output For The Brick & Block Cavity Walls	54
Extension Slab	57
Suspended Floor	63
Apex Valley Roof	69
Structural Opening	78
Windows	82
Typical Panel Doors	86
Bathroom Fitting Out	92
Subcontract Quotations	96
Drain Runs, Drainage Plant And Manholes	100
Bar Chart Planner	108
Report Manager	113
Printing Out A Customer Quotation In Microsoft Word®	118
<b>GLOSSARY</b>	<b>122</b>
<b>ESTIMATORXPRESS® TERMS &amp; CONDITIONS</b>	<b>130</b>







# INSTALLING ESTIMATORXPRESS® & IMPORTANT NOTES

## 1. INSTALL YOUR ESTIMATORXPRESS® SOFTWARE


1. Insert CD into drive. The CD should Autorun.
2. If Autorun has been disabled, select Run from the Start Menu, type in D:\Setup.exe (where D: is your CD drive)
3. After the installation wizard has started, follow the on-screen instructions until the installation is complete.

## 2. LAUNCHING ESTIMATORXPRESS® FOR THE FIRST TIME

Before attempting to run your **EstimatorXpress®** software, it is essential that you check the following:

- Ensure you are running Windows® 98/ ME/ NT/ 2000/ XP/ Vista\*
- Ensure you are running Microsoft® Word and Excel 2000 SR1/ XP/ 2003/ 2007
- Ensure your Microsoft Excel Macro settings are set to medium (for instructions on how to check this please see page 8)

\* Windows® Vista only supports Microsoft® Word and Excel 2003 and 2007. Running earlier versions of Word and Excel with Windows® Vista is not recommended and is not supported.



1. To launch the system either double-click on the **EstimatorXpress®** icon on your desktop or select **EstimatorXpress®** from the Start, Programs Menu.
2. Once **EstimatorXpress®** starts opening, depending on your system settings, you may need to press **Enable Macros** button on the Microsoft Excel virus protection dialog box. (See Page 9)
3. You will then be required to follow the registration wizard to fill in your contact details and register your copy of **EstimatorXpress®**.

When complete, you will then see the **Main Menu** appears.



EstimatorXpress® Tutorial



### 3. DOWNLOADING LATEST MATERIAL PRICES

You must have a valid **Support & Updates** subscription in order to obtain access to the latest materials prices from the hbxl.co.uk website. You can then update your **EstimatorXpress® Price Book** with around 500 generic products at trade prices automatically maintained for you by HBXL using **Price Tracker Technology**. **Price Tracker** helps you to avoid the tedious and time-consuming task of keeping a **Price Book** up-to-date manually.

### 4. OPENING ACCOUNTS WITH ESTIMATORXPRESS® MERCHANT PARTNERS

In addition you may also be able to open **HBXL Trade Accounts** with our Merchant Partners which will give you access to Merchant catalogues on-line @ hbxl.co.uk and the ability to download thousands of new products into your software. Please note that a fee may be payable to access a merchant catalogue and that you must have a valid **Support & Updates** subscription to obtain this service.


To find out more about opening **Trade Accounts** with our Merchant Partners, please contact HBXL on 0845 1234 085.

### Important Notes About Excel Macros (Not applicable when using Office 2007)

If a Dialog Box doesn't pop up asking if you want to Enable Macros upon opening **EstimatorXpress®**, your macro security settings are set too high and your **EstimatorXpress®** software WILL NOT RUN. To remedy this open up Microsoft Excel in the normal way and click Tools > Macro > Security.

On the dialog box that pops up click the Medium option then click OK. Close down Excel.

The next time that you start up your **EstimatorXpress®** software, you should be presented with a dialog box asking if you want to Enable or disable the macros, click Enable.





# WHAT CAN ESTIMATORXPRESS® DO?

## Welcome to EstimatorXpress®

Market leading **EstimatorXpress®** is loaded with tools to help you quickly and accurately budget and plan your building works from start to completion, calculating costs and quantities of materials, labour and plant as well as wastage. It even tells you when to order!

**EstimatorXpress®** is suitable for the small building business and property developer and can handle extensions, new builds, renovations and conversions working from either a sketch scheme or full working drawing. **EstimatorXpress®** is also fully Part L compliant (Building Regulations governing insulation for all new dwellings). **EstimatorXpress®** is also invaluable for the self-builder.


## ESTIMATING SYSTEM

In **EstimatorXpress®** you will find all the components you need to quickly and accurately cost your projects. These components include:

- **Price Book** (containing a list of resources and rates)
- **Specification** (telling you how the **Job** is constructed)
- **Workbooks** (these are the estimating templates where the detailed calculations are undertaken)

Each of these components is stored in **Libraries** within your **EstimatorXpress®** software. It is important to be aware that each time you set up a new estimate, **EstimatorXpress®** automatically makes a **COPY** of each of the above **Library** components (**Price Book**, **Specification** and **Workbooks**) and places the **COPY** in the estimate to create a **Job Price Book**, a **Job Specification** and **Job Workbooks**.

Once you have created your estimate, any changes that you make in the **Job Price Book**, **Specification** or **Workbooks** will NOT affect or damage the Library items.



Let's take a look in more detail at the **Price Book** and **Specification**.



## The Master Price Book

**EstimatorXpress®** is provided 'out of the box' with a comprehensive **Master Price Book** of 700+ resources. The **Price Book** is the heart of **EstimatorXpress®** where all the resource rates are contained. The **Price Book** is split into 5 sections:

- Materials
- Labour
- Plant
- Subcontract
- Sundry

To ensure your estimates are always accurate and up-to-date, the material rates within the **Price Book** are linked via Price Tracker technology with an on-line catalogue of 500 product prices. These prices are updated for you by HBXL so that you can simply download any changes in order to keep your **Price Book** up to date. For easy identification, the **Purchase Price** of the web-based items are in bold type within the **Price Book**. In order to access the online **Price Tracker service**, you must have a valid subscription to **Support & Updates**. [To download latest prices into your **Price Book** see page 29.]

You can of course manually add your own resources to the **Price Book** to tailor it to your exact needs and modify the rates at any time to ensure they reflect your local conditions. These items are not linked to the **EstimatorXpress®** website and therefore their prices must be checked and maintained manually.

You can also create your own (secondary) **Price Books** which are saved for future use in the **Library of Price Books**. This feature is only available with the Total Toolkit edition. Note that unlike the **Master Price Book**, these secondary **Price Books** will not be directly plugged into the **EstimatorXpress® Price Tracker** updates or any on-line merchant catalogues. However, it is possible to synchronise secondary **Price Books** with the **Master Price Book** if you wish.

*[In addition you may also be able to open **HBXL Trade Accounts** with our Merchant Partners which will give you access to merchant catalogues on-line @ [hbxl.co.uk](http://hbxl.co.uk) and the ability to download thousands of new products into your software. Please note that a fee may be payable. See page 8 for more information]*

EstimatorXpress - Master Price Book					
EstimatorXpress Toolkit					
Close	New Resource	Edit Resource	Delete Resource	Mass Editing Tools	Download Prices
				Find	Filters
				Types	(All)
				Section	Material
Library of Price Books \ Master Price Book					
Editing Mode	List Price	Discount	Adjustment	Unit of Supply	Purchase Cost
Description					
Ballast Bulk Bag	£ 42.00	0.00%	0.00% EA	£	42.00
Building Sand Bulk Bag	£ 42.00	0.00%	0.00% EA	£	42.00
Building Sand Standard Bag	£ 3.20	0.00%	0.00% EA	£	3.20
Kiln Dried Sand Standard Bag	£ 5.00	0.00%	0.00% EA	£	5.00
Pea Gravel Bulk Bag	£ 44.00	0.00%	0.00% EA	£	44.00
Plastering Sand Bulk Bag	£ 43.00	0.00%	0.00% EA	£	43.00
Sharp Sand Bulk Bag	£ 42.00	0.00%	0.00% EA	£	42.00
Sharp Sand Standard Bag	£ 3.20	0.00%	0.00% EA	£	3.20









## The Specification

EstimatorXpress® is provided with five standard **Specifications** to get you started. The **Specifications** are stored in the **Library of Specifications**. These standard **Specifications** are **New Build Specification** (Brick & Block), **Timber Frame Specification**, **Extension Specification**, **Renovation Specification** and **Site Fabricated Timber Frame Specification**. Each contains typical **Materials** and associated **Labour** and **Plant** rates for those types of construction. All these resources are sourced from the **Price Book**.

You can modify these standard **Specifications** to contain your choice of **Materials**, **Labour** and **Plant**. E.g. you can define the blocks you prefer and your own usage rate. Pre-defining and saving your preferences early on avoids having to make repetitive adjustments when estimating since the **Materials**, **Labour** and **Plant** you specified will be used as 'standard'. [See page 36 to modify your **Specification**]

This is particularly useful if you repeatedly build houses or extensions of a similar 'style' or **Specification**. For example, you may want to create a **Specification** for high quality brick and block houses using clay tiles and hand-made bricks or you may wish to develop a **Specification** for economy brick and block using concrete tiles and a cheaper brick.

EstimatorXpress - Extension Specification				
EstimatorXpress Toolkit				
 Close  Change Resource  Edit Resource  Markers  Find  Filters				
Library of Specifications \ Extension Specification				
Extension Specification	Description	Purchase Units	Purchase Cost	Build Phase
Item used for:				
Cavity Wall Specification (And General Walling Specification)				
Structural concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations
Mass concrete	R'mix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	M3	£ 80.00	Foundations
Trench Blocks	Trench Block 440 x 215 x 275mm	M2	£ 40.00	Footings
Coursing blocks to inner leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Footings
Coursing blocks to outer leaf below dpc	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Footings
Blockwork to inner leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 9.00	Footings
Blockwork to outer leaf below dpc	Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 9.00	Footings
Bricks below splash course	Facing Bricks - Provisional (Allowance £0.40 each)	Each	£ 0.40	Footings
Cavity Fill	R'mix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85)	M3	£ 85.00	Footings
Bricks for use in splash course	Engineering Brick - Class A Blue 65mm	EA	£ 0.70	Footings
Bricks above dpc less openings	Facing Bricks - Provisional (Allowance £0.40 each)	Each	£ 0.40	Brickwork Shell
Blocks above dpc less openings	Insulation Block Standard 440 x 215 x 100mm	M2	£ 13.00	Brickwork Shell
Coursing blocks above dpc to inner leaf	Insulation Coursing Block 3.5N 100mm	M2	£ 28.00	Brickwork Shell
Coursing blocks above dpc to outer leaf	Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Brickwork Shell
Cavity Insulation	Cavity Wall Insulation 100 x 455 x 1200mm 10 Sheets 5.46m2	EA	£ 50.00	Brickwork Shell
Brick ties	Brickwork Tie DD140 Type 4 225mm	EA	£ 0.20	Brickwork Shell
DPC to brickwork	Pitch Polymer DPC 100mm x 20m	EA	£ 15.00	Brickwork Shell
DPC to blockwork	Pitch Polymer DPC 100mm x 20m	EA	£ 15.00	Brickwork Shell
Sand below dpc in brickwork	Building Sand Bulk Bag	EA	£ 42.00	Footings
Sand below dpc in blockwork	Building Sand Bulk Bag	EA	£ 42.00	Footings
Sand below dpc in trench blocks	Building Sand Bulk Bag	EA	£ 42.00	Footings
Sand above dpc in brickwork	Building Sand Bulk Bag	EA	£ 42.00	Brickwork Shell
Sand above dpc in blockwork	Building Sand Bulk Bag	EA	£ 42.00	Brickwork Shell
Cement below dpc in brickwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 5.30	Footings
Cement below dpc in blockwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 5.30	Footings
Cement below dpc in trench blocks	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 5.30	Footings
Cement above dpc in brickwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 5.30	Brickwork Shell
Cement above dpc in blockwork	Blue Circle Mastercrete Original Cement 25kg Bag	EA	£ 5.30	Brickwork Shell




## The Workbooks

**EstimatorXpress®** carries out the estimating in templates or '**Workbooks**' as we call them.

**Workbooks** are used to cost the different elements of the building process, i.e. House Slab, Cavity Wall, Block Wall, Apex Roof and so on. An estimate will therefore normally be made up of multiple **Workbooks** unless you specialise in certain areas of construction.

Many of the **Workbooks** are linked to the **Job Specification** meaning that the **Workbook** automatically 'looks up' the standard material, labour and plant resources from the **Specification** that you selected when you first created your estimate.



Simply enter your dimensions into your chosen **Workbooks** and **EstimatorXpress®** will calculate all of the **Materials**, **Labour**, **Plant**, **Subcontract** and **Sundry** quantities with associated costs in line with your chosen **Specification**.

**EstimatorXpress®** comes with over 250 standard **Workbooks**. These **Workbooks** are stored in the **Library of Workbooks**.

You can also create your own **Workbooks** if you find certain works you undertake do not appear within the **Library of Workbooks**. You can do this in two ways:

1. By copying and modifying an existing **Workbook** to create your own bespoke **Workbook**
2. By creating a completely new **Workbook** by using a composite, area, volume or perimeter or **PowerPack\*** **Workbook**.




**TIP:** As well as complete builds, **EstimatorXpress®** is suitable for estimating individual elements of a build. For example, if you are a roofing contractor you can estimate and schedule just the tiling using one of the various **Workbooks** such as Apex Roof or Apex Truss Roof. Similarly if you are only involved in groundworks, you can estimate just the Drain Runs, Manholes & Plant, Driveways and Slab. If you only undertake foundations, simply use the Cavity Walls **Workbook** and select the **Foundations only** dimensional template.

**\*PowerPack** is an optional extra software module for experienced **EstimatorXpress®** users available to buy from HBXL. Please call 0845 1234 085 for more details.



## BAR CHART PLANNER

EstimatorXpress® includes an easy to use **Bar Chart Planner** to plan your build program realistically and professionally.



The fully interactive and modifiable chart displays the tasks to be performed throughout your build. Each **Build Phase** (or bar on the chart) is linked to resources in your estimate e.g. the Foundations bar on the chart is linked to all the **Materials**, **Labour**, **Plant**, **Subcontract** and **Sundry** involved with the construction of the foundations.

Depending on the scale of your project you may want to view your chart on a week-by-week or day-by-day basis.

Several charts are included in the **Library of Bar Charts** as standard with the system. You can modify any **Bar Chart** to suit your own project(s). Alternatively you can create your own bespoke charts in minutes by copying and modifying a 'standard' chart to create a new chart, e.g. Refurbishment, and save it to the **Library of Bar Charts** for future use.

You can update your **Job Bar Chart** at any time to reflect changes to your build program e.g. delays due to poor weather. It is also possible to add new bars to the chart specific to your project (if they don't already exist). You can print out your chart in full colour or black and white. These print outs will give you a professional edge when meeting customers and financial lenders. You'll also find them invaluable for on-site management.



## REPORT MANAGER

With your **Estimate** and **Bar Chart** complete, **EstimatorXpress®** produces a variety of detailed and professional reports and charts, which you can print out from the **Report Manager**. Reports that can be printed include:

- Costs (with or without VAT)
- Costs (with or without wastage)
- Breakdown of Costs by Build Phase - Pie Chart
- Sales Price including Profit
- Profit Forecast
- Breakdown of Profit by Build Phase - Pie Chart
- Customer Quote
- Cash Flow
- Sales Price Cash Flow - Chart
- Labour Time Schedules
- Plant Task List
- Material Schedule
- Inflated Costs
- PLUS many more!

It is possible to produce a virtually unlimited number of **Reports** by filtering and sorting the estimate data from within the **Report Manager**. Data is fully exportable to Microsoft® Excel.

**PLEASE NOTE:** Depending on the edition of EstimatorXpress® you are using, there will be a different number of Reports available to you. If you are using EstimatorXpress® Total Toolkit you will see over 50 reports available for you to view and print to review the output of your estimate including over 20 charts showing graphical breakdowns of profit, cost, price and cashflow by Workbook, Build Phase, Resource Type and Trade (marked by a pie chart symbol) and over 20 tabular reports including Sales Price inc. Profit, Materials Task List, Basic Costs, Inflated Costs and many more (these reports are marked by a document symbol) that can be viewed and modified to show as much or as little detail as you require. If you are using EstimatorXpress® Lite, you will see a restricted set of these reports.

Build Phase	Item Costs	Wastage Costs	Total Costs	Sum of Profit (Ex VAT)	Sum of Tot Inc Prof(Ex VAT)
Brickwork Shell	£4,326.47	£237.48	£4,563.95	£1,369.18	£5,933.13
Completion	£8.50	£0.00	£8.50	£2.55	£11.05
Drains	£623.12	£31.42	£654.53	£196.36	£850.89
Electrician 1st Fix	£1,500.00	£0.00	£1,500.00	£450.00	£1,950.00
External Decoration	£71.72	£0.68	£72.40	£21.72	£94.12
First Floor Joists	£345.14	£21.63	£366.77	£110.03	£476.80
Footings	£420.38	£24.83	£445.21	£133.56	£578.78
Foundations	£925.78	£17.28	£943.06	£282.92	£1,225.97
Internal Decoration	£360.41	£4.26	£364.67	£109.40	£474.08
Internal Fitting Out	£370.30	£29.53	£399.83	£119.95	£519.78
Joinery 1st Fix	£711.46	£30.78	£742.24	£222.67	£964.91
Joinery 2nd Fix	£256.60	£10.48	£267.08	£80.12	£347.21
Landscaping	£0.00	£0.00	£0.00	£0.00	£0.00
Oversite and slabbing	£591.53	£31.64	£623.17	£186.95	£810.12
Plastering	£1,103.61	£26.11	£1,129.72	£338.92	£1,468.64
Plumb 2nd Fix	£1,300.00	£0.00	£1,300.00	£390.00	£1,690.00
Roof Structure	£1,585.54	£74.65	£1,660.19	£498.06	£2,158.25
Roof Tiling	£2,180.83	£99.15	£2,279.98	£684.00	£2,963.98
Structural Openings	£729.56	£16.48	£746.04	£223.81	£969.86
Grand Total	£17,410.94	£656.42	£18,067.36	£5,420.21	£23,487.56



## STANDARD WORKBOOKS SUPPLIED WITH ESTIMATORXPRESS®

Below is a list of the **Workbooks** supplied with **EstimatorXpress®**. You can modify and save each **Workbook** to suit your way of working or create your own **Workbooks** based on the **Composite, Area, Volume** and **Perimeter Workbooks**.

Attic Suspended Floor for Side Voids	Extension Slab	Lead Dormer Walls For Flat Roof
Attic Suspended Floor for Truss Roof	External Cavity Block Wall	Lead Dormer Walls For Hip Roof
Attic Wall and Sloping Ceiling Decoration	External Door Decoration	Lead Dormer Walls For Slope Roof
Back Door	External Lighting and Door Bell	Lead Sides for Wall Dormer
Basic Plaster Patching	External Renovation	Lean To Roof
Basic Plasterboard and Skim to Timbers	External Renovation Plant	Lean to Truss Roof
Basic Plasterboard and Skim to Walls	External Wall Decoration	Loft Sundries
Basic Plastering to Walls	External Window Decoration	Multileaf Brick Wall
Basic Rendering to Walls	Fabricated Steel Beam	Opening in Existing Floor
Bathroom and Cloaks	Fabricated Steel Post	Painting and Decorating Plant
Bathroom Electrics	Feature Brickwork	Panel Fencing
Beam and Block Floor	Feature Fire Place and Fire	Paving
Block Paving	Fire Stops	Pavior Edgings
Block Wall	Fitted Kitchen	Plain End Architectural Stone Heads
Brick and Block Cavity Wall	Flat Roof	PlansXpress Brick Piers
Chimney	Flat Roof for Bay Window	Plastering to Attic External Shaped Walls
Chimney Stack	Floor Screed	Plastering to Attic Internal Shaped Walls
Clad Dormer Walls For Flat Roof	Front Door	Plastering to Attic Walls and Sloping Ceilings
Clad Dormer Walls For Hip Roof	Garage Pedestrian Door	Plumbing and Heating
Clad Dormer Walls For Slope Roof	Garage Slab	Post and Netting Fencing
Clad Sides for Wall Dormer	Garden Wall	Post and Rail Fencing
Cleaning	Gas Flue System	Post and Wire Fencing
Close Boarded Fencing	General Electrical Installation	PVCu 1200 French Door
Complete Room Decoration	Glulam Beam	PVCu 1500 French Door
Complete Room Plastering	Gypsum Silent Floor Renovation	PVCu 1800 French Door
Concrete Edgings	Half Hip Roof	PVCu 1800 Patio Door
Cut Roof Attic Interior Conversion	Half Hip Truss Roof	PVCu 2100 Patio Door
Decorating Plant	Half Turn Staircase	PVCu 2400 Patio Door
Decoration Sundries	Half Turn Staircase with 2 Intermediate Landings	PVCu Replacement Window
Decorative Finishes	Hardwood 1200 French Door	PVCu Standard Bay Windows
Deep Manhole	Hardwood 1800 French Door	PVCu Standard Walk-In Bay Windows
Demolition of Walls	Hardwood 2400 French Door	PVCu Windows 1050 Deep
Dentil Course	Hardwood Replacement Window	PVCu Windows 1050 Deep for Dormer
Design Costs	Hardwood Standard Bay Windows	PVCu Windows 1200 Deep
Dog Tooth Brickwork	Hardwood Standard Walk-In Bay Windows	PVCu Windows 1200 Deep for Dormer



Roofing Sundries	Softwood Sash Windows 1200 Deep	Traditional Brick Coping
Scaffolding	Softwood Sash Windows 1350 Deep	Truss Roof Attic Interior Conversion
Services Charges	Softwood Sash Windows 1500 Deep	Turfing
Services Installation	Softwood Sash Windows 900 Deep	Typical Fire Doors
Shallow Access Manhole	Softwood Standard Bay Windows	Typical Panel Doors
Single Garage Door	Softwood Standard Walk-In Bay Windows	Underpinning with Shuttering
Site Acquisition Costs	Softwood Standard Windows 1050 Deep	Underpinning without Shuttering
Site Appraisal Costs	Softwood Standard Windows 1200 Deep	Universal Cut Roof
Site Clearance and Topsoil	Softwood Standard Windows 1350 Deep	Universal Truss Roof
Site Establishment	Softwood Standard Windows 1500 Deep	Utility Room Fitting Out
Site Strip	Softwood Standard Windows 900 Deep	Wall Starters
Sleeper Wall	Softwood Windows 1050 Deep	Window
Sloping Stud Wall	Softwood Windows 1200 Deep	
Small Structural Opening	Soldier Course	
Small Structural Opening to New Wall	Stone Cavity Wall	
Soakaway	Stone Faced Cavity Block Wall	
Softwood Bar Dummy Sash 1050 Deep	Straight Flight of Stairs	
Softwood Bar Dummy Sash 1200 Deep	Straight Flight Staircase	
Softwood Bar Dummy Sash 1350 Deep	Structural Opening	
Softwood Bar Dummy Sash 1500 Deep	Structural Opening to New Wall	
Softwood Bar Dummy Sash 900 Deep	Structural Steelwork	
Softwood Bar Dummy Sash Bay Windows	Stud Wall	
Softwood Bar Dummy Sash Walk-In Bay Windows	Suspended Floor	
Softwood Dummy Sash 1050 Deep	Suspended Timber Ground Floor	
Softwood Dummy Sash 1200 Deep	Tapered End Architectural Stone Head	
Softwood Dummy Sash 1350 Deep	Tapered End Architectural Stone Head with Keystone	
Softwood Dummy Sash 1500 Deep	Tarmac Drive	
Softwood Dummy Sash 900 Deep	Tiled Dormer Walls For Flat Roof	
Softwood Dummy Sash Bay Windows	Tiled Dormer Walls For Hip Roof	
Softwood Dummy Sash Walk-In Bay Windows	Tiled Dormer Walls For Slope Roof	
Softwood Georgian Bar Bay Windows	Tiled Sides for Wall Dormer	
Softwood Georgian Bar Walk-In Bay Windows	Tiling and Roofing	
Softwood Georgian Bar Windows 1050 Deep	Timber Frame Panel	
Softwood Georgian Bar Windows 1200 Deep	Timber Frame Panel For Gable	
Softwood Georgian Bar Windows 1350 Deep	Toothing in of Brickwork and Blockwork	




## UNDERSTANDING THE DIFFERENT TYPES OF WORKBOOKS

The **Workbooks** supplied as standard with **EstimatorXpress®**, can be categorised as one of four types. Each of these **Workbooks** works in a slightly different way to automate and create as much flexibility within the system as possible. It is recommended that you study the different types of **Workbook** to understand their different structures and they how they fit together within the program.


### THE SPECIFICATION LINKED WORKBOOKS

The **Specification Linked Workbooks** deal with the main fabric of a house. They include Cavity Walls, Block Walls and Roofs. These **Workbooks** carry out the detailed and complex calculations of the house. For example, the roof **Workbooks** will, with just a few basic dimensions, calculate all of the roof geometry including working out rafter lengths, roof areas and gutter requirements and then estimate all the labour, materials and plant required.

The **Specification Linked Workbooks** are, as the name suggests, linked to the **Specification**, and automatically “look up” the standard **Material**, **Labour** and **Plant** resources defined in the **Specification**.



A **Workbook** can contain several **Worksheets**. For example, you may wish to estimate two different types of cavity wall in one **Job** such as front cavity walls finished in stone and rear cavity walls in brick. You will need two separate **Worksheets**, one for the front and one for the rear, each **Worksheet** reflecting the different materials used in the walls.



Note that the **Specification Linked Workbook** “looks up” the materials from the **Specification**




## THE COMPOSITE ITEMS WORKBOOKS

**Composite Items Workbooks** deal with the highly variable elements of a house and are simply a list of resources that go to make up the cost of any random selection of resources. Examples of **Composite Items Workbooks** include **Fitted Kitchen**, **Bathroom and Cloaks** and **Electrical Sockets**.


Based on a **Composite Items Workbook** you could create your own **Composite Item Workbook** for the cost of fitting out a luxury ensuite bathroom comprising for example:

- Bath
- Basin
- Bidet
- Paint
- Labour Costs...

NOTE: The **Composite Items Workbook** is not dependent on the inputting of dimensions but entering quantities. Other **Composite Items Workbooks** include items such as Bathrooms, Kitchens and Staircases. Note also that this type of **Workbook** is not linked to the **Specification**, as **Materials** and other resources contained in a **Composite Items Workbook**, are by their nature completely “free form” and not governed by the general **Specification**.



Ensuite Bathroom Worksheet in Luxury Bathroom Workbook



Note that the **Composite Items Workbooks** are a selection of resources chosen from the **Price Book**



## THE NON-SPECIFICATION LINKED WORKBOOKS

The **Non-Specification Linked Workbooks** are linked to a range of calculators provided within **EstimatorXpress®**, and provide a variety of complex calculations for items such as manholes, fencing, patios, chimneys, plaster patching and other renovation items.

The **Non-Specification Linked Workbooks** are used to estimate quantities and list resources for elements of the build which have **not** been defined in the **Specification**.

## THE AREA, PERIMETER AND VOLUME WORKBOOKS


The **Area, Perimeter** and **Volume Workbooks** are provided so that the user can easily create their own calculators based on area, length and volume. They are linked to a calculation tool provided with **EstimatorXpress®**, which works out the area, length and volume of different shapes and multiplies the unit costs by the calculated areas.

Based on an **Area Workbook** you could create your own **Workbook** for costing a wood blocked floor comprising:

- Wood Blocks
- Adhesive
- Sanding
- Labour

In this way, you can quickly build up your own **Library of Workbooks** for the specific **Jobs** you encounter.

NOTE: The **Area, Perimeter** and **Volume Workbooks** are **not** linked to the **Specification**, as Materials and other resources contained in the **Area, Perimeter** and **Volume Workbooks**, are by their nature completely “free form” and not governed by the general **Specification**.




Wood Block Floor Worksheet in  
Block Floor Workbook

Note that the **Area, Perimeter** and **Volume Workbooks** are a selection of resources you have chosen from the **Price Book**.



**ESTIMATING ROOFS WITH ESTIMATORXPRESS®**

**EstimatorXpress®** can estimate any complex roof structure. Simply break up the roof into sections of **Apex**, **Lean-to**, **Hip End**, **Apex Valley** and **Flat roofs**. The image below demonstrates how to divide a complicated roof structure into its constituent parts for estimating:



You then estimate each section of roof in the relevant **Workbook**, depending on whether you are cutting and fixing the timbers manually or purchasing roof trusses:

Cut Roof	Truss Roof
Apex Roof	Apex Truss Roof
Apex Valley Roof	Apex Valley Truss Roof
Half Hip Roof	Half Hip Truss Roof
Lean To Roof	Lean To Truss Roof
Flat Roof	

Additionally, there are two **Workbooks** that will estimate an entire roof in one: **Universal Cut Roof** and **Universal Truss Roof**. These **Workbooks** require you to take off quantities manually for the different sections of roof.

Re-roofing tasks can be estimated using the **Tiling and Roofing Workbook**.



# PRINCIPLES OF ESTIMATING

For a full discussion of estimating techniques, you would need to study an entire book! However, for the purposes of this Tutorial we will take only a couple of pages to discuss the basic principles.

- It is important that you understand the concept of **Production / Usage Factors** as they are at the heart of **EstimatorXpress®**.
- When estimating any build costs, you need to break down the various elements of the build into measurements of length, area, volume or simply a list of components such as doors, lintels, and furniture...

## Example: Estimating The Cost Of Floor Joists

Consider the situation where you are estimating the cost of supplying and fixing floor joists. Clearly, you are interested in the number of metres used and the unit cost of fixing that joist.

Assume that you have a joist, 3.6 metres long. The cost of supplying and fixing the joist would be dependent on the size of the joist.

The size of the joist is normally defined in the **Specification**. The raw material **Purchase Cost** of the joists will be looked up from your **Price Book**.

In this example, the joists are purchased at £200.00 per hundred metres. To convert the **Purchase Cost** to the **Estimate Rate**, i.e. how much it costs per metre run, we need to apply the **Production / Usage Factor** of  $1/100 = 0.01$  to convert from hundreds of metres to metres thus:

**Estimate Rate** for Joists       $=£200.00 \times 0.01$        $=£2.00$  per metre

The cost of the material       $=3.6\text{m} \times £2.00$        $=£7.20$  each

To calculate the cost of labour to fix the joist is a similar process in that the labour **Purchase Cost** for a joiner might be, say, £12.00 per hour. However it might only take the joiner 5 minutes to fix each metre of joists, i.e.  $5 \text{ minutes} / 60 \text{ minutes} = 0.0833$  of an hour per metre.

This rate of production is again described in **EstimatorXpress®** as the **Production / Usage Factor**.

The **Estimate Rate** for fixing the joists       $=£12.00 \times 0.0833$        $=£1.00$  per metre

The cost of fixing each joist       $=3.6\text{m} \times £1$        $=£3.60$  each

Accordingly the total cost for supplying and fixing the 3.6 m long joist will be, ignoring any wastage of Material or time,

$£7.20 + £3.60 = £10.80$  each.

(**EstimatorXpress®** contains various templates, which will calculate the lengths and quantities of joists required and apply the unit costs and **Production / Usage Factor** appropriately.)






## Example: Estimating The Cost Of A Brick Wall

Let's now consider something a little more complicated, say, a single ½ brick wall.

Let's assume we have a wall, 3 metres long by 2 metres high.

Clearly the area of this wall will be:

$$\text{Area of Wall} = 3\text{m} \times 2\text{m} = 6 \text{ m}^2$$



The type of brick will normally be looked up from the **Specification** and its associated **Purchase Cost** from the **Price Book**.

The number of bricks per square metre of wall is normally around 60 to the square metre. In this example, assume a cost of £0.25 per brick. To convert the **Purchase Cost** to the **Estimate Rate**, i.e. how much it costs per m<sup>2</sup>, we need to apply the **Production / Usage Factor** of 60 to convert single bricks to m<sup>2</sup>.

$$\text{Estimate Rate for bricks} = £0.25 \times 60 = £15.00 \text{ per m}^2$$

$$\text{The cost of the material} = 6\text{m}^2 \times £15.00 = £90 \text{ total cost}$$

(Again, wastage has been ignored)

Let's have a close look at pricing up the labour for our brick wall. The simplest way to tackle this is to pay the bricklayer per brick, or per thousand bricks. For example if the bricklayers are being paid, say, £300 per thousand bricks, then the **Production / Usage Factor** per square metre would be:

$$\text{Production / Usage Factor} = 60/1000 = 0.06$$

Accordingly the labour cost for the wall would be:

$$\text{Estimate Rate for laying the bricks} = £300 \times 0.06 = £18.00 \text{ per m}^2$$

$$\text{The cost of laying the bricks} = 6 \text{ m}^2 \times £18.00 = £108 \text{ total cost}$$

The total cost of the wall, excluding wastage (and mortar!) would be

$$£90 + £108 = £198.00$$

(EstimatorXpress® contains various templates, which will calculate the area of bricks required and apply the unit costs and **Production / Usage Factor** appropriately.)

NOTE: In **EstimatorXpress®** we always relate **Estimate Rates** to hourly rates for consistency and to avoid having to enter multiple rates for any particular trade. For example let's assume the bricklaying gang is costing £30.00 per hour. Also, assume that we are targeting an **Estimate Rate** of £18.00 per square metre, in these circumstances:

$$\text{Estimate Rate for laying the bricks} = £30 \times 0.6 \text{ (Production / Usage Factor)} = £18.00 \text{ per m}^2$$

$$\text{The cost of laying the bricks} = 6\text{m}^2 \times £18.00 = £108 \text{ total cost}$$







# EXTENSION TUTORIAL

This chapter is designed as a “hands-on” Tutorial for people with no experience of using **EstimatorXpress®** for Excel 2000/XP/2003/2007. It assumes you are an absolute beginner, and gives you explanations and step-by-step guides to:

- Downloading the latest Material prices from hbxl.co.uk
- Creating your own **Specifications**
- Estimating with **EstimatorXpress®**
- Producing **Bar Charts**
- Producing **Reports**
- Producing **Customer Quotations** (**Total Toolkit** edition only)

This tutorial takes you through estimating an extension (see diagrams on page 25) and demonstrates the basic procedures of **EstimatorXpress®**.

The time required to complete each section is indicated in minutes at the introduction. The whole Tutorial should take approximately 2-3 hours to complete.

When working through the Tutorial you are strongly advised that once you start a particular section, you continue it until it is complete. At the end of each section, you will be shown how to exit **EstimatorXpress®**, should you wish to.






# EXTENSION PLAN


Below is a basic plan of the extension that you will be estimating throughout the Tutorial. You will need to refer back to this drawing. All dimensions on the plan are given in metres.

ORIGINAL HOUSE GROUND FLOOR



NOT TO SCALE


EXTENDED HOUSE GROUND FLOOR



NOT TO SCALE




ORIGINAL HOUSE 1st FLOOR



NOT TO SCALE

EXTENDED HOUSE 1st FLOOR



NOT TO SCALE



# EXTENSION ELEVATION




This diagram shows the front elevation of the Extension that you will be estimating during the Tutorial. You may need to refer to this during the exercises. All dimensions on the plan are given in metres.

NOT TO SCALE



# LAUNCHING ESTIMATORXPRESS® & THE MAIN MENU

- [1] To launch **EstimatorXpress®** either double-click on the **EstimatorXpress®** icon on your desktop or select **EstimatorXpress®** from the Start, Programs Menu.
- [2] Once the program starts to open, depending on your system settings, you may need to press **Enable Macros** button on the Microsoft Excel virus protection dialog box.



Once you have launched **EstimatorXpress®**, the **Main Menu** will appear (see screen shot below).

**My Estimates** opens the estimating module of **EstimatorXpress®**.

**Download Prices** allows you to download the latest price updates from **www.HBXL.co.uk Website**. If you have an **HBXL Merchant Trade Account** you may also be able to download your personal discounts to your **Price Book**. Please see page 8 for more information.

**My Settings** opens the **My Settings** menu which provides access to all of the **Libraries** of information which underpin the **Estimates**. From here you can view and edit **Price Books, Specifications, Workbooks, Groups of Workbooks, Bar Charts, Reports, Profit Margins, Inflation Rates** and **My Favourites**.



**Help** allows you to access the Help System. This provides detailed 'How do I' questions and answers together with additional information about each screen. **EstimatorXpress® Help** can be accessed from most screens by clicking the Help button or by pressing the F1 key on your keyboard.

**My Projects** transfers you to the **My Projects** screen. **Projects** are groups of **Jobs** linked together to form a project. You will not need this button to complete the Tutorial. This feature is only available with the Total Toolkit edition.




TIP: If the **Main Menu** does not appear please see page 8 for details about setting your macro security levels.



# SETTING UP ESTIMATORXPRESS®

Before creating an **Estimate**, we are going to introduce you to the **Price Book**. We are also going to look at creating a new **Specification** based upon the **Specifications** supplied as standard with **EstimatorXpress®** to reflect your method of construction.

## DOWNLOADING LATEST MATERIAL RATES INTO ESTIMATORXPRESS®



This exercise will lead you through downloading latest prices from our on-line catalogue, which is the key to accurate estimating. These generic prices are kept up to date using HBXL **Price Tracker** technology.

**NOTE:** You must have a valid subscription to **Support & Updates** in order to maintain your **Price Book** by downloading latest prices using **Price Tracker**. You may also be able to download products from our **Merchant Partners'** catalogues if you have a **Trade Account** and have subscribed for this additional service. Please see page 8 for more details.



- [1] Having launched **EstimatorXpress®** the **Main Menu** screen will appear.

Click the **Download Prices** button.



- [2] You will now see a list of all of the **Materials** supplied as standard with **EstimatorXpress®**. A dialog box may pop up asking you if you are currently logged on to the Internet. If the dialog box pops up check you are connected to the Internet and click **OK**.

The screenshot displays the 'EstimatorXpress - Master Price Book' application. The main window contains a table of materials with the following columns: Description, List Price, Discount, Adjustment, Unit of Supply, Purchase Cost, and Supplier. The table lists various construction materials such as Ballast Bulk Bag, Building Sand Bulk Bag, Kilo Dried Sand Standard Bag, Pea Gravel Bulk Bag, Plastering Sand Bulk Bag, Sharp Sand Bulk Bag, Sharp Sand Standard Bag, Sub Base MOT Type 1 Bulk Bag, Tarmac 20mm base course (16 to 20 Tonne) (Allowance £75), Tarmac 28mm base course (16 to 20 Tonne) (Allowance £70), Tarmac 6mm wearing course (16 to 20 Tonne) (Allowance £80), Dishwasher (Allowance £300), Freezer - Built In (Allowance £500), Fridge Freezer (Allowance £400), Gas Hob (Allowance £200), Kitchen Extractor Fan (Allowance £70), Microwave (Allowance £400), Oven - Built In (Allowance £700), Bath Grip Pack Universal, Bath Panel 1500mm, Bath Panel 1700mm, Bath Panel 1800mm, Bath Panel 700mm, Bath Panel 800mm, Bath Ungripped 2TH 1500mm x 700mm, Bath Ungripped 2TH 1700mm x 700mm, Bathroom Pack - Bath, Sink, Shower, Toilet (Allowance £150), and Bathroom Pack 3 Piece - Bath, Sink, Toilet (Allowance £250). A dialog box titled 'EstimatorXpress' is overlaid on the bottom right, showing a progress bar at 60% and the text 'Downloading products...'.




[3] After a short period, a dialog box will pop up informing you that you can now disconnect from the web if you wish.

NOTE: If products have been discontinued or are no longer available in the on-line catalogue, you will be advised of these at this point.



[4] **EstimatorXpress®** will now process the downloaded latest prices - this may take a minute or two. If you look at the Status Bar at the bottom of the screen, you will be able to see the progress of the **Price Book** update.

For more information on downloading and applying Merchant Terms to your prices (if applicable) click Help or press the F1 key on your keyboard. Please see page 8 for information on access to Merchant catalogues.




Close

1. To close the **Master Price Book** press the **Close** button, you are returned to the **Main Menu**.




## SELECTING NEW MATERIALS FROM THE HBXL WEBSITE



This exercise will lead you through selecting additional products from the Merchant Catalogue(s) on [www.hbxi.co.uk](http://www.hbxi.co.uk) to download into your **Master Price Book**. If you do not want to select additional products at this time, go to page 34 to create a new product in your **Price Book**.

**NOTE:** To download additional material prices @ [www.hbxi.co.uk](http://www.hbxi.co.uk), you must have a valid subscription to Support & Updates and be the holder of a Trade Account with one of our Merchant Partners. See page 8 for more information.




- [1] From the **Main Menu**, click on **My Settings**.



- [2] From the **My Settings Menu**, click on the **My Price Books** button.




- [3] Select the **Master Price Book** with your mouse and then click the **Open Price Book** button.





- [4] A dialog box will pop up asking you which part of the **Price Book** you wish to open. Select **Materials** and click **Select**.




- [5] To select new Materials from [www.hbxi.co.uk](http://www.hbxi.co.uk) in order to download them into your **Master Price Book**, click on the **Web Catalogue** button.

- [6] A dialog box might appear asking you if you are currently logged on to the Internet.

If it does, check you are connected to the Internet and click **Yes**.

If you click **No**, the procedure will be cancelled.



- [7] You will now be automatically transferred to [www.hbxi.co.uk](http://www.hbxi.co.uk) where you should simply follow the on screen instructions, which involves selecting the items you want to download into your **Price Book**.

**EstimatorXpress®**'s website [www.hbxi.co.uk](http://www.hbxi.co.uk) will now store the items you have selected until you are ready to download them into your PC during your next price download. You can now close your web browser and return to **EstimatorXpress®** software.




- [8] To download your newly selected new products to the **Master Price Book** of your **EstimatorXpress®** software click the **Download** button from inside the **Master Price Book** or press the **Download Prices** button from the **Main Menu**.



- [9] A dialog box might appear asking you if you are currently logged on to the Internet.

If it does, check you are connected to the Internet and click **Yes**.

If you click **No**, the procedure will be cancelled.



- [10] **EstimatorXpress®** will now download the products to your computer.




- [11] Your **Price Book** now contains the item(s) you selected and will have updated all other web-linked products in your **Price Book**.

From now on, each time you download prices from [www.hbxi.co.uk](http://www.hbxi.co.uk), the prices for these products will be refreshed.

**For more information on updating the prices of web-linked resources, click Help or press the F1 key on your**



keyboard. This service is only available with a valid Support & Updates subscription and a Trade Account with one of our Merchant Partners. An additional fee may be payable. Please contact HBXL for more details Tel. 0845 1234 085.

1. To close the <b>Master Price Book</b> press the <b>Close</b> button, you are transferred to the <b>Library of Price Books</b> .	 <b>Close</b>
2. Press the <b>Close</b> button again to return to the <b>My Settings Menu</b> .	 <b>Close</b>
3. In <b>My Settings Menu</b> , press the <b>Back</b> button to return to the <b>Main Menu</b> .	


#### IMPORTANT REMINDER:

Now you have ensured that the Materials rates are up to date in the Materials section of your Price Book, you should also visit the Labour, Plant, Subcontract and Sundry sections to ensure that their rates reflect your local conditions.

By ensuring the Library Price Book is up to date, all estimates created in the future will contain your accurate prices.



## CREATING A NEW PRODUCT IN YOUR PRICE BOOK



This exercise will lead you through manually creating a new product to add to your **EstimatorXpress® Price Book**. If you do not want to create additional products at this time, go to page 36 to create your **Specification**.




- [1] From the **Main Menu**, click on **My Settings**.



- [2] From the **My Settings Menu**, click on the **My Price Books** button.




- [3] Select the **Master Price Book** with your mouse and then press the **Open Price Book** button.



- [4] A dialog box will pop up asking you which part of the **Price Book** you wish to open. For this example, select **Materials** and click **Select**.

N.B. You can follow the same steps described in this exercise to add new products to the **Labour**, **Plant**, **Subcontractor** and **Sundry** sections of the **Price Book**.






- [5] First, select a product similar to the product you wish to create. For example, to add a new block to your **Price Book**, click on “**Solid Dense Concrete Block 7N 440 x 215 x 100mm**” with your mouse.



TIP: Use the **Find** button or the **Filters** near the top of the screen to help you find items in the **Price Book**.



- [6] In the toolbar, click on the **New Resource** button.



- [7] A dialog box pops up containing information about the product you selected to use as a template for your new product.
- [8] Type over the **Description** field in the dialog box with the name of your new product, in this case “**Thermalite Turbo Block 440 x 215 x 100mm**”.
- [9] Enter the **Unit Cost** and any **Discount** or **Adjustment**.
- [10] Select the **Unit of Purchase**, the **Supplier**, the product **Type**.
- [11] Enter **Delivery** and **Payment** times.
- [12] Finally, check the **VAT** and **Wastage** rates and click **OK** to save your new product.



NOTE: To add a new **Supplier** to your **Price Book**, click on the **Add** button next to the **Supplier/Contractor** drop down box.

**New Resource**

Description: Thermalite Turbo Block 440 x 215 x 100mm

Code: 4308161105098

Unit Cost (£): 12.00

Discount (%): 0

Adjustment (%): 0

Net Purchase Cost: £12.00

Units of Purchase: M2

Supplier/Contractor: HBXL Price Tracker

Type: Blocks

Delivery (Weeks): 2

Payment (Weeks): 5

Comments/Code:

Last Updated: 08/05/2009

VAT (%): 15.00%

Wastage (%): 10

Clear OK Cancel


This new product will now be available to use in all future **Jobs**.

- To close the **Master Price Book** press **Close** button, you are transferred to the **Library of Price Books**.
- Press **Close** button again to return to the **My Settings Menu**
- In **My Settings Menu**, press **Back** button to return to the **Main Menu**.






## CREATING A SPECIFICATION



Having downloaded latest materials prices from **EstimatorXpress®**'s on-line catalogue and added your own products into your **Price Book**, it is now important to tailor the **Specifications** supplied as standard (**New Build, Timber Frame, Extension, Renovation** and **Site Fabricated Timber Frame**) or create your own **Specifications** to contain your choice of **Materials, Labour** and **Plant**, e.g. the blocks you typically like to use and their usage factor. By making and saving your preferences early on, you will avoid having to make repetitive adjustments when estimating future **Jobs**. This is particularly useful if you repeatedly build houses or extensions of a similar 'style' or **Specification**.

This exercise will lead you through the creation of you own **Specification**.



- [1] From the **Main Menu** press **My Settings**.



- [2] From the **My Settings** menu, press **My Specifications**.



- [3] A dialog box pops up asking you which **Price Book** you wish to use in the **Specification**. (This dialog won't pop up if you only have one **Price Book** - **EstimatorXpress®** automatically selects the one available **Price Book**).

If the dialog box pops up, select **Master Price Book** and click **OK**.




You are transferred to the **Library of Specifications**.

Library of Specifications	
Specification name	Comments
Site Fab Timber Frame Spec	
Timber Frame Specification	
New Build Specification	
Renovation Specification	
Extension Specification	

**EstimatorXpress®** is provided with five standard **Specifications** within the **Library of Specifications**. These are **New Build Specification** (Brick & Block), **Timber Frame**, **Extension**, **Renovation** and **Site Fabricated Timber Frame** each containing typical **Materials** and associated **Labour** and **Plant** for those types of construction.

- [4] Select **Extension Specification** from the left hand side of the screen to copy.



- [5] Press **Copy Spec** button.

EstimatorXpress

Enter a Specification name.

Name

✓ OK

✗ Cancel

- [6] A dialog box pops up asking you to name the new **Specification** you are creating.

Type **New Specification** or whatever name you think is suitable in the top white cell.

Click **OK** when complete.

You are transferred to your new **Specification**.

- [7] In the **Specification** you have created, take a few moments to scroll across the screen. The screen is divided into several columns including the following:

Library of Specifications \ New Specification	
New Specification	
Item used for:	
Cavity Wall Specification (And General Walling Specification)	
Structural concrete	
Mass concrete	
Trench blocks	
Coursing blocks to inner leaf below dpc	
Coursing blocks to outer leaf below dpc	
Blockwork to inner leaf below dpc	
Blockwork to outer leaf below dpc	
Bricks below splash course	
Cavity fill	
Bricks for use in splash course	
Bricks above dpc less openings	
Blocks above dpc less openings	
Coursing blocks above dpc to inner leaf	
Coursing blocks above dpc to outer leaf	
Cavity insulation	
Brick size	

Description	Purchase Units	Purchase Cost	Build Phase
R/mix Concrete GEN 1.50 - 70mm slump 6m3 (Allowance 680)	M3	£ 80.00	Foundations
R/mix Concrete GEN 1.50 - 70mm slump 6m3 (Allowance 680)	M3	£ 80.00	Foundations
Trench Block 440 x 215 x 275mm	M2	£ 40.00	Footings
Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Footings
Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Footings
Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 8.00	Footings
Solid Dense Concrete Block 7N 440 x 215 x 100mm	M2	£ 9.00	Footings
Paving Bricks - Provisional (Allowance 60.40 each)	Each	£ 0.40	Footings
R/mix Concrete GEN 1.1, 125mm slump 2.5 m3 (Allowance 685)	M3	£ 85.00	Footings
Engineering Brick - Class A Blue 65mm	EA	£ 0.70	Footings
Paving Bricks - Provisional (Allowance 60.40 each)	Each	£ 0.40	Brickwork Shell
Insulation Block Standard 440 x 215 x 100mm	M2	£ 12.00	Brickwork Shell
Insulation Coursing Block 5.2N 100mm	M2	£ 22.00	Brickwork Shell
Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	EA	£ 0.60	Brickwork Shell
Cavity Wall Insulation 100 x 455 x 1200mm 10 Sheets 3.46m2	EA	£ 40.00	Brickwork Shell
Brickwork Tie D20x40 Type 4 225mm	EA	£ 0.20	Brickwork Shell

**Item Used For** column, describing where in the build the resource will be used  
**Description** column, describing the resource  
**Purchase Units** column, describing the units in which you purchase the resource  
**Purchase Cost** column, showing the price (looked up from the **Price Book**)  
**Build Phase** column, describing what build phase the resource will be needed  
**Usage Factor** column, describing the number required per unit e.g. how many needed per metre

In your new **Specification** you can change the following:


The resource in the **Description** column  
The resource's **Usage Factor**





- [8] Firstly we are going to look at choosing an alternative resource from the **Price Book** for use in your **Specification**.

Near to the top of the screen locate and click on the resource **Solid Dense Concrete Block 7N 440 x 215 x 100mm** which is used for 'Blockwork to Inner leaf below dpc'.




- [9] Press the **Change Resource** button.

The **Price Book** pops up over the top of the **Specification** to allow you to select an alternative resource.

On the left hand side of the screen there is a column of all the resources currently available in this **Price Book** from which you may select your alternative resource.


- [10] Select the alternative resource **"THERMALITE Turbo Block 440 x 215 x 100mm"**, that you created in the section **"Creating a New Product in your Price Book"** on page 34.

(If you did not create this product, please simply select an alternative resource.)



- [11] Press the **Select Resource** button to transfer the resource to your **Specification**.

**TIP:** You can use the **Find** button to help you find resources more easily in the **Price Book**.



A dialog box pops up.

Study the box for a moment.

The use of the resource is defined in the left hand corner of the dialog box. In this case as you previously selected a block for substitution in the footings it will say 'Blockwork to Inner leaf below dpc'.

Below this is the unit cost of the blocks together with the unit of supply.



Next are the units of usage, in this case, M2, as this is the unit of measurement that **EstimatorXpress®** uses when calculating this item.

As you are buying the blocks in M2 and using them in M2, then the usage factor is 1. For more information on **Usage Factors** see page 21.



TIP: To help you work out what **Usage Factor** you should enter, click on the **Usage Factor Calculator** button.

The final option available to you for this product is to define the product's **Build Phase**. This allows you to modify when you would prefer those materials to be on site.



Click **OK**.

You are returned to the **Specification**. You will now see the new resource in the **Specification**.

You will need to review all suggested items in the **Specification** (including Labour and Plant) to check that they accord with your own method of construction. Although this will initially take a little time, once you have set up your **Specification**, all your estimates will precisely reflect the way YOU work, saving you time in the long run.

1. Now your **Specification** changes are complete, to close and save your **Specification**, press the **Close** Button. You are transferred back to the **Library of Specifications**.
2. In the **Library of Specifications**, press the **Close** button to return to the **My Settings Menu**.
3. In **My Settings Menu**, press the **Back** button to return to the **Main Menu**.



#### IMPORTANT REMINDER:

The **Specification** you have just created has now been stored within the **Library of Specifications**.

It is important to be aware that each time you set up a new estimate, **EstimatorXpress®** will automatically make a **COPY** of your chosen **Specification** and place the **COPY** in your estimate. This **COPY** can be viewed or changed at any time by double clicking on the **Spec** tab from within a **Job**.

This means that you can make changes to the **Specification** for the **Job** in hand without altering your **Master Specification** that is stored in the **Library of Specifications** inside **My Settings**.

For additional Help press the help button or press the F1 Key on your keyboard.



# CREATING THE EXTENSION ESTIMATE

Let's start Estimating!



5.00  
Minutes

Having launched **EstimatorXpress®** the **Main Menu** screen will appear.




[1] To begin the Extension Demonstration Estimate, press the **My Estimates** button.

**EstimatorXpress®** transfers you to the **My Jobs Screen**. This is a list of all the **Jobs** you have estimated together with their estimated values and details of when they were last edited.



[2] To create a new **Estimate**, press the **New Estimate** button.




Name	Job Number	Description	Cost (Excluding Profit and VAT)	Cost Including Profit (Excluding VAT)	Comments
Extension Tutorial Estimate	16	Extension			
Plumbing Tutorial Estimate	17	System Install	£33,484.71		Estimate Recalc Required

[3] A dialog box then pops up. Enter a name for your **Job**, for example, enter Mr Phillips.


[4] Next give the **Job** a brief description from the drop-down menu. (This description simply helps to describe the **Job** and does not affect the outcome of any calculations.)



[5] Click **Next**.








[6] Now select the **Master Price Book** from the drop down menu by clicking on the down arrow. (When you purchase **EstimatorXpress®**, only the **Master Price Book** exists but you can also create your own if you are using Total Toolkit edition).



[7] When you have selected **Master Price Book** click **Next**.



[8] Next, select a **Specification** for use in the Estimate.


The **Specification** is a list of resources chosen from the **Price Book**, which define the materials, plant and labour used in the main fabric of the building, that's to say, how the **Job** is constructed.

Select the **New Specification** that you created earlier in the tutorial (see page 36) from the drop down box in the dialog. (When you purchase **EstimatorXpress®**, a **New Build (Brick & Block) Specification**, **Timber Frame Specification**, **Extension Specification**, **Renovation Specification**, and a **Site Fabricated Timber Frame Specification** are included).



[9] When finished, click **Next**.





[10] In the next dialog box, you are required to choose a **Group of Workbooks** or a bespoke set of **Workbooks** which most closely matches your **Job**. **Workbooks** are the estimating calculators of the system. In this case, select **Extension Demonstration** from the drop-down. Note that you can add or delete extra **Workbooks** to a **Job** by ticking or unticking the relevant check boxes in the list below.

The **Extension Demonstration** has been pre-prepared to include the main **Workbooks** you will need to estimate an extension. The **Extension Demonstration** includes **Workbooks** to cost cavity walls, slab, suspended floor, apex valley roof, structural opening, block walls, internal doors, drain runs, manhole and drainage plant, windows, and subcontractors.



[11] When you have selected **Extension Demonstration** click on the **Next** button.




**TIP:** **EstimatorXpress®** comes with several **Groups of Workbooks** that include all the **Workbooks** that might need to be considered for estimating a house, a flat roof extension, an apex roof extension, typical renovation etc. You can also create your own **Groups of Workbooks** for the different types of work you carry out by visiting **My Groups of Workbooks** from inside the **My Settings Menu**. For example if you regularly build offices, you can create an office **Groups of Workbooks** which lists all of the typical estimating templates or **Workbooks** encountered whilst building offices.

For more information about **Creating Groups of Workbooks**, from the **My Settings Menu** click on **My Groups of Workbooks** button and press **Help** or press your **F1 Key** on your keyboard.

[12] Next enter a start date for your **Job** by clicking the calendar button and select a **Bar Chart** type from the drop-down box that will be used as a template to plan your **Job** later on.



[13] Click **Next**.





[14] Now enter the Customer's **Name** and **Address Details**. These will appear on your printed quotation later should you choose to print one.



[15] You can skip this step if you wish by simply clicking **Next**.

NOTE: You can add or change these details from within the **Job** later on.

Estimate Wizard - Step 6 of 9

Enter your Customer Address Details.

Name:

Address 1:

Address 2:

Address 3:

Postcode:

Tel:

The Customer Address Details appear on your Reports and Customer Quote.  
This information can be edited later on from within the Estimate.

[16] Now confirm your target **Profit Margins** for this **Job**.



[17] Click **Next** when you are happy with them.

NOTE: You can edit the **Profit Margins** from within the **Job** later on.

Estimate Wizard - Step 7 of 9

Confirm your Profit Margins.

Labour %

Plant %


Material %

Subcontractor %

Sundry %

These Profit Margins are copied from the standard target Profit Margins set up in My Settings.  
You can amend the Profit Margins for each Resource type in the Job.  
You can later adjust your Profit Margins within the Job at any time without affecting the standard Profit Margins.

[18] Now confirm any **Inflation Rates** you would like to apply to the **Job**.



[19] Click **Finish** to complete the creation of your **Job**.  
**EstimatorXpress®** will now build your estimate using the information you have entered.

NOTE: You can edit the **Inflation Rates** from within the **Job** later on.

Estimate Wizard - Step 8 of 9

Confirm your Inflation Rates and the Delay before inflating cost.

Labour %

Plant %

Material %

Subcontractor %

Sundry %

Delay before inflating cost in weeks

The Inflation Rates tool is used to adjust the anticipated building costs to take into account the planned duration of the Job. You can set different Inflation Rates for each Resource type in the Job.  
These Inflation Rates are copied from the standard anticipated Inflation Rates set up in My Settings.  
You can later adjust the Inflation Rates within your Job at any time without affecting the standard Inflation Rates.



[20] **EstimatorXpress®** then transfers you to the **Job Summary** screen. This screen provides an overall summary of the estimate.

From this screen, you can open individual **Workbooks** to estimate the various parts of your **Job**.

By double clicking on the tabs along the top of the screen, you can also access the **Price Book** and **Specification** which have now been copied into your **Job**, access the **Bar Chart Planner** and **Report Manager** as well as modify the **Customer Address** details and change the **Job Inflation Rates** and **Job Profit Margins**.

Note that from within the **Price Book** tab inside a **Job**, you can also synchronise the prices being used in this **Job** with the **Master Price Book**.

Press **Help** or **F1 Key** on your keyboard for further details.

You have now assembled the basic elements for estimating the extension. You have:

- ✓ Named the **Job** and entered a **Customer Address**
- ✓ Selected a **Price Book**
- ✓ Selected a **Specification** (to tell **EstimatorXpress®** what **Materials, Labour, Plant...**to use in your Estimate)
- ✓ Chosen a **Group of Workbooks** (to tell **EstimatorXpress®** what elements are included in the Estimate)
- ✓ Specified a **Job Start Date** and selected a **Bar Chart**
- ✓ Set **Profit Margins** and **Inflation Rates**

You are now ready to start estimating!

**NOTE:** **EstimatorXpress®** has made **COPIES** of the Price Book, Specification and Workbooks and transferred them into your Estimate, ensuring you do not damage the originals.

Any changes you make to the Price Book, Specification and Workbooks in your estimate *will not* affect the Master Price Book, Specification and Workbooks in their respective Libraries. Remember that the Master versions of the Price Book, Specification and Workbooks can only be viewed or modified using the **My Settings Menu**.

If you wish to stop and close the estimate you have created so far:

1. Press the **Close** button on the top left of the screen **Job Summary** Screen.
2. You will now be in the **My Jobs** screen. Close this screen, once again using the **Close** button.
3. You are now transferred to the **Main Menu** screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.





# ESTIMATING THE EXTENSION


## BRICK & BLOCK CAVITY WALLS



If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial. If you have joined this tutorial after having closed **EstimatorXpress®**, see the following steps:


**If you wish to start this tutorial having closed EstimatorXpress®:**

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.



Now that you have set up the extension estimate, you can now start actually estimating. This exercise will lead you through the estimating of the **Brick & Block Cavity Walls** and **Gables** for the extension.

The **Brick & Block Cavity Wall Workbook** is an example of a **Specification Linked Workbook**, which is linked to the **Specification**. Notice that there is a **Yes** in the column **Linked to Spec?** to indicate this. As its name suggests, this means that it is populated with resources from the **Specification** (see page 17 for further explanation). To estimate the walls, you will enter your dimensions into the system and **EstimatorXpress®** will then schedule all **Materials**, **Labour** and **Plant** required and estimate their associated costs. The **Brick & Block Cavity Wall Workbook** will estimate the foundations, blockwork, brickwork, cavity insulation, plastering, skirting and decoration if needed.



The **Job Summary** screen is the “control centre” or “hub” of your Estimate.


Notice that **EstimatorXpress®** has copied the Extension Demonstration **Workbooks** into the **Job Summary** screen.

At this stage, no costs are indicated for each **Workbook**, as you have not carried out any estimating for the extension.


For further **Help** about this screen press the help button or press the function key **F1**.




NOTE: If any of the descriptions are not fully visible in any cell or you see ##### anywhere on screen, select the **Autofit** option from the **View** drop-down menu in the Menu bar at the very top of the screen. This will automatically fit any text into the cell.





TIP: To the right of each **Workbook** name you will see a small **Help** button. Click on any of these for detailed information about exactly what each **Workbook** will estimate.



- [1] To start estimating, select a **Workbook** from the left-hand side of the screen with the cursor.
- [2] Click on **Brick & Block Cavity Wall**.



[3] Press the **Open Workbook** button.




EstimatorXpress® transfers you to the **Summary of Brick & Block Cavity Wall Workbook**.

The **Summary of Brick & Block Cavity Wall** is used to list different **Worksheets** that are stored within each **Workbook**.

Each **Worksheet** in this **Workbook** can contain a Cavity Wall with a slightly different **Specification**.

NOTE: In addition to the standard **Brick & Block Cavity Wall**, EstimatorXpress® also contains **Workbooks** for estimating **Stone Facing Cavity Walls**, **Block Cavity Walls** and **Multileaf Brick Cavity Walls** amongst others, plus you can copy any of these **Workbooks**, substitute your own **Specification** and choice of **Materials** to create your own personalised **Workbooks**.



TIP: If you wanted to add any additional **Worksheets** to the **Brick & Block Cavity Walls Workbook**, you can simply click the **Add Worksheet** button located on the Toolbar and the dialog box asking for a Name and Location for your new **Worksheet** will appear again.




- [4] If this is the first time you have opened the **Brick & Block Cavity Wall Workbook**, a dialog box will automatically pop up, asking you to create a **Worksheet**. You will be prompted to type in a name for the **Worksheet**. Type **External Walls** into the top white cell. Do not enter full stops, apostrophes, commas or other symbols.

You must then select a location using the drop down box. Scroll down using the pull down arrow until you find **Extension**. Select **Extension**.

Click **OK** when finished.

NOTE: You must complete **both** boxes on the dialog box before clicking **OK**.




**EstimatorXpress®** then transfers you into the **Dimensions** section of the **External Walls Worksheet** and another dialog box will pop up, asking you to select a wall template. In order to help you begin estimating the **Brick & Block Cavity Walls**, **EstimatorXpress®** already contains several template wall types containing example dimensions including **Single storey cavity wall**, **Double storey cavity wall**, **Foundations only** and **Gable only**.

NOTE: When you are estimating your own **Jobs** in the future, it doesn't matter if the template you choose does not match the requirements of your **Job** exactly as you can modify the template once you have selected it.



- [5] For this two storey extension, select **Double storey cavity wall** and click **Select**.





The **Double storey cavity wall** template has now been transferred to your estimate for you to start entering dimensions and the **Dimensions Wizard** dialog box has popped up. The **Dimensions Wizard** contains drawings to assist you in entering and confirming dimensions.



**TIP:** **EstimatorXpress®** won't let you estimate any unrealistic or inappropriate figures. When you have entered dimensions into the **Dimensions Wizard** screens, **EstimatorXpress®** checks the information you have entered using its built in **Data Checker**. If it detects that any abnormally large or small data, or data of the wrong type (e.g. a letter in a numerical cell) has been entered, a dialog box will pop up asking you to re-check the information you entered.

[6] Dimensions are entered into the system using a series of drawings for each **Workbook** so that you can see which measurement you should be typing in. Once you are happy with a dimension, press **Enter** on your keyboard or use the tab key to move to the next one. The software is programmed to move from cell to cell when you press **Enter**.



**TIP:** To see explanations of the dimensions, click on the **Show Tech Tip** check box on the bottom of the dialog box and a hint will appear on the top right hand corner of the screen.



**TO ESTIMATE WALL 1 & 2:**

If you examine the extension plan on page 25, you will see there are 3 walls, 2 identical walls and 1 with a gable and window to each floor:

Wall No.	Length (m)	Door & Window Area (m <sup>2</sup> )
1	2.5	0
2	2.5	0
3	4	=1.8*1.2*2 = 4.32

- [7] Let's start with the 2 identical walls. In the cell showing the **Height of Wall**, enter 4.6. (Do not type in m for metres!). Press **Enter** to move to the next cell.
- [8] Now enter the **Wall Length** of 2.5 and press **Enter** on your keyboard.
- [9] Enter 0 for **Area of openings in main wall** and press **Enter** on your keyboard.
- [10] Confirm that **Height of Coursing Blocks above DPC** is 0.
- [11] The next cell is called **No. of Identical Walls**. As there are 2 identical walls in this extension, enter 2 and then click **Next**.

- [12] **EstimatorXpress®** is now asking you for details of the **Foundation**. Confirm or make any changes to the **Foundation Depth**, **Structural Concrete Thickness**, **Mass Concrete (if any)**, **Foundation Width**, whether you want to allow for **Planking and Strutting** and the **Bulking Factor** for spoil using your own usual methods, pressing **Enter** to move from one cell to the next.

- [13] Click **Next** when you want to move on to the next screen.



Enter Dimensions Page 3 of 4

### Footing details

**Splash course depth:**  
The splash course depth is the actual thickness of the bricks, often an engineering type brick, which is used in the splash area adjacent to the ground. Typically one would expect to see at least two courses of engineering bricks, although an additional course or two is often provided where ground levels vary. For example two courses of bricks would give a 150 mm splash course depth. This should be entered as 0.15

SECTION THROUGH FOOTING

Is main wall insulated? (Y/N)   
Is there a separate DPC? (Y/N)

No Options Available ☒ Show Tech Tip ☒ Show Tech Labels

- [14] Now confirm or make any changes you think are necessary to the **Footing Details**.

If you are unsure what dimension the software requires, turn on the **Tech Tips** by clicking on **Show Tech Tips** checkbox. Extra help will appear in the top right hand corner of the dialog box.

Click **Next** when you are satisfied with the footing details.



TIP: Clicking **Show Tech Labels** check box underneath the graphic will switch on useful extra labels on the drawings.

Enter Dimensions Page 4 of 4

### Plastering and decoration

Is main wall blockwork plastered?   
If the inner leaf is plastered then enter Y.

INTERNAL PLASTERED WALL ELEVATION


Is main wall blockwork plastered? (Y/N)   
Is main wall plastering/blockwork decorated? (Y/N)   
Number of skirting boards to main wall   
Is main wall skirting primed? (Y/N)   
Is main wall skirting decorated? (Y/N)

Plastering and decoration to gable ☒ Show Tech Tip ☒ Show Tech Labels

- [15] Finally confirm the **Finishes** for the **Brick & Block Cavity Walls**. On this screen you can decide if you want to include plastering, decorating and skirting boards in your estimate. To exclude any of these items, simply change the Y to an N.

- [16] Click **Finish** when you have checked these details.

EstimatorXpress® has now closed the **Dimensions Wizard** and returned you the **Brick & Block Cavity Wall External Walls Worksheet** that you have created. The white column now contains all the dimensions you have just entered for the 2 identical walls.



NOTE: To add or modify the dimensions on any **Worksheet** that already contains a white column of dimensional data, press the **Dims Wizard** button at any time. The dialog box containing drawings will then pop up again.



EstimatorXpress Toolkit

Close Add Column Copy Delete Dims View Resources Filters

Summary Price Book Spec Chart Reports

My Jobs \ Job Summary \ Brick and Block Cavity Wall \ Externals Walls - Di

£ 3,440.83

Mr Phillips  
Brick and Block Cavity Wall  
Externals Walls


Location Wall 1 and 2

Description	Units	
No of identical walls	No.	2,000
Length of main wall	M	2,500
Height of main wall	M	4,600
Height of coursing blocks above dpc	M	-
Area of openings in main wall	M2	-

[17] Label this column of information by double-clicking on the white cell where it says **Double storey cavity wall** deleting the existing text and typing **Wall 1 and 2**.

### TO ESTIMATE WALL 3:

If you examine the elevation on page 27 you will see there is a front gable.



[18] To create this wall including its gable, press the **Add Column** button.

[19] Click on **Double storey cavity wall** again and then press **Select**.

The **Dims Wizard** opens automatically again.

[20] Enter **Wall Height** of 4.6 as before and press **Enter** to move to **Wall Length**.

[21] Type in **Wall Length** 4.0 in the cell labelled **Wall Length**. Press **Enter**.

[22] The extension will have a 1.8m x 1.2m window to each storey of the front elevation. To work out the wall area that will be omitted, in the cell labelled **Area of openings in main wall** calculate the area (i.e. =1.8 x 1.2 x 2) and enter 4.32 then press **Enter** key.

[23] Leave the **Height of coursing blocks above dpc** as 0.

[24] Leave the **No. of Identical Walls** as 1.

Enter Dimensions Page 1 of 4

Wall dimensions

Area of openings in main wall (M2) 4.32

4.6

4.00

WALL ELEVATION

SECTION THROUGH WALL

No of identical walls (No.) 1,000

Gable dimensions

Show Tech To Show Tech Labels

Cancel Back Next

NOTE: By inputting the door and window area, **EstimatorXpress®** is simply calculating the wall area to be omitted. This will then deduct the bricks, blocks, plastering etc from the overall wall...the actual windows and reveals will be added later!



[25] Now click on the **Gable Details** button located in the bottom left of the **Dimensions Wizard** box.

[26] The **Gable Details** screen is displayed.

[27] Enter **Width of Brick Gable** of 4.00.

[28] Enter **Height of Brick Gable** of 3.00.

[29] Click **Return** when you have finished on this screen.

Page 1 Additional Inputs

Gable dimensions

IDENTIFY GABLE TYPE AND ENTER CORRESPONDING DIMENSIONS A & B

Area of openings in gable (M)

Width of brick gable (M)

Height of brick gable (M)

TYPICAL LEAN TO ROOF GABLE ELEVATION      TYPICAL APEX ROOF GABLE ELEVATION

Return    ☐ Show Tech Tip    ☐ Show Tech Labels    Cancel

[30] Click **Next** to review the **Footing** details as before.

[31] Continue estimating the rest of **Wall 3** by confirming and modifying where necessary the rest of the dimensions shown in the dialog boxes. Press the **Enter** key to move from one cell to the next cell and use the **Next** and **Back** buttons to move between the screens.

[32] When you reach page 4, click **Plastering and Decoration to Gable** button on the bottom left of the **Dimensions Wizard**.

[33] Carefully check the **Dimensions** and other information relating to **Plastering and Decoration to Gable** and then click **Return** to go back to page 4 of the **Dimensions Wizard**.

[34] Click **Finish**.

Page 4 Additional Inputs

Plastering and decoration to gable

IDENTIFY GABLE TYPE AND ENTER CORRESPONDING DIMENSIONS A, B, C & D

SECTION THROUGH TYPICAL APEX GABLE      SECTION THROUGH TYPICAL LEAN TO GABLE

Width of collared ceiling (M)       Is gable insulated? (Y/N)       Is gable skirted? (Y/N)

Width of base of plaster (M)       Is gable plastered? (Y/N)       Is gable skirting primed? (Y/N)

Height of upstand (M)       Is gable plastering/blockwork decorated? (Y/N)       Is gable skirting painted? (Y/N)

Height of ceiling (M)

Return    ☐ Show Tech Tip    ☐ Show Tech Labels    Cancel



EstimatorXpress Toolkit

Close Add Column Copy Column Delete Column Dims View Resources Resources Wizard Filters

Summary Price Book Spec Chart Reports Address

My Jobs \ Job Summary \ Brick and Block Cavity Wall \ Externals Walls - Dims

£ 6,271.49

Mr Phillips  
Brick and Block Cavity Wall  
Externals Walls


Description	Units	Location	Wall 3	Wall 1 and 2
No of identical walls	No.		1,000	2,000
Length of main wall	M		4,000	2,500
Height of main wall	M		4,600	4,600
Height of coursing blocks above dpc	M		-	-
Area of openings in main wall	M2		4,320	-
Foundation depth below site strip	M		0,900	0,900
Structural concrete thickness	M		0,400	0,400
Mass concrete thickness	M		0,225	0,225
Foundation width	M		0,600	0,600
Splash course depth	M		0,150	0,150
Brickwork depth below splash course	M		0,075	0,075
Cavity fill depth below top of dpc	M		0,225	0,225
Height of blockwork to inner leaf below dpc	M		0,450	0,450
Height of blockwork to outer leaf below dpc	M		0,225	0,225
Height of coursing blocks to inner leaf below dpc	M		-	-
Height of coursing blocks to outer leaf below dpc	M		-	-
Plank and strut excavation	Y/N		Y	Y
Bulking of excavated material	No.		1,500	1,500
Overall width of wall (below ground)	M		0,300	0,300
Cavity Width (below ground)	M		0,100	0,100
Is main wall blockwork plastered ?	Y/N		Y	Y
Is main wall plastering/blockwork decorated ?	Y/N		Y	Y
Number of skirting boards to main wall			2,000	2,000
Is main wall skirting primed?	Y/N		Y	Y
Is main wall skirting decorated?	Y/N		Y	Y
Is there a separate DPC?	Y/N		Y	Y
Is main wall insulated?	Y/N		Y	Y
Height of brick gable	M		3,000	-
Width of brick gable	M		4,000	-

When finished you will be returned to the **Brick & Block Cavity Wall External Walls Worksheet Dimensions** screen with 2 columns of data as shown opposite.

[35] Click on the top white cell of the new column and type in **Wall 3** to label this column of information.

NOTE: If you wanted to estimate a **Gable** separately from the rectangular part of the **Wall**, you can use the **Gable Only** template, which only deals with the triangular section of the wall.

TIP: If you wanted to add **Walls** that were very similar, you could click with your mouse anywhere on a column you have already estimated and press the **Copy Column** button, which creates an identical copy for you to check and/or modify using the **Dimensions Wizard**.



You have now entered all the information required to estimate all of the cavity walls. At the top of the screen, you will see an estimated price for the build of the 3 walls including the gable.

So, what do you get for your money? The next exercise will show you how to look at your estimate output.




# VIEWING THE OUTPUT FOR THE BRICK & BLOCK CAVITY WALLS





5.00  
Minutes

In this section of the tutorial, you will look at the output that **EstimatorXpress®** produces. **EstimatorXpress®** has produced a schedule of **Materials**, **Labour** and **Plant** required to build the cavity walls and gables, including costs and an allowance for wastage.



- [1] From the **Brick & Block Cavity Wall Dimensions** screen, press the **View Resources Output** button.
- [2] You are transferred to the **Brick & Block Cavity Wall Resources Output** screen. You will see that **EstimatorXpress®** has calculated the order quantities and costs associated with all the **Material**, **Labour** and **Plant**, including an allowance for wastage for all of the **Brick & Block Cavity Walls**. Scroll across the screen with the horizontal scroll bar to see all of the data.

- [3] Now use the **Views** drop-down menu to look at the output. Choose from **Show Cost Summary**, **Show Basic Costs**, **Show Total Costs**, **Show Quantities** and **Show All**.



If you press **Show Cost Summary** button from the **Views** drop-down menu, you will see a summary of Costs, Wastage Costs and Total Cost inc. Wastage for each **Resource**.

If you press **Show Basic Costs** button from the **Views** drop-down menu, you will see basic cost information including purchase unit, cost per purchase unit and no. of units required.

If you press **Show Total Costs** button from the **Views** drop-down menu, you will see extended cost information including estimated units required, total quantities including wastage allowance, and total cost of each resources.


If you press **Show Quantities** button from the **Views** drop-down menu, this shows total quantities of materials required including wastage.

If you press **Show All**, this shows you all the **Resources Output** for the estimate relating to **Brick & Block Cavity Walls**.






[4] Assuming you are satisfied with the estimate output for your external walls, return to the **Brick & Block Cavity Walls Worksheet Dimensions** screen using the **Back** button.



[5] Then press the **Close** button to return to **Summary of Brick & Block Cavity Walls Workbook**.




[6] You will now see a final cost for the **External Brick & Block Cavity Walls**.



[7] Now, to return back to **Job Summary**, again press the **Close** button. This will automatically save your **Brick & Block Cavity Walls Workbook**.

[8] A dialog box pops up asking if this item (Cavity Walls) is now complete. Click **Yes**. (This marks the **Brick & Block Cavity Walls** “Complete” in the **Job Summary** Screen)





You will now see a final estimate costing for your cavity walls as part of your overall estimate in the **Job Summary** screen.

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	14/05/2009 14:13
Extension Slab				Yes		
Apex Valley Roof				Yes		
Window				Yes		
Typical Panel Doors				Yes		
Suspended Floor				Yes		
Structural Opening				Yes		
Shallow Access Manhole						
Drainage Plant						
Drain Runs						
Subcontract Quotations						
No of Items 11		Sub Total	£ 6,271.49			
		(ex VAT & Profit)				

**If you wish to stop and close this current Estimate:**

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You will be transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of the screen.





## EXTENSION SLAB



7.5  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:

**If you wish to start this tutorial having closed EstimatorXpress®:**


1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to the **My Jobs**. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of the **Extension Slab**.

The **Extension Slab** is an example of a **Non-Specification Linked Workbook** to which you add any **Sundry items** that you require. (See page 19 for an explanation of this.) The **Extension Slab Workbook** calculates all Materials and Labour required to construct the slab but you must specify the Plant you require as a **Sundry** item because the Plant is assumed to be independent of the area of slab required.

- [1] To start estimating your **Extension Slab** in the **Job Summary** screen, select **Extension Slab**.




Press the **Open Workbook** button.




- [2] You are now transferred to **Summary of Extension Slab Workbook** and a dialog box will automatically pop up asking you to label and give a location for the slab.






- [3] Enter **Extension Slab** or any name you think is sensible and then select **Extension** for location. Click **OK**.
- [4] **EstimatorXpress®** transfers you to the **Extension Slab Worksheet Dimensions** screen.



- [5] Another dialog box will automatically pop up asking you to select a template. Choose the **Unreinforced Slab** template.

Click **Select**. These templates have already been set up for you to speed up the estimating process. By simply changing the area of slab required, a new cost will automatically be calculated.



**EstimatorXpress® Dimensions Wizard** will automatically open up a dialog box containing drawings to assist you in entering and confirming dimensions.

To calculate the area of the **Extension Slab** the extension can be thought of as a rectangle.

Rectangle 1	
Length (m)	3.4
Width (m)	2.2

- [6] (The above dimensions are the **internal** wall dimensions.) Firstly, input 2.2 into **Width of Slab** and press **Enter**.


- [7] Confirm or alter the thickness of sand blinding and sub-base. Just press **Enter** if you are happy with the standard value.

- [8] Input 3.4 in the white cell **Length of Slab** and press **Enter**. Click **Next**.



Enter Dimensions Page 2 of 3

Slab details



SECTION THROUGH CONCRETE SLAB

Is there a DPM? (Y/N)

Overlap of DPM to perimeter of slab (M)

Is there insulation to underside of slab? (Y/N)

Length of perimeter insulation (M)

Is there reinforcement to bottom of slab? (Y/N)

Is there reinforcement on top of slab? (Y/N)

Is slab (power) float finished? (Y/N)

No Options Available ☐ Show Tech Tip ☐ Show Tech Labels

Cancel Back Next

- [9] Next confirm the **Thickness of Slab** and details relating to the **Damp Proof Membrane, Insulation, Reinforcement** and **Finishes**. Click **Next**.

Enter Dimensions Page 3 of 3

Plant required for concrete slab

Number of hours required by excavator (Hours)

Number of days required for plate compactor (Days)

Number of days required for wheel barrow (Days)

Number of days required for shovel (Days)

Number of days required for bolt croppers (Days)

Number of days required for concreting vibrator (No.)

Number of days required for power float (Days)

Number of deliveries and collections for plant (No.)

PLANT FOR CONCRETE SLAB

No Options Available ☐ Show Tech Tip ☐ Show Tech Labels

Cancel Back Finish

- [10] On the final page of the **Dimensions Wizard**, you will see a list of the **Plant** items that relate to the construction of the slab. These items are not dependent directly on the area of the slab, for example you may need to allow for certain items of **Plant** to be on site for a certain number of days regardless of the dimensions of the slab.

**EstimatorXpress®** automatically loads these resources as it assumes you will require them to build the **Extension Slab**. You may wish to work on a different basis depending on the scale of the building work you are undertaking and of course, you can modify or change these items before clicking **Finish**.

EstimatorXpress Toolkit

Close Add Copy Delete Dims View Resources Resources Filters

Summary Price Book Spec Chart Reports Address Profit Inflation


My Jobs \ Job Summary \ Extension Slab \ Extension Slab - Dims

Mr Phillips  
Extension Slab  
Extension Slab

Location Unreinforced Slab

Description	Units	
Length of slab	M	3.400
Width of slab	M	2.200
Other irregular areas of slab	M2	-
Length of perimeter insulation	M	16.000
Thickness of sub-base (with allowance for uneven ground)	M	0.150
Thickness of sand blinding	M	0.025
Thickness of slab (with allowance for uneven sub-base)	M	0.125
Is there a DPM?	Y/N	Y
Overlap of DPM to perimeter of slab	M	0.500
Is there insulation to underside of slab?	Y/N	Y
Is there reinforcement to bottom of slab?	Y/N	N
Is there reinforcement on top of slab?	Y/N	N
Is slab (power) float finished?	Y/N	Y
Number of hours required by excavator	Hours	2.000
Number of days required for plate compactor	Days	1.000
Number of days required for wheel barrow	Days	1.000
Number of days required for shovel	Days	-
Number of days required for bolt croppers	Days	-
Number of days required for concreting vibrator	No.	1.000
Number of days required for power float	Days	1.000
Number of deliveries and collections for plant	No.	4.000

- [11] **EstimatorXpress®** then transfers you back into the **Extension Slab Worksheet Dimensions** screen showing the dimensions you have just entered in the white column.



- [12] To see the full output of your **Slab Workbook**, click the **View Resources Output** button.

- [13] **EstimatorXpress®** transfers you to the **Extension Slab Worksheet Resources Output** screen. This screen specifies all the Materials, Labour and Plant required just for the Extension Slab.



EstimatorXpress - Job 10: Mr Phillips, Extension

EstimatorXpress Toolkit

Back

Change Resource

Edit Resource

Markers

Views

Add Resources

Resources Wizard

Summary

Price Book

Reports

Address

Profit

Inflation

My Jobs \ Job Summary \ Extension Slab - Resources

No. of Groups of Items

Total Cost of Groups

Item used for:

Sub-base to concrete slab

Sand blinding to slab

Concrete in slab

DPM to concrete slab

Insulation to underside of slab

Perimeter insulation

Reinforcement to underside of slab

Reinforcement to top of slab

Place and compact sub-base to slab

Lay sand blinding

Lay DPM to slab

Lay insulation to underside of slab

Fix perimeter insulation

Fix bottom reinforcement

Fix top reinforcement

Place and compact concrete slab

Tamp finish to concrete slab

Float finish to concrete slab

Excavator for preparation of slab

Wheelbarrow for slab construction

Plate compactor for preparation of slab

Shovel for slab construction

Power float for slab construction

Bolt croppers for slab construction

Concrete vibrator for slab construction

Plant delivery and collection

\*

Sundry Items

\*

Location

Extension

Remarks

1.00

623.17

Purchase Unit

Purchase Cost

Build Phase

Production/Usage Factor

EA

£ 44.00

Oversite and slabbing

2.20000

EA

£ 40.00

Oversite and slabbing

2.20000

M3

£ 75.00

Oversite and slabbing

1.00000

EA

£ 66.00

Oversite and slabbing

0.01000

SH

£ 40.00

Oversite and slabbing

0.34700

SH

£ 10.00

Oversite and slabbing

0.34700

EA

£ 129.00

Oversite and slabbing

0.08680

EA

£ 129.00

Oversite and slabbing

0.08680

Hours

£ 25.00

Oversite and slabbing

0.49500

Hours

£ 25.00

Oversite and slabbing

0.03850

Hours

£ 25.00

Oversite and slabbing

0.01650

Hours

£ 25.00

Oversite and slabbing

0.02750

Hours

£ 25.00

Oversite and slabbing

0.44000

Hours

£ 25.00

Oversite and slabbing

0.06600

Hours

£ 25.00

Oversite and slabbing

0.06600

Hours

£ 25.00

Oversite and slabbing

0.71500

Hours

£ 25.00

Oversite and slabbing

0.03300

Hours

£ 25.00

Oversite and slabbing

0.08800

Day

£ 200.00

Oversite and slabbing

0.12500

Week

£ 10.00

Oversite and slabbing

0.20000

Week

£ 55.00

Oversite and slabbing

0.20000

Week

£ 6.00

Oversite and slabbing

0.20000

Week

£ 78.00

Oversite and slabbing

0.20000

Week

£ 25.00

Oversite and slabbing

0.20000

Week

£ 60.00

Oversite and slabbing

0.20000

Each

£ 25.00

Oversite and slabbing

1.00000

No

26

No

-

No

26

Towards the top of the screen, you will see the resources, which relate to the dimensions of the slab such as concrete, sand and labour. These items are automatically adjusted by **EstimatorXpress®** to match the area of the slab, which have been entered in the dimensions screen.

Further down the screen, you will see the Plant items that you entered in step [10]. You will recall from the **Dimensions Wizard** that they do not relate **directly** to the area of the extension but you manually specified the length of time required for each item.

Let's assume that the resources are **OK** for the purpose of this **Job**.

If you do wish to replace any of the materials for example please refer to the **Help** by pressing the **Help** button or by pressing the **F1** function key.

[14] To view the output of the **Extension Slab Workbook**, use the 6 options inside the **Views** drop-down menu.



Description	Units	Quantity
Length of slab	M	3.400
Width of slab	M	2.200
Other irregular areas of slab	M2	-
Length of perimeter insulation	M	16.000
Thickness of sub-base (with allowance for uneven ground)	M	0.150
Thickness of sand blinding	M	0.025
Thickness of slab (with allowance for uneven sub-base)	M	0.125
Is there a DPM?	Y/N	Y
Overlap of DPM to perimeter of slab	M	0.500
Is there insulation to underside of slab?	Y/N	Y
Is there reinforcement to bottom of slab?	Y/N	N
Is there reinforcement on top of slab?	Y/N	N
Is slab (power) float finished?	Y/N	Y

[15] Assuming you are satisfied with the estimate output for the **Extension Slab**, close the **Extension Slab Workbook** by pressing **Back** to return to the **Extension Slab Worksheet Dimensions** screen.



[16] Press the **Close** button to return to the **Summary of Extension Slab Workbook**.

You will now see a final cost for the **Extension Slab** on screen.



[17] Now to return back to **Job Summary** screen, press the **Close** button. This will automatically save your **Extension Slab Workbook**.

Is this Workbook now complete?

[18] A dialog box pops up asking if the item is now complete. Click **Yes**.

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	14/05/2009 14:13
Extension Slab		£ 623.17		Yes	Completed	14/05/2009 17:04
Apex Valley Roof				Yes		
Window				Yes		
Typical Panel Doors				Yes		
Suspended Floor				Yes		
Structural Opening				Yes		
Shallow Access Manhole				Yes		
Drainage Plant				Yes		
Drain Runs				Yes		
Subcontract Quotations				Yes		
No of Items 11						
Sub Total		£ 6,894.66				
(ex VAT & Profit)						

You will now see a final estimate costing for your **Extension Slab** as part of the overall estimate cost on screen.



**If you wish to stop and close the current Estimate:**

1. Press the **Close** button on the top left of the **Job Summary** screen.



2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.




3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button at the top right of screen.





## SUSPENDED FLOOR



If you are starting this tutorial immediately after the previous section, you are already in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below.


**If you wish to start this tutorial having closed EstimatorXpress®:**

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to the **My Jobs** screen. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of a **Suspended Floor**.


The **Suspended Floor Workbook** is an example of a **Workbook** that is linked to the **Specification** (see page 17 for an explanation of this). To estimate the floor for the 2<sup>nd</sup> storey of the Extension, simply enter your dimensions into the appropriate cells and **EstimatorXpress®** will schedule all the Materials, Labour and Plant required and then cost it for you. The **Suspended Floor Workbook** will schedule the floor joists, floor surface, insulation, plastering and decorating.



- [1] To start estimating the **Suspended Floor**, select **Suspended Floor** from the left-hand side of the **Job Summary** screen with your mouse.




- [2] Press the **Open Workbook** button.



You are then transferred to **Summary of Suspended Floor Workbook** and a dialog box will automatically pop up asking you to label and give a location for the **Suspended Floor**.

- [3] Enter **1st Floor Suspended Floor** or any name you think is sensible and then select **Extension** for location. Click **OK**.






EstimatorXpress® then transfers you into the **Dimensions Section** of the **Suspended Floor Worksheet**.

- [4] Another dialog box will pop up asking you to select a template. Choose from **Suspended Floor Adjacent to Typical Stair Well**, **Suspended Floor End of Typical Stair Well**, **Suspended Floor Typical House Floor** or **Suspended Floor Typical Floor Over Garage**. Choose the **Suspended Floor Typical House Floor** and click **Select**.


The **Dimensions Wizard** will automatically open up a dialog box containing drawings to assist you in entering and confirming dimensions for the **Suspended Floor**.

EstimatorXpress® has pre-loaded a standard **Suspended Floor** template to speed up the estimating process. You must alter the dimensions to suit the **Job** you are estimating.



- [5] Enter the **Span of the Joists** as 3.4 and press **Enter**.
- [6] Work your way around the screen confirming the dimensions as you go. As there are no trimmers and hangers, they will be set to zero values. Both ends will be strapped and **Spacing between Floor Bracing** should be set at 1.2

- [7] Enter **Joist End Bearings** of 0.1. Click **Next**.



- [8] Now enter or confirm the following dimensions:

Joist Centres	0.4
Width of Floor	2.2
Joist Strap Centres	2


- [9] Click **Next**.



Enter Dimensions Page 3 of 5

### Trimmer details

Perimeter of floor to receive sealing (M)



SECTION THROUGH FLOORING


Number of trimmers No 1 (No.)   
 Length of trimmer No 1 (M)   
 Number of trimmers No 2 (No.)   
 Length of trimmer No 2 (M)   
 No of joist hangers for trimmers (No.)

No Options Available ☐ Show Tech Tip ☐ Show Tech Labels

- [10] Check and enter **Dimensions** in the **Trimmer Details** and **Joist End Details** screens as required, pressing **Enter** to move between cells as before and clicking **Next** to move to the next screen.

Enter Dimensions Page 4 of 5

### Joist end details



SECTION THROUGH FLOORING


No of ends to generally have joist hangers (No.)   
 Additional no of joist hangers required (No.)   
 No of ends to generally have joist boots (No.)

No Options Available ☐ Show Tech Tip ☐ Show Tech Labels

- [11] Check the Joist end details and click **Next** to move on to the next screen.

Enter Dimensions Page 5 of 5

### Plastering and decorating details



SECTION THROUGH FLOORING

Ceiling plastered? (Y/N)   
 Plastering decorated? (Y/N)   
 Insulation? (Y/N)   
 Insulation overlap to ceiling edge (M)


No Options Available ☐ Show Tech Tip ☐ Show Tech Labels

- [12] Finally confirm that you require the **Ceiling Plastered** and **Decorated** and that the ceiling should be **Insulated** with an **Overlap** of 0.

- [13] Click **Finish**.



EstimatorXpress® then transfers you back into the **Suspended Floor Worksheet Dimensions** screen showing the dimensions you have just confirmed in the white column.



[14] To see the full output of your **Suspended Floor Worksheet**, press the **View Resources Output** button.

EstimatorXpress® transfers you to the **Suspended Floor Worksheet Resources Output** screen. This screen specifies all the **Materials, Labour and Plant** required for the **Suspended Floor**.

Summary	Price Book	Spec	Chart
My Jobs \ Job Summary \ Suspended Floor \ 1st Floor S			
£	719.43		
Mr Phillips			
Suspended Floor			
1st Floor Suspended Floor	Location	Suspended floor typical house floor	
Description	Units		
Clear span of floor joist	M		3.400
Joist centres	M		0.400
Width of floor	M		2.200
No of ends to generally have joist hangers	No.		2.000
No of ends to generally have joist boots	No.		2.000
Additional no of joist hangers required	No.		-
Number of trimmers No 1	No.		-
Length of trimmer No 1	M		-
Number of trimmers No 2	No.		-
Length of trimmer No 2	M		-
No of joist hangers for trimmers	No.		-
Perimeter of floor to receive sealing	M		10.000
Ceiling plastered?	Y/N		Y
Plastering decorated?	Y/N		Y
Insulation?	Y/N		Y
Insulation overlap to ceiling edge	M		-
End bearings for joists (each end)	M		0.100
No of ends strapped (0, 1 or 2)	No.		2.000
Joist strap centres	M		2.000
Spacing of joist bracing	M		1.200
*			

EstimatorXpress Toolkit

Back

Change Resource

Edit Resource

Markers

Views

Add Resources

Resources Wizard

Summary

Price Book

Spec

Chart

Reports

Address

Profit

Inflation

My Jobs \ Job Summary \ Suspended Floor \ 1st Floor Suspended Floor - Dims \ 1st Floor Suspended Floor - Resources

No. of Groups of Floors		1.00							
Total Cost of Groups		£ 719.43							
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost	Build Phase	Production/ Usage Factor	Estimate Rate	Waste Unit	Waste Factor	Type
Floor joists	Sawn Dry Graded Structural Softwood Treated 47.0 x 200mm	MT	£ 5.10	First Floor Joists	1.00000	£ 5.10	M	7.50%	Carcasing Timber
Bracing between floor joists	Sawn Dry Graded Structural Softwood Treated 47.0 x 200mm	MT	£ 5.10	First Floor Joists	1.00000	£ 5.10	M	7.50%	Carcasing Timber
Floor joist straps	Lateral Restraint Strap 30 x 5 x 1200mm bent at 150mm	EA	£ 7.30	First Floor Joists	1.00000	£ 7.30	No	10.00%	Metalwork
Floor joist hangers	Joist Hanger 50mm Standard Leg	EA	£ 1.30	First Floor Joists	1.00000	£ 1.30	No	7.50%	Metalwork
Floor joist boots	Joist Boot	EA	£ 5.00	First Floor Joists	1.00000	£ 5.00	No	10.00%	Roofing Sundries
Floor trimmer No 1	Sawn Dry Graded Structural Softwood Treated 75.0 x 200mm	MT	£ 13.00	First Floor Joists	1.00000	£ 13.00	M	7.50%	Carcasing Timber
Floor trimmer No 2	Sawn Dry Graded Structural Softwood Treated 75.0 x 200mm	MT	£ 13.00	First Floor Joists	1.00000	£ 13.00	M	7.50%	Carcasing Timber
Joist Hangers for trimmers	Heavy Duty Joist Hanger 75 x 200mm	EA	£ 6.70	First Floor Joists	1.00000	£ 6.70	No	7.50%	Metalwork


From this screen you can click on **Resources Wizard** should you wish to review and edit any of the materials, labour and plant associated with the **Suspended Floor**.

You will be notified that **Insulation to floor layer 2** and **Fit floor insulation layer 2** are set as **To be defined**. As the suspended floor in this extension doesn't need a second layer of insulation, these items need setting to **Not required**.

[16] Click on the item called **Insulation to floor layer 2**.



[18] Repeat for **Fit floor insulation layer 2**.



[20] Press the **Close** button to return to the **Summary of Suspended Floor Workbook**.



Close

[22] A dialog box pops up asking if this item is now complete. Click **Yes**.



You will now see a final estimate cost for your **Suspended Floor** on the **Job Summary** screen.

EstimatorXpress Toolkit

Close Open Workbook Add Workbook Delete Workbook Recalc Estimate Save Import PlansXpress Drawing Order Workbooks

Summary	Price Book	Spec	Chart	Reports	Address	Profit
My Jobs \ Job Summary						
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	14/05/2009 14:13
Extension Slab		£ 623.17		Yes	Completed	14/05/2009 17:04
Apex Valley Roof				Yes		
Window				Yes		
Typical Panel Doors				Yes		
Suspended Floor		£ 719.43		Yes	Completed	15/05/2009 17:06
Structural Opening				Yes		
Shallow Access Manhole						
Drainage Plant						
Drain Runs						
Subcontract Quotations						
No of Items 11		Sub Total	£ 7,614.10			
		(ex VAT & Profit)				
Remarks						

If you wish to stop and close this current Estimate:

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press **Exit** button in the top right of screen.





## APEX VALLEY ROOF




If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:


**If you wish to start this tutorial having closed EstimatorXpress®:**

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to the **My Jobs** screen. Click on the **Job** called Mr Phillips or whatever you called the **Job** when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of an **Apex Valley Roof**. **EstimatorXpress®** also includes **Workbooks** for **Apex Roofs**, **Lean To Roofs**, **Flat Roofs** and **Hip Roofs**.


The roof **Workbooks** are **Specification Linked Workbooks** (see page 17 for an explanation of this). To estimate the roof, simply enter your dimensions into the appropriate cells and **EstimatorXpress®** will schedule all the **Materials**, **Labour** and **Plant** required and then cost it for you. The **Apex Valley Roof Workbook** will schedule the carcassing timber, roof tiling, felt undercloak and lead work, fascias and guttering, decorating, plastering and insulation.



- [1] To start estimating the **Apex Valley Roof**, click on **Apex Valley Roof** on the left-hand side of the **Job Summary**.



- [2] Press the **Open Workbook** button




You are then transferred to **Summary of Apex Valley Roof Workbook** and a dialog box will automatically pop up asking you to give a name and location for the roof.

- [3] Enter **Extension Roof** or any name you think is sensible and then select **Extension** for location. Click **OK**.



EstimatorXpress® then transfers you into the **Dimensions** screen of the **Apex Valley Roof Worksheet**.




[4] Another dialog box will automatically pop up asking you to select a wall width and template.

Choose the 0.300 Brick and Block Cavity Wall width and the **Tiled Roof without Fascias and Bargeboards with Insulation and Plastering to Ceiling** template. These templates have already been set up for you to speed up the estimating process.



[5] Click **Select**.



[6] The **Dimensions Wizard** will automatically open up a dialog box containing drawings to assist you in entering and confirming dimensions for the **Apex Valley Roof**.



**TIP:** Before you enter any dimensions, you may find it useful to switch on **Tech Tips** by ticking the **Show Tech Tips** check box in order to display useful information about each dimension in the top right of the screen, and also to switch on **Tech Labels** by ticking the **Show Tech Labels** check box. You can turn them on and off at any time by ticking and unticking the check boxes.


[7] Now examine the extension plan. You will note the following dimensions:

Clear Span (internal) (m)	3.4
Eaves Length (internal) (m)	2.2
Pitch (Measured from the horizontal)	40°



Enter Dimensions Page 1 of 4

Roof structural information 1



Slope/Pitch of roof (Deg) 40  
 Slope/Pitch of Parent Roof (Deg) 40  
 Percentage tile intersection reuse (%) 100.000  
 Total number of purlins (No.) 2.000  
 Total number of battens (No.) 2.000  
 Number of eaves fascias (No.) 0


SECTION THROUGH ROOF

Timber & roof strap details ☐ Show Tech Tip ☐ Show Tech Labels

Cancel Back Next

Page 1 Additional Inputs

Timber & roof strap details



Spacing of rafter noggings (to support plasterboard) (m) 1.200  
 Gable verge straps 0.600  
 Gable noggings 2.000  
 Eaves roof ventilators ? (Y/N) Y  
 Tiling fillets and support ? (Y/N) Y  
 Airgap and vent (m) 0.050  
 Total end bearings for joists and binders (m) 0.200  
 Joist width (typical to calc noggings size) (m) 0.050  
 Out allow to rafters, fascia, ridge & valley (m) 0.200  
 Rafter width (typical to calc noggings size) (m) 0.050


SECTION THROUGH GABLE SIDE ELEVATION

Return ☒ Show Tech Tip ☒ Show Tech Labels

Cancel

Enter Dimensions Page 2 of 4

Roof structural information 2



Truss rafter 0.600 End 1  
 Gable rafters  
 Gable noggings  
 Bargeboard  
 Soffit

Roof length (internal)  
 Enter the overall distance between walls at eaves. This dimension is combined with soffits and the overhang to give overall roof width.

Number of bargeboards (No.) 0  
 Number of gable rafters each side, end 1 (No.) 0  
 Total number of longitudinal braces (No.) 4.000  
 Total number of valley key boards (No.) 2.000  
 Total number of truss shoes (No.) 7.000  
 No. of rain water pipes (No.) 2.000  
 Number of gutters (No.) 2.000  
 Length of rain water pipes (m) 6.000  
 Number of gutter angles (No.) 1.000


ROOF STRUCTURE ELEVATION

Gutter details ☒ Show Tech Tip ☒ Show Tech Labels

Cancel Back Next

- [8] Assuming the **Wall Widths** are correct, press the **Enter** key twice to move the cursor to the **Clear Span of Joists** cell and type 3.4 and press **Enter** (there is no need to type in unit m).
- [9] Next, press **Enter** again a couple of times until your cursor is in the cell labelled **Slope/Pitch of Roof**. Enter 40 (no need for unit °) and press **Enter**.
- [10] Enter 40 for the **Slope/Pitch of Parent Roof** and press **Enter**.
- [11] For this extension, you could reuse the tiles from the main roof that you will be removing in order to abut the valley roof, so change the % tile intersection reuse to 75. Press **Enter**.
- [12] Before you click **Next**, click on the button in the left hand corner of the dialog called **Timber & Roof Strap Details**.
- [13] Most of these items are fairly standard and will not need changing very often. Feel free to change any of them or just leave them as they are and click **Return** to return to the main page.
- [14] You will return to **Roof Structural Information 1**. Click **Next** to continue.
- [15] In the cell furthest left at the bottom of the screen (which represents the Eaves length (internal)) type in 2.2 and press **Enter**.
- [16] Most of the rest of the items on this page are fairly standard. Press **Enter** to move around the cells making any changes you think are necessary e.g. **No. of Rainwater Pipes**.
- [17] Once you are satisfied with these items, click **Gutter Details** to review the standard specified guttering items. Click **Return** to return to the main page.
- [18] You will return to **Roof Structural Information 2**. Click **Next** to continue.






[19] As before, review and modify any of the dimensions relating to tiling and insulation, note that **Length of the Abutment** is zero as the gable end of the roof is not abutting a wall. The lead valley is automatically calculated by **EstimatorXpress®**.

[20] Check the **Tiling Details** by clicking on the **Tiling Details** button on bottom the left hand corner. Click **Return** to return to the main page.


[21] You will return to **Tiling & Insulation Details**. Click **Next** to continue.



[22] The final stage of this **Apex Valley Roof** is to decide if you want to include plastering and decorating to the ceiling and specify whether you want to allow for decorating the soffits, bargeboards and fascias by entering Y or N.


[23] Once you have confirmed these details, click **Finish** to return to the **Apex Valley Roof Worksheet Dimensions** screen showing all the dimensions you have just entered.

[24] You have now entered all the information required to estimate the **Apex Valley Roof**. To view a full schedule of all timbers required together with details of tiling, guttering, insulation, plastering etc. including a cutting list, click on the **Filters** menu and select **Filter Material Quantities**.



Job Name	Location	Dimensions	Material Quantities
Mr Phillips	Tiled roof without fascias and barge boards, insulation and plastering to ceiling	4,245.50	
Apex valley roof posts	M	8 @ 3.8	30.40 Sawm Dry Graded Structural Softwood Treated 47.0 x 150mm
Notchings between roof posts	M	28 @ 0.35	9.80 Sawm Softwood Kln Dried Treated 47.0 x 50mm
Apex valley roof rafters	M	18 @ 3.241	51.85 Sawm Dry Graded Structural Softwood Treated 47.0 x 125mm
Notchings between rafters	M	80 @ 0.35	28.00 Sawm Softwood Kln Dried Treated 47.0 x 50mm
Apex valley roof gable ladder rafters	M	6 @ 3.241	19.44 Sawm Dry Graded Structural Softwood Treated 47.0 x 125mm
Apex valley roof intersection rafters	M	-	- Sawm Softwood Kln Dried Treated 47.0 x 50mm
Gable ladder notchings	M	-	- Sawm Batten Treated 25.0 x 38mm
Soffit carriers	M	2 @ 2.8	5.60 Sawm Dry Graded Structural Softwood Treated 75.0 x 100mm
Wall plate	M	2 @ 3.875	7.75 Sawm Dry Graded Structural Softwood Treated 75.0 x 225mm
Purlins to valley roof	M	2 @ 4.011	8.02 Sawm Dry Graded Structural Softwood Treated 25.0 x 150mm
Valley key boards	M	4 @ 4.011	16.04 Sawm Dry Graded Structural Softwood Treated 25.0 x 150mm
Tile undercloak valley strip	M	4 @ 4.011	16.04 Sawm Batten Treated 25.0 x 38mm
Apex valley binders	M	2 @ 2.7	5.40 Sawm Dry Graded Structural Softwood Treated 47.0 x 175mm
Apex valley roof ridge	M	1 @ 5.15	5.15 Sawm Dry Graded Structural Softwood Treated 25.0 x 200mm





[25] To see the full output of your **Apex Valley Roof Worksheet**, press the **View Resources Output** button.

**EstimatorXpress®** then transfers you into the **Apex Valley Roof Resources Output screen**. Scroll down and across the screen with the scroll bars to see all the information relating to the **Materials, Labour and Plant**.

EstimatorXpress Toolkit

Back

Change Resource

Edit Resource

Markers

Views

Add Resources

Resources Wizard

Summary

Price Book

Spec

Chart

Reports

Address

Profit

Inflation

My Jobs \ Job Summary \ Apex Valley Roof \ Extension Roof - Dims \ Extension Roof - Resources

No. of Groups of Roofs

1.00


Total Cost of Groups

£ 4,245.90

Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost	Build Phase	Production/Usage Factor	Estimate Rate	Waste Unit	Waste Factor
Apex valley roof joists	Sawn Dry Graded Structural Softwood Treated 47.0 x 150mm	MT £	3.70	Roof Structure	1.00000	£ 3.70		7.50%
Noggings between roof joists	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT £	1.90	Roof Structure	1.00000	£ 1.90	M	7.50%
Apex valley roof rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT £	3.80	Roof Structure	1.00000	£ 3.80	M	7.50%
Noggings between rafters	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT £	1.90	Roof Structure	1.00000	£ 1.90	M	7.50%
Apex valley roof gable ladder rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT £	3.80	Roof Structure	1.00000	£ 3.80	M	7.50%
Apex valley roof intersection rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT £	3.80	Roof Structure	1.00000	£ 3.80	M	7.50%
Gable ladder noggings	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT £	1.90	Roof Structure	1.00000	£ 1.90	M	7.50%
Soffit carriers	Sawn Batten Treated 25.0 x 38mm	MT £	0.60	Roof Structure	1.00000	£ 0.60	M	7.50%
Wall plate	Sawn Dry Graded Structural Softwood Treated 75.0 x 100mm	MT £	5.80	Roof Structure	1.00000	£ 5.80	M	7.50%
Purlins to valley roof	Sawn Dry Graded Structural Softwood Treated 75.0 x 225mm	MT £	13.00	Roof Structure	1.00000	£ 13.00	M	7.50%
Valley lay boards	Sawn Dry Graded Structural Softwood Treated 25.0 x 150mm	MT £	3.10	Roof Structure	1.00000	£ 3.10	M	7.50%
Valley boards	Sawn Dry Graded Structural Softwood Treated 25.0 x 150mm	MT £	3.10	Roof Structure	1.00000	£ 3.10	M	7.50%
Tile undercloak valley strip	Sawn Batten Treated 25.0 x 38mm	MT £	0.60	Roof Structure	1.00000	£ 0.60	M	7.50%
Apex Valley Binders	Sawn Dry Graded Structural Softwood Treated 47.0 x 175mm	MT £	5.30	Roof Structure	1.00000	£ 5.30	M	7.50%
Apex valley roof ridge	Sawn Dry Graded Structural Softwood Treated 25.0 x 200mm	MT £	4.10	Roof Structure	1.00000	£ 4.10	M	7.50%
Roof structure fixings (allowance)	Round Wire Nails Bright 100mm x 25kg	BX £	38.00	Roof Structure	0.01000	£ 0.38	M2	10.00%

[26] Use the six output options from the **Views** drop-down menu to view the output:

- Show All
- Show Cost Summary
- Show Basic Costs
- Show Total Costs
- Show Quantities
- Show Custom View




[27] Select **Show All** before continuing to step [28].



EstimatorXpress Toolkit			
Back	Change Resource	Edit Resource	Markers Views
Add Resources	Resources Wizard		


Summary	Price Book	Spec	Chart	Reports	Address	Profit
My Jobs \ Job Summary \ Apex Valley Roof \ Extension Roof - Dims \ Extension Roof - Resources						
No. of Groups of Roofs	1.00					
Total Cost of Groups	£	4,245.90				
Item used for:	Mr Phillips		Purchase	Purchase		
	Description		Unit	Cost		
Apex valley roof joists	Sawn Dry Graded Structural Softwood Treated 47.0 x 150mm		MT	£ 3.70		
Noggings between roof joists	Sawn Softwood Kiln Dried Treated 47.0 x 50mm		MT	£ 1.90		
Apex valley roof rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm		MT	£ 3.80		
Noggings between rafters	Sawn Softwood Kiln Dried Treated 47.0 x 50mm		MT	£ 1.90		

Notice that the **Apex Valley Roof Rafters** are currently set to **Sawn Dry Graded Structural Softwood 47.0 x 125mm**. Let's say that you want to change this timber to **47.0 x 150mm**.



[28] Click the **Resources Wizard** button in the top right of the toolbar.

[29] A dialog will pop up which will allow you to review and change any item of **Material**, **Labour**, **Plant** and **Sundry** that is being used inside the **Worksheet**. Click on the **Apex Valley Roof Rafters** label. Notice that this item is now highlighted in yellow.




[30] On the right hand side of the dialog you will see that the **Resource Used** i.e. **Sawn Dry Graded Structural Softwood 47.0 x 125mm** and also the **Cost**, **Estimate Rate**, **Total Item Cost** and **Order Quantity** are also displayed here for this product. To change the **Resource Used**, simply select a different timber from the **Resource Used** drop-down menu. Select **Sawn Dry Graded Structural Softwood 47.0 x 150mm**.

[31] The **Edit Resource** dialog box pops up. Click **OK** to confirm the change. Notice that the **Cost**, **Estimate Rate**, **Total Item Cost** also change to reflect the new timber.

NOTE: You can swap any material at any time from inside the **Worksheet** by pressing the **Resources Wizard** button.







[32] You can also look at **Labour** and **Plant** associated with the rafters in the same way. To do this select **Labour**, **Plant**, **Subcontract** and **Sundry** from the drop down menu at the bottom of the page.

[33] Notice that the drawing now has labels which list the **Labour**, **Plant** and **Sundry** items associated with this part of the **Apex Valley Roof**. Click on **Fix Valley Roof Joists** to review the labour for this item.

[34] This dialog box shows you that the **Specification** currently specifies that this work is done by a joiner and mate at their current hourly rate of £27 per hour and that it will take them just under 2 hours at a rate of about three and a half mins per metre of joist. Let's say your joiner works a little slower than that. We can easily change his rate of working by clicking on the **Edit Build Phase & Usage Factor** button.



The **Edit Resource** dialog box pops up.




[35] If your joiner actually takes around 4 mins to fix each metre of joist i.e 0.06667 of an hour per metre (0.06667 is 4 mins/60 mins) then change the **Usage Factor** to 0.06667 to show that your joiner works at a rate of 4 mins per metre of joist.

[36] Notice that the **Estimate Rate** and **Total Cost** have increased accordingly. Click **OK** to close the **Edit Build Phase & Usage Factor** dialog box.




**TIP:** To help you work out what **Usage Factor** you should enter, click on the **Usage Factor Calculator** button.








[37] Click **Next** in the corner of the **Resources Wizard** dialog to review all the other resources that are required for the construction of the **Apex Valley Roof**. Click on any of them to highlight them in yellow and then make any changes by selecting alternative resources from the **Product Used** drop down menu.



[38] When you get to the last page, click **Finish** to return to **Apex Valley Roof Worksheet Resources Output** screen. Notice that the timber you changed is now showing in **bold** to indicate to you that this item is no longer what is specified in the **Job Specification** and that the price has been recalculated taking this change into account.



[39] Assuming you are now satisfied with the estimate output for the **Apex Valley Roof**, close the **Apex Valley Roof Workbook** by pressing the **Back** button to return to the **Apex Valley Roof Worksheet Dimensions** screen.



[40] Press the **Close** button to return to **Summary of Apex Valley Roof Workbook**.

Item used for:	manual Description	Purchase Unit	Purchase Cost	Build Phase
Apex valley roof joists	Sawn Dry Graded Structural Softwood Treated 47.0 x 150mm	MT	£ 3.70	Roof Structure
Noggings between roof joists	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT	£ 1.90	Roof Structure
Apex valley roof rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT	£ 3.80	Roof Structure
Noggings between rafters	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT	£ 1.90	Roof Structure
Apex valley roof gable ladder rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT	£ 3.80	Roof Structure
Apex valley roof intersection rafters	Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	MT	£ 3.80	Roof Structure
Gable ladder noggings	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT	£ 1.90	Roof Structure
Soffit carriers	Sawn Batten Treated 25.0 x 38mm	MT	£ 0.60	Roof Structure
Wall plate	Sawn Dry Graded Structural Softwood Treated 75.0 x 100mm	MT	£ 5.80	Roof Structure
Purlins to valley roof	Sawn Dry Graded Structural Softwood Treated 75.0 x 225mm	MT	£ 13.00	Roof Structure
Valley lay boards	Sawn Dry Graded Structural Softwood Treated 25.0 x 150mm	MT	£ 3.10	Roof Structure
Valley boards	Sawn Dry Graded Structural Softwood Treated 25.0 x 150mm	MT	£ 3.10	Roof Structure

Summary	Price Book	Spec	Chart	Reports	Address	Profit	Inflation
<b>My Jobs \ Job Summary \ Apex Valley Roof</b>							
List of worksheets in workbook							
Sheet Name	Remarks	Location	Total Cost	No. of Groups of Roofs	Comments		
Extension Roof		Extension	£ 4,246.45	1,000			
			£ 4,246.45				
Remarks							


[41] Note the price in the **Summary of Apex Valley Roof**.



[42] To return back to **Job Summary**, press the **Close** button. This will automatically save your **Apex Valley Roof Workbook**.

[43] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Apex Valley Roof** on screen.





**If you wish to stop and close this current Estimate:**

1. Press the **Close** button on the top left of the **Job Summary** screen.



2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.



3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button in the top right of screen.





STRUCTURAL OPENING




10.00  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, see the following steps.

If you wish to start this tutorial having closed **EstimatorXpress®**:


1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.



This tutorial leads you through estimating the openings that are required for the new layout formed by the extension using the **Structural Opening Workbook**.


The **Structural Opening** is a **Specification Linked Workbook**. However, you must also specify a number of sundry items of **Labour** and **Plant** (see page 17 for an explanation of this). **EstimatorXpress®** will automatically calculate all **Materials**, **Labour** and **Plant** to form the opening, fit lintels, plastering and decorating although it is recommended that you carefully scrutinise the **Labour** and **Plant** items carefully as they are not *directly* dependent on the size of the opening.

NOTE: **EstimatorXpress®** also includes a **Small Structural Opening Workbook** for estimating door sized openings etc.




Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	24/05/2009 11
Extension Slab		£ 623.17		Yes	Completed	24/05/2009 11
Apex Valley Roof		£ 4,346.45		Yes	Completed	29/05/2009 11
Window				Yes		
Typical Panel Doors				Yes		
Suspended Floor		£ 719.43		Yes	Completed	24/05/2009 11
Structural Opening				Yes		
Shallow Access Manhole						
Drainage Plant						
Drain Runs						
Subcontract Quotations						
#						
No of Items: 11		Sub Total	£ 11,860.55			

[1] To start estimating your windows you must select the **Structural Openings Workbook** from inside the **Job Summary**.




[2] Press the **Open Workbook** button.






EstimatorXpress® then transfers you into the **Summary of Structural Openings Workbook**.

The **Summary of Structural Openings Workbook** is used to list all the structural openings that you may have within your estimate. Each different type or size opening must be estimated separately and listed in this screen. A **Worksheet** containing a three different sized openings is automatically included in this type of **Workbook**. We are only going to use the **Small Opening Worksheet** so set the No. of Identical openings for the other two sheets to 0.



- [3] Rather than creating a new **Worksheet** yourself, open the existing **Small Opening Worksheet** by selecting the **Worksheet** and pressing the **Open Worksheet** button.




EstimatorXpress® will automatically load the dimensions from the **Standard Opening** template into the white column in the **Small Opening Worksheet Dimensions** screen. The dimensions that have already been set up in the template will speed up the estimating process. By simply making a few changes to these template dimensions, a new cost will automatically be calculated for our specific opening.



- [4] Click anywhere in the column of dimensions and press the **Dims Wizard** button to open up the **Dimensions Wizard** dialog box containing drawings to assist you in entering and confirming dimensions for the **Structural Opening**.







- [5] Enter the **Opening Width** of 2.7.
- [6] Enter the **Opening Height** of 2.1.
- [7] The **Reveal Depth** should automatically be set to 0.275. Press **Enter**.
- [8] Confirm the **Lintel Bearing (each end)** of 0.150.
- [9] Confirm whether **Padstones** are required, the **number of bricks required** to form them and the **number of slates required for packing**.

[10] Confirm **Bulking Factor for Spoil** of 2.


[11] Enter the **Wall Thickness** of 0.275 (NOTE: This is the width of the existing wall).



- [12] Click **Next**.
- [13] Confirm the **Length of noggings to steel**.
- [14] Confirm that **Reveals** are to be **Plastered** and **Painted**.
- [15] Enter **2** for the **Number of Angle Beads Required**.




[16] Click **Finish** to return to the **Structural Opening Worksheet** screen.




[17] Before you press **Close** button to return to the **Summary of Structural Openings Workbook**, you might want to view the output of your **Structural Opening Workbook** by clicking on the **View Resources Output** button.





EstimatorXpress -			
EstimatorXpress Toolkit			
Summary Price Book Spec Chart Reports Address Profit			
My Jobs \ Job Summary \ Structural Opening \ Small Opening (2.4-3.0m) - Dims \ Small Opening (2.4-3.0m)			
No. of identical openings		1.00	
Total Cost of Groups		£ 797.13	
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Cost
Lintel Number 1	RSJ 178 x 102 x 19 kg per m	MT	£ 35.00
Lintel Number 2	RSJ 178 x 102 x 19 kg per m	MT	£ 35.00
Bricks to support steelwork	Engineering Brick - Class A Blue 65mm	EA	£ 0.70
Padstones to support steelwork	Concrete Padstone - 440x140x215mm	EA	£ 29.00
Slates to pack steelwork	Natural Slate 400 x 250mm (Each) (Allowance £1.50)	EA	£ 1.50
Hogging to steelwork	Sawn Softwood Kiln Dried Treated 47.0 x 50mm	MT	£ 1.90
Reveal plaster finish to structural opening	Plasterboard Square Edge 1200 x 2400 x 12.5mm	SH	£ 5.30
Reveal plastering fixing system / basecoat to opening	Plasterboard Adhesive 25kg	EA	£ 8.00
Reveal plaster joint treatment structural opening	Plasterboard Tape 50mm x 90m	EA	£ 6.30
Reveal finish to plaster structural opening	Board Finish Plaster 25kg	EA	£ 5.10
Corner Bead to structural opening reveal	PVC Plastering Corner Bead 2.44m	EA	£ 3.40
Decoration to structural opening reveal plastering	Contract Emulsion Magnolia 5 Litre	EA	£ 12.00
Fix structural opening reveal plaster	2 Plasterers and 1 Plasterers Mate	Hours	£ 50.00
Apply finish to structural opening reveal plaster	2 Plasterers and 1 Plasterers Mate	Hours	£ 50.00
Prepare plaster structural opening reveals for decoration	Decorator	Hours	£ 15.00
Apply decoration to plaster structural opening reveals	Decorator	Hours	£ 15.00
Remove spoil from structural opening	2 Bricklayers and Mate	Hours	£ 42.00
Plant to remove spoil from site	Skip 7m3 inc. Land Fill Tax	Each	£ 150.00



**Show All**  
Show All Information.

**Show Cost Summary**  
Show Cost Summary.

**Show Basic Costs**  
Show Basic Costs Summary.

**Show Total Costs**  
Show Total Costs breakdown.

**Show Quantities**  
Show Quantities breakdown.

**Show Custom View**  
Show user defined breakdown.  
To edit which columns are visi...

[18] Use the **Views** drop-down menu in the **Resources Output** screen to view the costs and quantities of materials, labour and plant required to form the **Structural Opening**.




[19] Assuming you are satisfied with the output, press the **Back** button to return to **Structural Opening Worksheet Dimensions** screen.



[20] Press the **Close** button to return to the **Summary of Structural Openings Workbook**



[21] Now to return to the **Job Summary**, press the **Close** button. This will automatically save your **Structural Opening** estimate.



[22] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Structural Opening** on screen together with all of the previously estimated items in the **Job Summary**.

**If you wish to stop and close the current estimate:**

1. Press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press **Exit** button in the top right of screen.





WINDOWS



10.00  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, see the following steps.

If you wish to start this tutorial having closed **EstimatorXpress®**:


1. Press **My Estimates** button at the top of the **Main Menu** screen.
  2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
  3. Press **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of the windows of the extension using the **Windows Workbook**. If you refer to your plan of the extension, you will see that there are 2 identically sized windows.

If you were estimating several **Windows** of different sizes or **Windows** with different types of frame, each different size/type must be estimated separately in a different **Worksheet**.

The **Windows Workbook** is an example of a **Specification Linked Workbook**. However, you must also specify a number of **Sundry** items (see page 17 for an explanation of this). NOTE: **EstimatorXpress®** will automatically calculate all **Materials**, **Labour** and **Plant** to construct the **opening** around the window based on the dimensions you input, whilst as mentioned above, you must specify your own sundry items such as the window and lintel as well as the fitting costs, because these items are independent of the dimensional calculations. To clarify this concept, have a look at your first window.



[1] To start estimating your windows you must select the **Window Workbook** from the **Job Summary**.



[2] Press the **Open Workbook** button.

**EstimatorXpress®** then transfers you into the **Summary of Windows Workbook**.

The **Summary of Windows Workbook** is used to list the range of windows **Worksheets** that you may have within your estimate such as 1.2 x 1.2m or 1.8 x 1.2m. Each different type or size window must be estimated separately and listed in this screen.




A dialog box will automatically pop up asking you to name and give a location for the **Window**.

- [3] Type 1800 x 1200 as the **Name** (do not enter full stops, commas or other symbols into the dialog box).

NOTE: This is just a name given to the window for your reference and does not affect the calculations

- [4] In the drop down box below, specify the location of the window e.g. **Front Extension**  
Click **OK** when you have finished.




- [5] **EstimatorXpress®** then transfers you into the **Dimensions** screen of the **1800 x 1200 Window Worksheet**.

There is only one template available for estimating **Windows**, so **EstimatorXpress®** will automatically load the dimensions from this **Standard Window Template** into the white column in the **1800 x 1200 Window Worksheet Dimensions** screen. The dimensions that have already been set up should speed up the estimating process. By simply making a few changes to these dimensions, a new cost will automatically be calculated.




- [6] Click anywhere in the column of dimensions and press the **Dims Wizard** button.

The **Dimensions Wizard** will open up a dialog box containing a drawing to assist you in entering and confirming dimensions for the **Windows**.



- [7] Check the **Window height** is 1.200 metres.
- [8] Check the **Window width** is 1.800 metres.
- [9] If either dimension is incorrect, type the correct value into the white cell provided and press **Enter** key after each one. Ensure that the **Wall Thickness** and **Bulking Factor** are set to **0** as the windows are being fitted into the new external walls of the extension.
- [10] Click **Reveals and Fixing Details** button on the bottom left hand side of the **Dimensions Wizard** to check this information. If you are happy with the standard data, click **Return**.
- [11] Click **Next** and review the rest of the details for the **Window**. Most of the standard details copied from the template should apply to the **Extension**.






[12] Click **Next**. Once you are satisfied with all the items inside the **Windows Worksheet Dims Wizard** screens. Click **Finish** to return to the **Window Worksheet Dimensions** screen showing all the dimensions you have just entered.




For this **Job** we are going to re-use the existing Windows from the original house. This means that you need to tell **EstimatorXpress®** that the Windows themselves are **Not Required**.



[13] To do this, click on **View Resources Output** button to view the list of materials, labour, plant and sundry items associated with this **Windows Worksheet**.

[14] The **Window** itself is listed under the **Sundry** items because the type of **Window** not directly dependent on the dimensions you have entered. To jump quickly down the screen to the **Sundry** items, click the **Add Resources** drop-down menu and select **Go to Sundry Area**.

Click on the **Window** itself and then in the **Markers** drop-down menu, select **Not Required**. The **Window** will change to **Not Required** and the **Total Cost of the Worksheet** will be automatically recalculated to deduct the associated cost.




You will remember that there are 2 windows of dimension 1800x1200.

[15] To estimate both of the identical **Windows**, which have identical dimensions you type the number of windows into the white cell at the top of the screen called **No. of identical Windows**. This would then multiply all resources, and subsequently the cost, by that factor. Enter 2 as shown below and press **Enter**.



Summary	Price Book	Spec	Chart	Reports	Address	Profit	Inflation
<b>My Jobs \ Job Summary \ Window \ 1800 x 1200 - Dims \ 1800 x 1200 - Resources</b>							
No. of Identical windows	2.00						
Total Cost of Groups	£ 1,159.68						
<b>Item used for:</b>	<b>Mr Phillips</b>		<b>Purchase</b>		<b>Purchase</b>	<b>Build</b>	
	<b>Description</b>		<b>Unit</b>	<b>Cost</b>	<b>Phase</b>		
Window fixings to sides	Hammer in Fixing 8mm x 100mm (12 Bag)		PK	£ 2.80	Joinery 1st Fix		
Window fixings to top and bottom	Wood Screws Steel CSK Twin Thread 10 x 3 inch (100 box)		BX	£ 7.40	Joinery 1st Fix		
Sealant to sides and top of window	Silicone Sealant White 0.31 Litre		EA	£ 3.40	External Decoration		



[16] To see the full output of your **1800x1200 Window Worksheet**, use the five output buttons from the **Views** drop-down menu on the toolbar.


- Show All
- Show Cost Summary
- Show Basic Costs
- Show Total Costs
- Show Quantities
- Show Custom View



[18] Assuming you are satisfied with the estimate output for the **Window Workbook**, return to the **Window Worksheet Dimensions** screen by pressing the **Back** button.



[19] Close the **Window Workbook** with the **Close** button to return to the **Summary of Window Workbook**.



[18] Click the **Close** button from the **Summary of Windows Workbook**. A dialog box pops up asking if the item is complete. Click **Yes**.

You will now see a final estimate costing for your **Window** in the **Job Summary**.

**If you wish to stop and close the current estimate:**

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.





TYPICAL PANEL DOORS




20  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:


If you wish to start this tutorial having closed **EstimatorXpress®**:

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




If you refer to your plan of the extension, you will see that we need to add a new internal door upstairs and form an opening through the existing cavity wall. This tutorial leads you through the estimating of the internal door that is to be added to the extension using a standard door (6'6" x 2'3" / 2m x 0.85m) and also forming the opening.

**Doors** are examples of **Specification Linked Workbooks**. However, you must also specify a number of sundry items associated with doors (see page 17 for an explanation of this). **EstimatorXpress®** will automatically calculate all materials, labour and plant to construct the **opening** around the door based on the dimensions you input, but as mentioned above you must specify your own sundry items such as the door itself and its frame, which are independent of the dimensional calculations. To clarify this concept, have a look at your first door.



EstimatorXpress Toolkit				
Close	Open Workbook	Add Workbook	Delete Workbook	Recalc Estimate
Save	Import PlansXpress Drawing	Order Workbooks		
My Jobs \ Job Summary				
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?
Brick and Block Cavity Wall		£ 6,271.49		Yes
Extension Slab		£ 623.17		Yes
Apex Valley Roof		£ 3,246.45		Yes
Window		£ 1,159.68		Yes
Typical Panel Doors				Yes



[1] To start estimating your internal doors you must select the **Typical Panel Doors Workbook** and press the **Open Workbook** button.




- [2] You are now transferred to **Summary of Typical Panel Doors Workbook**.

Sheet Name	Remarks	Location	Total Cost	No. of Identical doors
762 Door into Studding		Upstairs	£ -	-
864 Door into Studding		Upstairs	£ -	-
762 Door into Blockwork		Downstairs	£ 305.75	1,000
864 Door into Blockwork		Downstairs	£ -	-
686 Door into Studding		Upstairs	£ -	-
610 Door into Studding		Upstairs	£ -	-
686 Door into Blockwork		Downstairs	£ -	-
610 Door into Blockwork		Downstairs	£ -	-
			£ 305.75	

The **Summary of Typical Panel Doors Workbook** already contains 8 standard **Worksheets** for estimating internal doors: Standard and Wide sized doors for upstairs and downstairs into both blockwork and studding.


You can add your own **Worksheets** by clicking **Add Worksheet** if you need to estimate non-standard door sizes. You can estimate multiple identical doors by changing the number in the **No. of Identical Doors** column. For now set **No. of Identical Doors** to 0 for all doors apart from **762 Door into Blockwork**.



For now just select **762 Door into Blockwork** and click **Open Worksheet**.

**EstimatorXpress®** then transfers you into the **Dimensions** section of the **Typical Panel Door Door into Blockwork Worksheet**.

- [3] A template for a **Standard Door No Reveals Fully Painted** is automatically loaded into the **Worksheet** for you to speed up the estimating process. Click anywhere on this column of data to select it.



- [4] Press the **Dims Wizard** button. **EstimatorXpress® Dimensions Wizard** will pop up containing a diagram to assist you in entering and confirming dimensions for the **Internal Doors**.

- [5] Enter the door height of 2  
Press **Enter**.
- [6] Enter the door width of 0.85  
Press **Enter**.
- [7] Enter the thickness of the wall 0.275  
**EstimatorXpress®** will automatically calculate the amount of spoil that will be created when the opening is formed.
- [8] Now click on **Reveal and fixing details** button on the bottom left of the dialog box.

Change the **Reveal Depth** to 0.15 and leave the **Lintel Bearing**, **Casing Fixing Centres** and **Casing fixing Centres**.

- [9] Click **Return** for now to return to the main screen of the **Dimension Wizard**.









[15] From the **Add Resources** drop down menu, click on **Go to Sundry Area** to move quickly to the **Sundry Items** associated with **Typical Panel Doors**.

This section of the screen relates to the various lump sum items, which make up the internal door, e.g. the actual door, the door casing, lintel and door handle etc. Clearly, these items do not automatically change as a result of alterations to the dimensions you input. These **Sundry Items** are not linked to the **Specification**.

A standard door and frame are already included in your estimate, which are suitable for the size opening. If they were not suitable you could change them for other resources using the **Resources Wizard** or **Change Resource** button.

[16] Now select the Internal Lintel and then scroll across the screen to the white cells in the column called **Quantity Per Item**.

Sundry Items	
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm
Door furniture	Georgian Brass Internal Latch Pack
Hinges	Butt Hinge Brassed 76mm
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm
Form opening	Bricklayer
Fix lintel	Bricklayer
Fix door casing	Joiner
Hang door	Joiner
Fix door furniture	Joiner
Return to ease door	Joiner
Plant for forming opening (1)	Not required
Plant for forming opening (2)	Not required
*	

[17] Change the number required to **2** for **Internal Lintel**.

Sundry Items			
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm	Material	1.000
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm	Material	1.000
Door furniture	Georgian Brass Internal Latch Pack	Material	1.000
Hinges	Butt Hinge Brassed 76mm	Material	1.000
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm	Material	2.000
Form opening	Bricklayer	Labour	1.000
Fix lintel	Bricklayer	Labour	1.000
Fix door casing	Joiner	Labour	1.000
Hang door	Joiner	Labour	1.000
Fix door furniture	Joiner	Labour	1.000
Return to ease door	Joiner	Labour	1.000
Plant for forming opening (1)	Not required	Plant	1.000
Plant for forming opening (2)	Not required	Plant	1.000
*			


We also now need a bricklayer to fix the additional lintel. Let's allow for 4 hours to do this.

[18] Click on the white cell in the row called **Fix Lintel** and change the hours to **4** in the **Quantity Required Column** and then press **Enter**.

Sundry Items			
Door	Internal Door 6 Panel Textured Undercoated 762 x 1981mm	Material	1.000
Door casing	Unprimed 138 x 32mm Door Lining Set Loose Stops 5100mm	Material	1.000
Door furniture	Georgian Brass Internal Latch Pack	Material	1.000
Hinges	Butt Hinge Brassed 76mm	Material	1.000
Internal lintel	Prestressed Concrete Lintel 65 x 100 x 1050mm	Material	2.000
Form opening	Bricklayer	Labour	1.000
Fix lintel	Bricklayer	Labour	4.000
Fix door casing	Joiner	Labour	1.000
Hang door	Joiner	Labour	1.000
Fix door furniture	Joiner	Labour	1.000
Return to ease door	Joiner	Labour	1.000
Plant for forming opening (1)	Not required	Plant	1.000
Plant for forming opening (2)	Not required	Plant	1.000
*			

He might also need labourer to assist him. Let's allow for 4 hours of a bricklayer's labourer.






[19] Click on **Add Resources** on the toolbar and select **Add Labour**.

EstimatorXpress® will now open up the **Labour** section of the **Price Book** over the top of the **Resources** section of the **Workbook**.

[20] Select **Bricklayer's Labourer** with the mouse and click on the **Select Resource** button located in the top left of the main screen outside of the **Price Book** window.



The **Edit Resource** dialog will pop up asking you what this new labour item is going to be used for.

[21] Enter **Form Opening** in the **Item Used For** field and then change the **Build Phase** to **Brickwork Shell** so that this labour item is linked to the correct **Build Phase**.

[22] Finally change the **Quantity** to **4** (for 4 hours) and then, assuming you are happy with the price at £10 per hour, click **OK**.



You will notice that this item is now in bold type to indicate that it is a user-added item. You have now completed the **Typical Panel Doors Workbook**.


Sundry Items		
Door	PREMDOR Int Colonist 6P Textured Door Undercoated 762 x 1981 ... 12411	EA £ 35.45 Joinery 2nd Fix
Door casing	Door Lining Set Unprimed (loose stops) 686/762 32 x 138 x 5100mm	EA £ 15.40 Joinery 1st Fix
Door furniture	JEWSON Georgian Polished Brass Internal Latch Pack ..... JD023	EA £ 13.85 Joinery 2nd Fix
Hinges	Narrow Pattern Butt Hinge Cranked Knuckle Electro Brassed 76mm 1838	PR £ 1.07 Joinery 2nd Fix
Internal lintel	STRESSLINE Prestressed Concrete Lintel 100 x 65 x 1050mm	EA £ 8.06 Brickwork Shell
Form opening	Bricklayer	Hours £ 16.00 Brickwork Shell
Fix lintel	Bricklayer	Hours £ 10.00 Brickwork Shell
Fix door casing	Joiner	Hours £ 16.00 Brickwork Shell
Hang door	Joiner	Hours £ 17.00 Joinery 1st Fix
Fix door furniture	Joiner	Hours £ 17.00 Joinery 2nd Fix
Return to ease door	Joiner	Hours £ 17.00 Joinery 2nd Fix
Plant for forming opening (1)	Not required	Hours £ 17.00 Completion
Plant for forming opening (2)	Not required	Unit £ - Structural Openings
*		Unit £ - Structural Openings



TIP: If your estimate included several identical doors with identical dimensions you would type in the number of doors of the same dimensions into the white cell at the top of the screen called **No. of identical Doors**. This would then multiply all resources by that factor. The cost would subsequently be increased by that factor.




[23] Close the **Typical Panel Doors Workbook** with the **Close** button to return to **Summary of Typical Panel Doors Workbook**.



[24] Assuming you are satisfied with the estimate output for the internal doors, press the **Back** button to return to the **Typical Panel Doors Door into Blockwork Worksheet** dimensions screen.



[25] Click the **Close** button from the **Summary of Typical Panel Doors Workbook**.



[26] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Typical Panel Doors** on screen together with all of the previously estimated items in the **Job Summary**.

If you wish to stop and close the current estimate:

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.





BATHROOM FITTING OUT




10  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress®**:


1. Press the **My Estimates** button at the top of the **Main Menu** screen.
  2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
  3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




If you refer to your plan of the extension, you will see that we need to add a new bathroom to the 1<sup>st</sup> floor. This Tutorial leads you through the estimating of the various components of this bathroom using the **Bathroom & Cloaks Workbook**.

The **Bathroom & Cloaks Workbook** is an example of a **Composite Workbook** (see page 18 for an explanation of this). It is simply a collection of items of **Labour**, **Material** and **Plant** required to fit out various different bathrooms and cloakrooms. You should review each item to see if they are required and that the quantities and prices are adequate. The **Workbook** includes sanitaryware and fittings, boxing in of soil pipes and boxing of bath sides.

NOTE: There is a separate **Workbook** for **Ceramic Tiling** and the costs for the actual plumbing will be added as a **Subcontractor Quotation**.



- [1] Since the **Bathroom & Cloaks Workbook** has not been automatically loaded as part of the **Extension Group of Workbooks** you selected when creating the Job, you need to add this **Workbook** to the Job by pressing the **Add Workbook** button in the **Job Summary**.




- [2] Select the **Workbook Type** of **Fitting Out** from the **Workbook Type** dropdown at the top of the dialog box.


- [3] Click the checkbox next to **Bathroom and Cloaks** in the dialog box that pops up and press the **Select** button.








You will see that the **Bathroom & Cloaks Workbook** has been added to the list of **Workbooks** in the **Job Summary**.




- [4] To start estimating your Bathroom you must select the **Bathrooms & Cloaks Workbook** and press **Open Workbook** button.

You are now transferred to **Summary of Bathroom & Cloaks Workbook**.

The **Summary of Bathroom & Cloaks Workbook** already contains 3 standard **Worksheets** for estimating a standard bathroom, a standard shower room and a standard cloakroom. Each of these **Worksheets** can contain multiple bathrooms of the same **Specification**. You can also add your own additional **Worksheets** by clicking **Add Worksheet** if you need to estimate several bathrooms of different **Specifications** for a large house for example.



- [5] You do not need the **Shower Room** or the **Cloakroom** this time so you can set the **No. Of Items** to 0 for each of these.




- [6] Now click on **Bathroom Fitting Out** and press the **Open Worksheet** button.



EstimatorXpress® then transfers you into the **Resources Section** for the **Bathroom Worksheet**.

Note that there is no **Dimensions** screen because this type of **Workbook** does not contain dimensions. It is a collection of sundry items including **Material** and **Labour** that do not depend upon any dimensions.






The screenshot shows the 'Resources' tab in the EstimatorXpress software. The 'Job Summary' is for 'Bathroom and Cloaks \ Bathroom Fitting Out - Resources'. The 'Total Cost' is £399.83. The 'Item used for:' section lists various bathroom fixtures and materials, including 'Bathroom Suite', 'Carcase to bath side', 'Seal Bath Perimeter', 'Box in Soil Pipe in Bathroom', 'Box in Soil Pipe in Bathroom', 'Box in Soil Pipe and Bath side', and 'Fit Bath Panel'. The 'Quantity' column shows the amount of each item, and the 'Total' column shows the total cost for each item. The 'Total Cost' for the entire job is £399.83.

Item used for:	Description	Quantity	Per Item	Total	Cost	Wastage	Cost	Total	Quantity
Bathroom Suite	Bathroom Pack 3 Piece - Bath, Sink, Toilet (Allowance £250)	1,000	1,000	£	250.00	£	25.00	£	275.00
Carcase to bath side	Sawn Softwood Kln Dried 47.0 x 50mm	10,000	10,000	£	14.00	£	1.05	£	15.05
Seal Bath Perimeter	All Purpose Silicone White 0.3litre	1,000	1,000	£	3.80	£	0.38	£	4.18
Box in Soil Pipe in Bathroom	Sawn Softwood Kln Dried 47.0 x 50mm	10,000	10,000	£	14.00	£	1.05	£	15.05
Box in Soil Pipe in Bathroom	Hardwood Ply WBP 2440 x 1220 x 5.9mm	0,500	0,500	£	15.50	£	1.55	£	17.05
Box in Soil Pipe in Bathroom	General Screw and Nail allowance	5,000	5,000	£	5.00	£	0.50	£	5.50
Box in Soil Pipe and Bath side	Joiner	3,000	3,000	£	51.00	£	-	£	51.00
Fit Bath Panel	Joiner	1,000	1,000	£	17.00	£	-	£	17.00
Location	Bathroom 1				£370.30		£ 29.53		£399.83
Remarks									

[7] Scroll across the screen until you come to the column titled **Quantity Per Item**. You can modify the quantity of the item required by typing into the white cells.

As you are only estimating the fitting of one bathroom, the standard values should be fine here.



[8] If you want to change the **Bathroom Suite**, click on the **Bathroom Suite** and click the **Change Resource** button on the Toolbar.

The **Job Price Book** will then pop up over the top of your estimate and will open in the section containing alternative bathroom suites. Use the **Find** button to help you locate what you are looking for.



The screenshot shows the 'Price Book' tab in the EstimatorXpress software. The 'Job Summary' is for 'Bathroom and Cloaks \ Bathroom Fitting Out - Resources'. The 'Total Cost' is £1.00. The 'Item used for:' section lists various bathroom fixtures and materials, including 'Bathroom Suite', 'Carcase to bath side', 'Seal Bath Perimeter', 'Box in Soil Pipe in Bathroom', 'Box in Soil Pipe in Bathroom', 'Box in Soil Pipe and Bath side', and 'Fit Bath Panel'. The 'List Price' column shows the price of each item, and the 'Unit of Supply' column shows the unit of supply for each item. The 'Total Cost' for the entire job is £1.00.

Item used for:	Description	List Price	Discount	Adjustment	Unit of Supply
Bathroom Suite	Bathroom Suite	£ 11.00	0.00%	0.00%	EA
Carcase to bath side	Bath Panel 700mm	£ 13.00	0.00%	0.00%	EA
Seal Bath Perimeter	Bath Panel 800mm	£ 103.00	0.00%	0.00%	EA
Box in Soil Pipe in Bathroom	Bath Ungriped 2TH 1500mm x 700mm	£ 103.00	0.00%	0.00%	EA
Box in Soil Pipe in Bathroom	Bath Ungriped 2TH 1700mm x 700mm	£ 150.00	0.00%	0.00%	EA
Box in Soil Pipe in Bathroom	Bathroom Pack 3 Piece - Bath, Sink, Shower, Toilet (Allowance £150)	£ 250.00	0.00%	0.00%	EA
Box in Soil Pipe and Bath side	Bathroom Pack 3 Piece - Bath, Sink, Toilet (Allowance £250)	£ 351.00	0.00%	0.00%	EA
Fit Bath Panel	Box Fronted Bath Panel 1700mm x 750mm	£ 36.00	0.00%	0.00%	EA
	Box Fronted Bath Panel 1700mm	£ 19.00	0.00%	0.00%	EA
Location	Cloakroom Pack - Sink, Toilet (Allowance £125)	£ 125.00	0.00%	0.00%	EA
Remarks	Close Coupled Pan and Cistern (Allowance £200)	£ 200.00	0.00%	0.00%	EA
	Close Coupled Pan and Cistern (Allowance £250)	£ 250.00	0.00%	0.00%	EA
	Contemporary Freestanding Bath 1750mm x 790mm	£ 482.00	0.00%	0.00%	EA
	Contemporary Freestanding Bath Feet	£ 125.00	0.00%	0.00%	EA
	Deep FIB Bath 2TH 1700mm x 750mm	£ 200.00	0.00%	0.00%	EA
	Digital River Shower (Allowance £400)	£ 400.00	0.00%	0.00%	EA
	Double Ended Bath 2TH 1800mm x 800mm	£ 351.00	0.00%	0.00%	EA
	Electric Shower & 30V (Allowance £225)	£ 225.00	0.00%	0.00%	EA
	Exposed Bath Waste and Trap	£ 128.00	0.00%	0.00%	EA
	Hand Basin including Pedestal (Allowance £300)	£ 200.00	0.00%	0.00%	EA
	Hand Basin including Pedestal (Allowance £40)	£ 40.00	0.00%	0.00%	EA
	Luxury Bath Panel 1700mm	£ 72.00	0.00%	0.00%	EA
	Luxury Bath Panel 750mm	£ 51.00	0.00%	0.00%	EA

[9] Click on the suite you want and press the **Select Resource** button.

The new resources will then be transferred into your **Bathroom Fitting Out Worksheet** and the price will be adjusted accordingly.



[10] Once you are happy with these values, press the **Close** button to return to **Summary of Bathroom & Cloaks Workbook**.



[11] Now to return back to **Job Summary**, again press the **Close** button to close the **Summary of Bathroom & Cloaks Workbook**. This will automatically save your **Bathroom Fitting Out** estimate.

[12] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Bathroom** on screen together with all of the previously estimated items in the **Job Summary**.



If you wish to stop and close what you have estimated so far:

1. Press the **Close** button on the top left of the **Job Summary** screen.



2. You are transferred to the **My Jobs**. Close this screen also using the **Close** button.



3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.





SUBCONTRACT QUOTATIONS



5:00  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:









If you wish to start this tutorial having closed **EstimatorXpress®**:

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
  2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
  3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through adding in budget figures for **Subcontract Quotations** for **Plumbing** and **Electrics** for the Extension.

The **Subcontract Quotations Workbook** is an example of a **Composite Workbook** (see page 18 for an explanation of this). It is simply a checklist of possible subcontract costs including Groundworks, Bricklayer, Scaffolding, Carpentry, Roof Tiling, Joinery, Plastering, Electrical, Plumbing, Ceramic Tiling, Decorating, Kitchen Fitting, Landscape, General and Specialist.

							
Close	Open Workbook	Add Workbook	Delete Workbook	Recalc Estimate	Save	Import Planspress Drawing	Order Workbooks

Summary		Price Book	Spec	Chart	Reports	Address	Profit	Inflation
My Jobs \ Job Summary								
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened		
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	14/05/2009 14:13		
Extension Slab		£ 653.17		Yes	Completed	14/05/2009 17:04		
Apex Valley Roof		£ 4,240.88		Yes	Completed	24/05/2009 12:31		
Windows		£ 1,159.88		Yes	Completed	21/05/2009 15:32		
Bathroom and Cloaks		£ 399.83		Yes	Completed	24/05/2009 13:43		
Typical Panel Doors		£ 401.20		Yes	Completed	24/05/2009 13:09		
Suspended Floor		£ 718.45		Yes	Completed	24/05/2009 13:08		
Structural Opening		£ 797.13		Yes	Completed	20/05/2009 15:49		
Shallow Access Manhole								
Drainage Plant								
Open Ditch								
Subcontract Quotations								
No of Items 12		Sub Total		£ 14,612.82				
		(ex VAT & Profit)						
Remarks								



[1] To add **Subcontract Quotations** to your **Estimate**, click on the **Subcontract Quotations Workbook** and press the **Open Workbook** button.


You are now transferred to **Summary of Subcontract Quotations Workbook**.

[2] The **Summary of Subcontract Quotations Workbook** already contains a standard **Worksheet** which contains several possible subcontract quotations.





[3] Before you go any further you may wish to change the standard **Location** given to the **Subcontract Quotations Worksheet**. Select **Subcontract Quotations** and press the **Change Location** button. The location of a **Worksheet** is used to sort information in **Reports**.





A dialog box pops up.

- [4] Use the drop down box below to give the **Subcontract Quotations** a location. Select whatever location you think is most suitable e.g. Extension. Click **OK**.



- [5] Now select **Subcontract Quotations Worksheet** and press the **Open Worksheet** button.

Summary	Price Book	Spec	Chart	Reports	Address	Profit	Inflation
<b>My Jobs \ Job Summary \ Subcontract Quotations - Resources</b>							
No. of Items	1.00						
Total Cost	£ 2,800.00						
Item used for:	Mr Phillips Description	Purchase Unit	Purchase Build Cost Phase	Production/ Usage Factor	Estimate Rate	Waste Factor	Quantity Per Item
Groundworks quotation	Groundworks Contractor	Unit	£ 1.00 Foundations	1.00000	£ 1.00	Unit	0.00%
Bricklaying quotation	Bricklaying Contractor	Unit	£ 1.00 Brickwork Shell	1.00000	£ 1.00	Unit	0.00%
Scaffolding quotation	Scaffolding contractor	Unit	£ 1.00 Brickwork Shell	1.00000	£ 1.00	Unit	0.00%
Carpentry quotation	Carpentry contractor	Unit	£ 1.00 Joinery 2nd Fix	1.00000	£ 1.00	Unit	0.00%
Roof Tiling quotation	Roof tiling contractor	Unit	£ 1.00 Roof Tiling	1.00000	£ 1.00	Unit	0.00%
Joinery quotation	Joinery Contractor	Unit	£ 1.00 Joinery 1st Fix	1.00000	£ 1.00	Unit	0.00%
Plastering quotation	Plastering contractor	Unit	£ 1.00 Plastering	1.00000	£ 1.00	Unit	0.00%
Electrical quotation	Electrical Contractor	Unit	£ 1.00 Electrical 1st Fix	1.00000	£ 1.00	Unit	0.00%
Plumbing quotation	Plumbing contractor	Unit	£ 1.00 Plumbing 2nd Fix	1.00000	£ 1.00	Unit	0.00%
Ceramic tiling quotation	Ceramic tiling contractor	Unit	£ 1.00 Internal Fitting Out	1.00000	£ 1.00	Unit	0.00%
Decorating quotation	Decorating contractor	Unit	£ 1.00 Internal Decorating	1.00000	£ 1.00	Unit	0.00%
Kitchen fitting quotation	Kitchen Fitting contractor	Unit	£ 1.00 Internal Fitting Out	1.00000	£ 1.00	Unit	0.00%
Landscape quotation	Landscape contractor	Unit	£ 1.00 Landscaping	1.00000	£ 1.00	Unit	0.00%
General quotation	General contractors	Unit	£ 1.00 Completion	1.00000	£ 1.00	Unit	0.00%
Specialist quotation	Specialist contractor	Unit	£ 1.00 Internal Fitting Out	1.00000	£ 1.00	Unit	0.00%
Location	Extension		No.	15			
Remarks							

EstimatorXpress® then transfers you into the **Resources** Section of the **Subcontract Quotation Worksheet**.

Note that there is no **Dimensions** screen because this type of **Workbook** does not contain dimensions. It is a collection of sundry subcontract items to which you can add whatever price you have been quoted or a budget figure.

Close

Change Resource

Edit

Markers View

Add

Resources Wizard

Summary

Price Book

Spec

Chart

Reports

Address

Profit

Inflation

My Jobs \ Job Summary \ Subcontract Quotations \ Subcontract Quotations - Resources

No. of Items

1.00

Total Cost

£ 2,800.00

Item used for:	Mr Phillips Description	Quantity Per Item	Total Quantity	Cost	Wastage Cost	Total Cost	Quantity	Wastage	Total Units
Groundworks quotation	Groundworks Contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Bricklaying quotation	Bricklaying Contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Scaffolding quotation	Scaffolding contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Carpentry quotation	Carpentry contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Roof Tiling quotation	Roof tiling contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Joinery quotation	Joinery Contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Plastering quotation	Plastering contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Electrical quotation	Electrical Contractor	1500.000	1,500.000	£ 1,500.00	£ -	£ 1,500.00	1,500.00	-	Unit
Plumbing quotation	Plumbing contractor	1300.000	1,300.000	£ 1,300.00	£ -	£ 1,300.00	1,300.00	-	Unit
Ceramic tiling quotation	Ceramic tiling contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Decorating quotation	Decorating contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Kitchen fitting quotation	Kitchen Fitting contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Landscape quotation	Landscape contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
General quotation	General contractors	0.000	-	£ -	£ -	£ -	-	-	Unit
Specialist quotation	Specialist contractor	0.000	-	£ -	£ -	£ -	-	-	Unit
Location	Extension			£2,800.00	£ -	£2,800.00			
Remarks									


- [6] Scroll across the screen until you come to the column titled **Quantity Per Item**. You can modify quantity of the item required by typing into the white cells. The prices are all currently set to zero. All **Subcontract Quotations** are set to a default unit cost of £1 so whatever number you enter into the **Quantity Per Item** column will be multiplied by £1 to calculate a price.

- [7] Let's say that we have received a quotation from a plumber for £1300 to carry out the necessary plumbing for the new bathroom. Enter 1300 to the **Quantity Per Item** column of the row labelled **Plumbing Quotation** and press **Enter**. Notice that the cost of £1300 automatically appears in the **Cost** column.


- [8] Finally, add an **Electrical Quotation** for £1500 by entering 1500 into the **Quantity Per Item** column of the row labelled **Electrical Quotation** and press **Enter**.

Notice again that the cost of £1500 automatically appears in the **Cost** column.






- [9] Once you are happy with these values, press the **Close** button to return to **Summary of Subcontract Quotations Workbook**.



- [10] Now to return back to **Job Summary**, again press the **Close** button. This will automatically save your **Subcontract Quotations**.



- [12] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Subcontract Quotations** on screen together with all of the previously estimated items in the **Job Summary**.

**If you wish to stop and close what you have estimated so far:**

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs**. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.










## DRAIN RUNS, DRAINAGE PLANT AND MANHOLES



15.00  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, see the following steps.

**If you wish to start this tutorial having closed EstimatorXpress®:**

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




This tutorial leads you through the estimating of the drain runs and drainage fittings.

This tutorial will help you estimate 2 metres of 600mm drain run to connect the new soil and vent pipe to existing drains, plus a shallow access manhole.

The **Drain Runs Workbook** is an example of a **Non-Specification Linked Workbook**. It is used to calculate the length of drain run required as well as all the associated resources based on the dimensions you input (See page 19 for a full explanation). Drainage fittings are added in the Sundry Items Area because these resources are independent of the dimensions of the **Drain Runs**.

### Drain Runs



- [1] To start estimating your **Drain Runs** select the **Drain Runs Workbook** in the **Job Summary** and press the **Open Workbook** button.

You are now transferred to **Summary of Drain Runs Workbook** and a dialog box will automatically pop up asking you to name and give a location for the drains.



EstimatorXpress

Enter a Worksheet name for this Drain Runs.

Name

Location

- [2] Enter **Extension Drains** as a name for this **Worksheet** and then select **Extension** for location. Click **OK**.

Close Add Column Delete Column Wizard View Resources Resources Filters

Summary Price Book Spec Chart Reports Address Profit Inflation

My Jobs \ Job Summary \ Drain Runs \ Extension Drains - Dims

Description	Units	Quantity	Rate	Amount
Length of drain run	M	10.000		
Width of excavation	M	0.400		
Depth of excavation	M	1.000		
Depth of bedding material	M	0.200		
Depth of pipe cover material	M	0.200		
Depth of concrete protection	M	0.200		
Is excavated spoil used for backfill	Y/N			
No of collars required	No.	2.000		
No of 87.5 degree bends required	No.	-		
No of 45.00 degree bends required	No.	-		
No of 22.5 degree bends required	No.	-		
No of 11.25 degree bends required	No.	-		
No of drainage junctions required	No.	-		
No of rodding accesses required	No.	-		
No of gulleys required	No.	-		
No of back inlet gulleys required	No.	-		
No of pipe adaptors required	No.	-		
No of special pipe fittings	No.	-		
Bulking factor on spot	No.	1.500		

EstimatorXpress® will then transfer you to the **Drain Runs Extension Drains Worksheet Dimensions** screen, where a dialog box will pop up asking you to select a template.

- [3] Click on the **Basic Drain Run with No Fittings** template and click **Select**.

NOTE: If you want to add you own **Drain Run** template in the future, you can use the **Edit** button from this dialog box.

Enter Dimensions Page 1 of 3

Drainage details

Note: Depth of dig is not the same as depth of drain!

0.400

0.200

0.200

0.200

0.6

Back fill material

Concrete pipe protection

Pipe cover material

Pipe bedding

SECTION THROUGH DRAIN RUN

Note: Plant associated with carrying out drainage works should be estimated using the Drainage Plant Workbook.

No Options Available Show Tech Tip Show Tech Labels

Cancel Back Next


- [4] **EstimatorXpress® Dimensions Wizard** will now automatically open up containing a diagram to assist you in entering and confirming dimensions for the **Drains**. By simply making a few changes to these dimensions, a new cost will automatically be calculated.

- [5] Enter the **Width of Excavation** of 0.4  
Press **Enter**.
- [6] Enter the **Depth of Excavation** of 0.6  
Press **Enter**.
- [7] Enter the **Depth of Concrete Protection** of 0.2  
Press **Enter**.
- [8] Enter the **Depth of Pipe Cover Material** of 0.2  
Press **Enter**.
- [9] Enter the **Depth of Bedding Material** of 0.2  
Press **Enter**.



- [10] When you have completed the dimensions for this page, click **Next**.






[11] Enter **Length of Drain Run** 2.000.

[12] Change **Is Excavated Spoil used for Backfill** to a **Y**. Leave the **Bulking Factor** as 1.5.



[13] Click **Next** when you have completed this page.



[14] Now add the fittings required. Change the number of 87.5 degree bends required to 1 and leave the other fittings. They are not required for this short run.

[15] Click **Finish** to return to the **Drain Runs Worksheet** screen showing all the dimensions you have just entered.




[16] Press the **Close** button to return to **Summary of Drain Runs Workbook**.



[17] Now to return back to **Job Summary**, again press the **Close** button. This will automatically save your **Drain Runs Workbook**.

Sheet Name	Remarks	Location	Total Cost	No. of Groups of Items	Comments
Extension Drains		Extension	£ 127.53	1.000	
			£ 127.53		



[18] A dialog box pops up asking if the item (Drain Runs) is now complete. Click **Yes**.

You will now see a final estimate costing for your Drain Runs as part of the overall estimate on screen.

The next item to consider for the drainage is the plant.




## Drainage Plant

This tutorial leads you through estimating drainage plant.

Since the **Plant** required for digging the drain run tends to spend most of its time standing idle, **EstimatorXpress®** allows you to apply your own judgment as to how long the **Plant** will be on site. For example, you may be able to excavate the drains with the digger that is already on site for the other groundworks.

The **Drainage Plant Workbook** is an example of a **Non-Specification Linked Workbook**. It is simply a collection of items of **Plant** and associated time scales that are required to construct the drains. You should review each item to see if they are required and that the quantities and prices are adequate. The **Workbook** includes **Excavator, Shovel, Wheel Barrow, Trench Compactor, Trench Sheets, Trench Props, Pipe Cutter** and **No. of Plant Deliveries**.



- [1] To start estimating your **Drainage Plant** select the **Drainage Plant Workbook** in the **Job Summary** and press the **Open Workbook** button.

You are now transferred to **Summary of Drainage Plant Workbook**.

EstimatorXpress

Enter a Worksheet name for this Drainage Plant.

Name:

Location:

- [2] A dialog box will pop up asking for a name and location for the **Drainage Plant Worksheet**. Enter **Extension Drainage Plant** or similar and select **Extension** for location. Click **OK**.

Summary			
My Jobs \ Job Summary \ Drainage Plant \ Extension Drainage Plant - Dims			
£ 658.80			
Drainage Plant			
Extension Drainage Plant			
Description	Units	Typical plant requirement	
Time required for excavator	Days	2,000	
Time required for shovel	Days	4,000	
Time required for wheel barrow	Days	4,000	
Time required for trench compactor	Days	4,000	
No of trench sheets required	No.	-	
Time required for trench props	Days	-	
No of trench props required	No.	-	
Time required for trench props	Days	-	
Time required for pipe cutter	Days	4,000	
Time required for other sundry plant	Days	-	
Deliveries and collections of plant	No.	4,000	
Dimension Calculations			
Resources			
Excavator for drains	Days	2,000	Total Quantity Description
Shovel for drains	Days	4,000	2.00 JCB 3CX Excavator & Driver (8hr. day)
Wheelbarrow for drains	Days	4,000	4.00 Shovel
Trench compactor for drains	Days	4,000	4.00 Wheelbarrow
Trench sheets for drains	Days	4,000	4.00 Trench Rammer Wacker BS45/BS60
Trench props for drains	Days	-	- Trench Sheets
Pipe cutter for drains	Days	4,000	- Trench Props
Other plant for drainage	Days	-	4.00 Disc Cutter 12" Petrol
Deliveries and collections of plant	No.	4,000	- To be defined
			4.00 Delivery (10 to 15 Miles)

**EstimatorXpress®** will then transfer you to the **Drainage Plant Extension Drainage Plant Worksheet** screen, where a dialog box will pop up asking you to select a template.

- [3] Click on the **Typical Plant Requirement** and press **Select**.

**NOTE:** If you want to add you own **Drainage Plant** template in the future, you can use the **Edit** button from this dialog box.



**Plant required for drainage**

Time required for excavator (Days)	0.5
Time required for shovel (Days)	1
Time required for wheel barrow (Days)	1
Time required for trench compactor (Days)	1
No of trench sheets required (No.)	0
Time required for trench sheets (Days)	0
No of trench props required (No.)	0
Time required for trench props (Days)	0
Time required for pipe cutter (Days)	4,000
Time required for other sundry plant (Days)	0
Deliveries and collections of plant (No.)	2

**PLANT REQUIRED FOR DRAINAGE**

No Options Available | Show Tech Tip | Show Tech Labels | Cancel | Back | Finish

EstimatorXpress® **Dimension Wizard** will open up containing a diagram to assist you in entering and confirming the plant required for the **Drainage**.

The suggested durations for plant hire that have already been set up should speed up the estimating process although you will probably find you will not require them all for this small extension.


[4] Enter **Time required for excavator** 0.5 (days).

[5] Enter **Time required for shovel** 1 (day).

[6] Enter **Time required for wheel barrow** 1 (day).


[7] Enter **Time required for trench compactor** 1 (day).

[8] Enter **Deliveries and collections of plant** as 2.



[9] Click **Finish** to return to the **Drainage Runs Worksheet** screen showing all the values you have just modified.

At the moment the standard plant item for excavating drains is set as a JCB. You can change that to a mini-digger using the **Resources Wizard**.



[10] Click the **Resources Wizard** button.

[11] Now change the view from **Materials** to **Labour, Plant, Subcontract & Sundry** by clicking on the drop-down menu at the bottom of the screen.

[12] Now highlight the item **Excavator for Drains** by clicking it with the mouse.

Notice that on the right hand side of the screen **Resource Used** is showing as **JCB 3CX Excavator & Driver**.

[13] Click on the **Resource Used** drop-down and select **Mini-digger & driver (8hr day)** instead.

**Drainage plant and equipment**

Excavator for drains  
Shovel for drains  
Wheelbarrow for drains  
Trench compactor for drains  
Trench sheets for drains  
Trench props for drains  
Pipe cutter for drains  
Other plant for drainage  
Deliveries and collections of plant

**Item Used For:**  
Excavator for drains  
**Select Resource Type:**  
Excavators  
**Resource Used:**  
JCB 3CX Excavator & Driver (8hr. day)  
Hi-Mac & Driver (8hr. Day)  
JCB 3CX Excavator & Driver (8hr. day)  
Mini-digger & driver (8hr. day) |  
Not Required  
To be Defined  
Included in Subcontract  
Included in Tender Pricing


**Total Cost including Wastage:**  
£112.50  
Edit Build Phase & Usage Factor

No Options Available | Labour, Plant, Subcontract & Sundry | Close | Back | Finish



The **Edit Resource** dialog will pop up asking you to confirm that you want to use this new plant item for **Excavating Drains** and that the **Build Phase** is **Drains**.

[14] Click **OK** to confirm.



The **Edit Resource** dialog box contains the following fields and sections:

- Purchase Cost:**
  - Item used for: Excavator for drains
  - Mini Digger & Driver (8hr. day)
  - £200.00 per Day
- Usage:**
  - Usage Units: Days
  - Usage Factor: 1.00000
- Estimate Rate:** £200.00 per Days
- Purchase Quantities:**
  - Quantity: 0.5
  - Wastage: 0.00%
- Build Phase:** Drains
- Cost Summary:**
  - Cost: £100.00
  - Wastage Cost: £0.00
  - Total Cost: £100.00
- Buttons: **OK** and **Cancel**




[15] Click the **Finish** button to close the **Resources Wizard** and automatically save your changes.



[16] Press the **Close** button to return to **Summary of Drainage Plant Workbook**.



[17] Press the **Close** button to return back to **Job Summary** again. This will automatically save your **Drainage Plant Workbook**.



[18] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your **Drainage Plant** as part of the overall estimate on screen.


Now we just need to add a Shallow Access Manhole.



Shallow Access Manhole


This tutorial leads you through the estimating of a shallow access manhole.

The **Shallow Access Manhole Workbook** is a **Non-Specification Linked Workbook**. It is used to calculate the depth of the manhole required as well as all the associated resources based on the dimensions you input. Plant items are added in the **Sundry Items** area because these resources are independent of the dimensions of the **Manhole**.





- [1] To start estimating your **Shallow Access Manhole**, select the **Shallow Access Manhole Workbook** in the **Job Summary** and press the **Open Workbook** button.

You are now transferred to **Summary of Shallow Access Manhole Workbook** where you will see there is already a **Worksheet** called **600 Deep Access Chamber**.




- [2] Firstly, press the **Change Location** button.


- [3] Change the **Location** to **Extension** and click **OK**.



- [4] Now select **600 Deep Access Chamber Worksheet** and press **Open Worksheet** button.




- [5] **EstimatorXpress®** will then transfer you to the **Shallow Access Manhole Worksheet Dimensions** screen. There is only one Template available for estimating **Shallow Access Manholes** so **EstimatorXpress®** will automatically load the dimensions from this standard **Shallow Access Chamber** into the white column of this screen. The dimensions that have already been set up should speed up the estimating process. Because a manhole is usually a very standard size you may find you hardly have to change any of these dimensions.



- [6] To review and modify the standard dimensions, click anywhere on the white column of dimensions and press the **Dims Wizard** button.






- [7] **EstimatorXpress® Dimensions Wizard** will open up a dialog box containing a diagram to assist you in entering and confirming dimensions for the **Manhole**.



- [8] The standard width, depth and concrete base should be fine so unless you want to make any changes here, just click **Next** to continue.



- [9] Again 2 inlet bends and no raising pieces should be OK so unless you want to make any changes here, just click **Next** to continue.




- [10] Finally if you are happy with the volume of concrete to the manhole surround and the suggested number of hours for constructing the manhole, just click **Finish** to return to the **Shallow Access Manhole Worksheet Dimensions** screen where the dimensions you have just seen are now confirmed in the white column.



- [11] Press the **Close** button to return to **Summary of Shallow Access Manhole Workbook**.



- [12] To return back to **Job Summary**, press the **Close** button. This will automatically save your **Shallow Access Manhole Workbook**.



- [13] A dialog box pops up asking if the item is now complete. Click **Yes**.

You will now see a final estimate costing for your Manhole as part of the overall estimate on screen.

**If you wish to stop and close the current estimate:**

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs** screen. Close this screen also using **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button in the top right of screen.





BAR CHART PLANNER




10.00  
Minutes

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®** follow the steps below:

If you wish to start this tutorial having closed **EstimatorXpress®**:

- 1. Press the **My Estimates** button at the top of the **Main Menu** screen.
- 2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
- 3. Press the **Open Estimate** button. You are now ready to start the next tutorial.



You are now going to look at producing **Bar Charts** with **EstimatorXpress®** to help with the planning of your **Job**. In this example, you will schedule the activities involved in building the extension.

As mentioned earlier, the **Job Summary** screen is the control centre for your estimate and from here you can edit the planning **Bar Chart** that you selected when you created your **Job**.

<div><div> Close</div><div> Open</div><div> Add</div><div> Delete</div><div> Recalc</div><div> Save</div><div> Import PlansXpress</div><div> Drawing</div><div> Order Workbooks</div></div>							
<div>SummaryPrice BookSpecChartReportsAddressProfitInflation</div>							
My Jobs \ Job Summary							
Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened	
Brick and Block Cavity Wall		£ 6,271.49		Yes	Completed	14/05/2009 14:13	
Extension Slab		£ 623.17		Yes	Completed	14/05/2009 17:04	
Apex Valley Roof		£ 4,240.88		Yes	Completed	24/05/2009 14:39	
Window		£ 1,159.68		Yes	Completed	21/05/2009 15:32	
Bathroom and Cloaks		£ 399.83			Completed	24/05/2009 13:43	
Typical Panel Doors		£ 401.20		Yes	Completed	24/05/2009 13:09	
Suspended Floor		£ 719.43		Yes	Completed	24/05/2009 13:08	
Structural Opening		£ 797.13		Yes	Completed	20/05/2009 15:49	
Shallow Access Manhole		£ 319.80			Completed	24/05/2009 14:39	
Drainage Plant		£ 207.20			Completed	24/05/2009 14:22	
Drain Runs		£ 127.53			Completed	24/05/2009 14:11	
Subcontract Quotations		£ 2,800.00			Completed	24/05/2009 13:58	
No of Items 12	Sub Total	£ 18,067.36					
	(ex VAT & Profit)						
Remarks							




[1] To begin, click on the **Chart** tab near the top of the screen. This will transfer you to the **Bar Chart Planner** inside your **Job**.






**TIP:** For more information about creating and modifying Bar Charts press Help or press your F1 Key on your keyboard.




**EstimatorXpress®** automatically loads the **Bar Chart** for a **Large Extension** as this is what you selected when you created the **Job**. It is a template **Bar Chart** with suggested durations for this type/size of build. If you decide at any point that this chart is unsuitable for the **Job** you are estimating, you can load a different chart from the **Library of Bar Charts** using the **Library** button.

You will now see on screen a full **Bar Chart** for your extension. On the X-axis, you will see the approximate weekly durations for each phase and on the Y-axis, you will see the **Build Phases** for the extension. Notice that the start date is the start date you entered when you created your **Job**.




**NOTE:** The **Chart** shown above is an example of what a completed **Bar Chart** might look like. It may not be identical to the **Chart** you see on screen.




**TIP:** If the **Chart** contains **Build Phases** which are not relevant to this **Job**, you can use the **Remove Unused Build Phases** button to delete them from the chart. You will need to close the **Edit Bar Chart** tool before you do this (see below).





- [1] The **Edit Bar Chart** tool automatically pops up over the **Bar Chart**. This tool allows you to modify the Start Week and Durations of each Build Phase so that the chart is more in line with how you are going to be working. You can access this tool at any time by pressing the **Edit Bar Chart** button.

**TIP:** If the dialog box obstructs your view of the **Bar Chart** simply click on the bar at the top of the dialog box and with the left mouse button held down; drag the box to one side. When it is in a good position release the mouse button.




**NOTE:** If the Build Phase labels are too small to read simply press **Increase Font Size** button to increase the font. Use **Decrease Font Size** button to decrease the font size if it is too big. You will need to close the **Edit Bar Chart** tool in order to do this.


(With some PCs, Excel automatically hides some of the labels for clarity. Normally however these missing labels will be printed depending on your printer resolution. To check any individual bar description or duration, mouse-over the bar, **EstimatorXpress®** will then show the name and duration of the phase in days.)

- [2] To change the start date of the **Foundations**, select it with the drop down box in the centre of the dialog box.

Currently the start date for **Foundations** is set at week 17 to allow for the phases you have excluded this time.




- [3] To move this phase to week 2, for example, click on the Down Arrow of the Start Week in the dialog box.





[4] You will see on the **Bar Chart** on screen that the **Foundations Phase** has been moved to week 2.





[5] To move all the **Build Phases** after **Foundations** forward by the same duration, press the **Cascade** button.

You will see that all the **Build Phases** following **Foundations** have been brought forward by the same number of weeks.

[6] In the next example, you will increase the duration of a **Build Phase**. First, you must select the phase with the drop down box in the centre of the dialog box.

[7] Scroll down until you find **Brickwork Shell**.


[8] Select **Brickwork Shell** using the mouse.



Currently the duration for **Brickwork Shell** is set at three weeks.


[9] To increase its duration to four weeks click on the Up Arrow of the duration in the dialog box. You can change the duration in weeks and days if you wish.

You will see on the **Bar Chart** on screen that the length of the **Brick Work shell** has increased by one week.



[10] To nudge all the **Build Phases** after **Brickwork** to match the increased duration of the **Brickwork**, (assuming that the next phases cannot occur without the completion of **Brickwork shell**) click the **Cascade** button.

You will see that all the **Build Phases** after **Brickwork shell** are moved back one week. Check the values of each subsequent bar to confirm that you are happy with the result.



[11] When you have finished modifying the chart, click the **Refresh** button to ensure all phases of your chart are on screen.



[12] When finished click the **Close** button on dialog box.





[13] To print the chart, click the **Print** button on the top toolbar.



[14] To exit the **Job Bar Chart** screen to return to the **Job Summary**, click on the **Summary** tab.

**If you wish to stop and close what you have estimated and planned so far:**

1. Press the **Close** button on the top left of the **Job Summary** screen.



2. You are transferred to the **My Jobs**. Close this screen also using the **Close** button.



3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.





## REPORT MANAGER




You are now going to look at producing **Reports** with the **EstimatorXpress® Report Manager** to help with the costing, quoting, planning and management of your **Job**.

If you are starting this tutorial immediately after the previous section, you are in the right place to continue with this tutorial.

If you have joined this tutorial after having closed **EstimatorXpress®**, follow the steps below:

**If you wish to start this tutorial having closed EstimatorXpress®:**

1. Press the **My Estimates** button at the top of the **Main Menu** screen.
2. This will transfer you to **My Jobs**. Click on the **Job** called Mr Phillips or whatever name you chose when you created it.
3. Press the **Open Estimate** button. You are now ready to start the next tutorial.




As mentioned earlier, the **Job Summary** screen is the control centre for your estimate and from here you can view and modify **Reports** for your **Job** - in this example for the extension demonstration.

[1] To begin, click on the **Reports** tab near the top of the **Job Summary** screen to open the **Report Manager** screen.

The screenshot shows the EstimatorXpress software interface. At the top, there is a title bar that says "EstimatorXpress - Job 10: Mr Phillips, Ex". Below the title bar is a menu bar with "EstimatorXpress Toolkit". Under the menu bar is a toolbar with icons for "Close", "Open Workbook", "Add Workbook", "Delete Workbook", "Recalc Estimate", "Save", "Import PlansXpress Drawing", and "Order Workbooks". Below the toolbar is a tabbed interface with tabs for "Summary", "Price Book", "Spec", "Chart", "Reports", "Address", "Profit", and "Inflation". The "Reports" tab is highlighted. Below the tabs is a section titled "My Jobs \ Job Summary". This section contains a table with the following data:

Workbook Name	Remarks	Total Cost	Comments	Linked to Spec?	Complete?	Last opened
Brick and Block Cavity Wall	?	£ 6,271.49		Yes	Completed	24/05/2009 16:02
Extension Slab	?	£ 623.17		Yes	Completed	24/05/2009 16:02





You are transferred to the **Reports Manager**.

On the left of the screen, you will see all of the Reports that are automatically created for your estimate.

PLEASE NOTE: If you are using **EstimatorXpress® Total Toolkit** you will see over 50 **Reports** available for you to view and print to review the output of your estimate including over 20 charts showing graphical breakdowns of profit, cost, price and cashflow by **Workbook, Build Phase, Resource Type** and **Trade** (marked by a pie chart symbol) and over 20 tabular **Reports** including **Sales Price inc. Profit, Materials Task List, Basic Costs, Inflated Costs** and many more (marked by a document symbol) that can be viewed and modified to show as much or as little detail as you require. If you are using **EstimatorXpress® Lite**, you will see a restricted set of these reports and should therefore proceed to step [10] below.


If you are using **EstimatorXpress® Total Toolkit** you will also have access to the **Accounts Export** function and the **Variations** function which allows you to view, amend and resave previously printed **Customer Quotes**. To open and make changes to previous **Quotes**, use the **Previous Quotes** button.



[2] Select the Chart Report called **Cost by Build Phase** and click **Open Report** button.



The **Chart Report** called **Breakdown of Costs by Build Phase** opens showing the breakdown of cost for each build phase as a percentage of the total cost of the **Job**.



- [3] To see this information in monetary terms, click the **Toggle** button on the toolbar.

The **Chart Report** will now display the breakdown in pounds excluding VAT, profit and inflation.




- [4] To print this **Report**, click the **Print** button on the toolbar.



- [5] Click the **Close** button to return to the **Report Manager** screen.

Have a look at any of the other **Chart Reports** available before moving on to the next step.



When you are ready, take a look at the tabular **Reports**:

- [6] Scroll down the screen to find the **Materials Task List Report**.



- [7] Click on the Report and press **Open Report** button.



- [8] You will now see all of the materials required to build the extension that you have estimated alongside the quantity needed inclusive of wastage, costs and their Order by Date.

Order By	Date required	Description	Purch Cost (£)	Purchase Units	Data					
					Quantity required	Wastage	Order Quantity	Item Costs	Wastage Costs	Total Costs
13-Apr-09	08-Jun-09	Cavity Closer 100mm x 3m	£ 30.00	EA	2.00	0.20	2.20	£60.00	£6.00	£66.00
		Insulation Block Standard 440 x 215 x 100mm	£ 12.00	M2	43.08	4.31	47.39	£516.96	£51.70	£568.66
		Rmix Concrete GEN 1 50 - 70mm slump 6m3 (Allowance £80)	£ 80.00	M3	2.16	0.22	2.38	£172.80	£17.28	£190.08
		Flooring Grade Polystyrene Insulation Sheet 2400 x 1200 x 100mm	£ 40.00	SH	2.60	0.26	2.86	£103.82	£10.38	£114.20
		Cavity Tray Gable Abutment	£ 7.50	EA	0.00	0.00	0.00	£0.00	£0.00	£0.00
		Not required	£ -	Unit	6.00	0.00	6.00	£0.00	£0.00	£0.00
		Plastic to Clay Pipe Adapter 110mm	£ 15.00	EA	0.00	0.00	0.00	£0.00	£0.00	£0.00
		Prestressed Concrete Lintel 65 x 100 x 1050mm	£ 6.80	EA	2.00	0.20	2.20	£13.60	£1.36	£14.96
		To be defined	£ -	Unit	0.00	0.00	0.00	£0.00	£0.00	£0.00
		Universal M/H Access Chamber Raising Piece 150mm	£ 26.00	EA	2.00	0.20	2.20	£52.00	£5.20	£57.20
11-May-09	08-Jun-09	Universal M/H Polymer Cover & Frame 345x345mm	£ 62.00	EA	1.00	0.10	1.10	£62.00	£6.20	£68.20
		Brickwork Tie DD140 Type 4 225mm	£ 0.20	EA	141.39	14.14	155.53	£28.28	£2.83	£31.11
		Round Wire Nails Bright 100mm x 25kg	£ 38.00	BX	0.13	0.01	0.14	£4.83	£0.48	£5.32
		Universal M/H Access Chamber Base Unit 215x100mm	£ 62.00	EA	1.00	0.10	1.10	£62.00	£6.20	£68.20
		Clout Nails Galvanised 65mm x 25kg (slating)	£ 54.00	BX	0.00	0.00	0.00	£0.00	£0.00	£0.00
		Half Round Downpipe Saddle Bracket 68mm	£ 1.80	EA	10.00	0.50	10.50	£18.00	£0.90	£18.90
		Natural Slate 400 x 250mm (Each) (Allowance £1.50)	£ 1.50	EA	4.00	0.30	4.30	£6.00	£0.45	£6.45
		Round Wire Nails Bright 100mm x 25kg	£ 38.00	BX	0.25	0.02	0.27	£9.45	£0.94	£10.39
		RSJ 178 x 102 x 19 kg per m	£ 35.00	MT	6.00	0.30	6.30	£210.00	£10.50	£220.50
		Sawn Dry Graded Structural Softwood Treated 47.0 x 125mm	£ 3.80	MT	19.44	1.46	20.90	£73.88	£5.54	£79.43
18-May-09	08-Jun-09	Sawn Dry Graded Structural Softwood Treated 47.0 x 150mm	£ 3.70	MT	82.25	6.17	88.42	£304.32	£22.82	£327.15
		Sawn Dry Graded Structural Softwood Treated 47.0 x 175mm	£ 5.30	MT	5.40	0.41	5.81	£28.62	£2.15	£30.77
		Blue Circle Mastercrete Original Cement 25kg Bag	£ 5.30	EA	2.57	0.26	2.82	£13.60	£1.36	£14.96
		Building Sand Bulk Bag	£ 40.00	EA	0.22	0.02	0.25	£8.95	£0.90	£9.85
		Engineering Brick - Class A Blue 65mm	£ 0.70	EA	81.00	8.10	89.10	£56.70	£5.67	£62.37
		Facing Bricks - Provisional (Allowance £0.40 each)	£ 0.40	Each	40.50	4.05	44.55	£16.20	£1.62	£17.82
		Rmix Concrete GEN 1, 125mm slump 2-3 m3 (Allowance £85)	£ 85.00	M3	0.20	0.02	0.22	£17.21	£1.72	£18.93
		Solid Dense Concrete Block 7N 440 x 215 x 100mm	£ 9.00	M2	6.08	0.61	6.68	£54.68	£5.47	£60.14
		Solid Dense Concrete Coursing Brick 7N 215 x 65 x 100mm	£ 0.60	EA	0.00	0.00	0.00	£0.00	£0.00	£0.00
		Trench Block 440 x 215 x 275mm	£ 40.00	M2	2.03	0.20	2.23	£81.00	£8.10	£89.10
19-May-09	02-Jun-09									

NOTE: To see all data either scroll using scroll bars or use the **View** menu on the menu bar to change the **Zoom** setting. It is normally set at 85% but if you set it to a lower number, more data will fit on your screen.



- [9] If you make changes to the **Report** and you want to restore this data to being sorted by order date, click anywhere in the column labelled **Order By** and press the **Sort by Date** button on the top tool bar.

For more information about changing the appearance of Reports press **Help** or press your **F1** Key on your keyboard



- [10] When finished press the **Close** button to return to **Reports Manager** screen.

If you wish to stop and close what you have estimated and planned so far:

1. Press the **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs**. Close this screen also using the **Close** button.
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press the **Exit** button on the top right of screen.











# PRINTING OUT A CUSTOMER QUOTATION IN MICROSOFT WORD®



15.00  
Minutes

NOTE: You must have Microsoft Word installed on your PC, for this feature to function.



[1] From the **Reports** tab, click on **Word Printouts** button and select **Quote Wizard by Build Phase**. The **Quote Wizard** dialog will pop up.


[2] You can choose what level of information you wish to include in your **Quote** by checking any of the following options:

- No Resources Specified
- Key Resources Specified
- All Resources Specified
- Phase Totals
- Build Phase Pictures
- Sales Price inc. Inflation

If you select **Key Resources** or **All Resources Specified** you can then also choose whether you wish the following items to be included in your **Quote**:

- Customer Friendly Descriptions
- Order Quantities

As you check and uncheck the various options, the sample text relating to **Footings** displayed in the dialog box will change to give you an idea of how the text might look in your finished **Quote**.





**Quote Wizard**

Include with Quote

**Footings**

Construct brick and block footings off prepared foundations.

**Material**

Extension  
Brick and Block Cavity Wall (South Elevation)  
Bricks for use in splash course    Engineering Brick

**Total Cost (Excluding VAT)    £421.15**

☐ No Resources Specified  
☒ Key Resources Specified  
☐ All Resources Specified

☒ Phase Totals  
☒ Build Phase Pictures  
☒ Sales Price Including Inflation  
☒ Customer Friendly Descriptions  
☐ Order Quantities

Letter/Paragraph Text: **Extension**

Show the following phases in my Quote

<input checked="" type="checkbox"/> Brickwork Shell	<input checked="" type="checkbox"/> External Decoration	<input checked="" type="checkbox"/> Internal Decoration	<input checked="" type="checkbox"/> Oversite and s
<input checked="" type="checkbox"/> Completion	<input checked="" type="checkbox"/> First Floor Joists	<input checked="" type="checkbox"/> Internal Fitting Out	<input checked="" type="checkbox"/> Plastering
<input checked="" type="checkbox"/> Drains	<input checked="" type="checkbox"/> Footings	<input checked="" type="checkbox"/> Joinery 1st Fix	<input checked="" type="checkbox"/> Plumb 2nd Fix
<input checked="" type="checkbox"/> Electrician 1st Fix	<input checked="" type="checkbox"/> Foundations	<input checked="" type="checkbox"/> Joinery 2nd Fix	<input checked="" type="checkbox"/> Roof Structure

Resources Display Settings    Resources in Quote    Advanced Options

Preferences    Print    Cancel

- [3] Click on the **More** button to see which **Build Phases** are to be automatically included in the **Quote**. You may wish to uncheck any of them in order to exclude them.



NOTE: The **Advanced Options** button allows you to change what materials are explicitly mentioned in the quote for each individual **Build Phase** e.g. you may wish to exclude screws and fixings from the phase **First Floor Joists** but you would want to include the **Carcassing Timber**.

We recommend you print your **Quote** with the default settings initially and then experiment with them later.



- [4] Click **Print** to generate your **Quote** in Microsoft Word.

**Method of Charging VAT**

Choose your method of charging VAT on your estimate.

☐ VAT Free  
☒ Charge VAT at a set rate over the price including profit:  %  
☐ Charge VAT at a specified value

OK    Cancel

- [5] A dialog box will pop up asking if you wish to include VAT. Enter the rate of VAT you wish to include and click **OK**.

**EstimatorXpress**

Please do not use your computer while the Quote Wizard is running

7%


EstimatorXpress is creating your Customer Quote

The process of creating your **Quote** may take a few moments as **EstimatorXpress®** has to transfer all the data from your estimate into Microsoft Word. A progress bar will appear to show you how much more the **Quote Wizard** has to do before the **Quote** is ready.



**Foundations**


Excavate for foundations using mechanical plant (if required) and cast foundations. Please note that the Building Control Officer will inspect the foundation prior to concreting and may require changes to the foundation depth and construction. Variations for additional excavation, trench support and concrete etc. will be chargeable.



**Total Cost (Excluding VAT) £1,346.78**

**Footings**

Construct brick and block footings off prepared foundations.



**Total Cost (Excluding VAT) £614.98**

**Oversite and slabbing**


Lay and compact sub base on reduced levels. Form concrete slab comprising:



**Total Cost (Excluding VAT) £953.52**

- [6] Microsoft Word will automatically open and load your **Customer Quotation** which you can now edit, save and print as you would any other Word document.

NOTE: **Quotes** are stored in the estimate folder and can be re-opened by using the **Previous Quotes** button from the **Word Documents** menu.



- [7] Click on **EstimatorXpress®** in your Windows taskbar to return to the software.

- [8] To return to the **Job Summary** screen, click on the **Summary** tab.

You are returned to the **Job Summary** screen.

NOTE: You can also click on **Quote Wizard by Workbook** and follow a similar process to create a quote that is broken-down by Workbook rather than Build Phase.



TIP: In future, you may also want to review some of the **Preferences** for your printed quotation.

From the **Quote Wizard** dialog box, press **Preferences** button.

The **Preferences** dialog box will appear. From here you can modify the standard paragraphs of text that will appear in your quote including:

**Opening Paragraph**  
**Closing Paragraph**  
**Build Phase Description**

Plus you can use the **Page Setup** button to tell **EstimatorXpress®** that you want to use your own headed paper or you import your company logo.

You may also want to review **Resource Descriptions**. For example you may not want the Brick Ties to appear in the **Customer Quotation** as "ANSON Stayfix Housing Tie to DD140 Type 4 200mm HRT4200" so you can tell the software to simply substitute **Brick Ties**.

To view product descriptions that may required editing and to give them your choice of name, click the **Non-edited** button.

A dialog contained all full length product descriptions used in your estimate will appear. Click on the product you wish to change and type in a new name. This name will be remembered for future **Quotes**.



1. To close your completed **Job**, press **Close** button on the top left of the **Job Summary** screen.
2. You are transferred to the **My Jobs**. Close this screen also using **Close** button
3. You are now in the **Main Menu** Screen. To close **EstimatorXpress®** press **Exit** button at the top right of screen.



Congratulations on working all the way through the Tutorial! You should now have a good grasp of how **EstimatorXpress®** works. Remember you can refer to the Help system at any time, accessed by clicking the Help button or pressing F1 on your keyboard will provides more details of each screen.



# GLOSSARY

**Accounts Export**

Use this button to export data to QuickBooks® and Builder Books® software packages if you are using **Total Toolkit** edition.

**Adjustment (Within Price Book)**

This is a percentage you may apply to the list price of a resource in the **Price Book** to increase/decrease the price.

**Area Estimator**

See **Workbook** (Area/Volume/Perimeter)

**Bar Chart**

This is a visual planning chart that **EstimatorXpress®** produces in the **Bar Chart Planner**.

**Build Phase**

Build Phases are an important component within the structure of **EstimatorXpress®**, allowing you to manipulate the output in the Report Manager to organise Material deliveries and cashflows etc. Each Estimate is divided into the various phases of work, for example: Brickwork shell, First Fix or Roof Structure. Every item in an Estimate is assigned to a Build Phase to allow you to group together all items required in a particular Build Phase, for example you can group together all materials required to construct the roof structure, by applying the "Roof Structure" filter in the Report Manager. You define the start dates of each Build Phase in the Bar Chart.

**Button Bar (With Reports)**

These are horizontal grey bars, which appear in opened Reports and allow you to modify the Report by dragging the bar to different parts of the screen.

**Cell**

The Screen is divided into a number of rectangular areas called "cells". Coloured cells are "Locked" and cannot be edited. White cells are can be edited by moving the cursor into the cell and editing.

**Code**

This is the manufacturer's code for the described Resource.

**Completed (Within Job Summary)**

Defines whether you regard the estimating in a **Workbook** as having been completed. (Each time you close a **Workbook** you are asked whether the **Workbook** has been completed, and the **Job Summary** marked accordingly).

**Composite Items Estimator**

See **Workbook** (Composite)

**Copy**

This is the function, which allows you to create a duplicate of an existing item having selected it with your mouse, for example, a **Price Book**, **Worksheet** or **Column**.

**Critical**

Critical indicates an item, which you consider to be critical and worthy of close attention during estimating. For example, the cost of nails may not be particularly important but the cost of bricks will probably be regarded as critical.



**Cursor**

The small marker on the screen (often in the shape of a white arrow or white cross) that follows the movement of the mouse and indicates which area of the screen will be affected when you press the mouse button. The cursor changes shape during certain tasks.

**Desktop**

This is the main area of Windows where you can open and manage files. When **EstimatorXpress®** is properly installed, a **EstimatorXpress®** icon should appear on your desktop.

**Dialog Box**

A Dialog Box is a box of information, which "pops up" when various commands have been initiated by you using the various buttons on the Screen. Normally you will be expected to enter information or use the select arrow to choose information in the pull down box on the Dialog Box. Once the information has been entered or selected, press the OK or Cancel button to clear the Dialog Box. While the Dialog Box is on the Screen, no other button pressing or editing can occur.

**Dimensions Section**

This is the section of a **Worksheet** where you may add the dimensions of your building works, (provided you have selected a column from the Library of Templates). Once you have opened a work sheet, within a **Workbook**, press the dimension arrow button to access this area of the screen.

**Discount (Within Price Book)**

This is a percentage applied to the list price of a resource in the **Price Book** to decrease its Purchase Cost.

**Double Click**

Double Clicking accesses some commands without pressing a specific button. The Double Clicking command is assigned to various functions throughout **EstimatorXpress®** and changes as you move through the various Screens e.g. **Open Workbook**. The special Double Clicking function only functions on coloured, locked areas of the screen. In addition to the special functions, Double Clicking will allow you to edit text within cells, which are not locked.

**Drag**

To drag an item first select it with your mouse, next hold the left-hand mouse button down and, with the mouse button still pressed, move the pointer to the desired position, the selected item will then have been "dragged". To drag over some text, select an item of text. Hold the left-hand mouse button down and, with the mouse button still pressed, move the pointer over the desired text. The selected text will change colour, indicating that it has been selected. Release the mouse button once the text has been selected.

**Drop Down Box**

This is a box in which you select an item by clicking on the small down arrow, this opens your options and allows selection of the item with the mouse. You may also have to use the scroll bar on the drop down box to find the item you require.

**Duration Days (Within Bar Chart)**

This is the number of days that you anticipate each phase will take to complete and is calculated by **EstimatorXpress®** from the Duration (Weeks) entry.

**Duration Weeks (Within Bar Chart)**

This is the number of weeks that you anticipate each phase will take to complete.

**Estimate**

This is any complete house/extension/garage/extension/office...



**Estimate Rate**

Estimate Rate is the cost per usage unit. For example, blocks are laid at £5 per m<sup>2</sup>. (£5 is the Estimate rate). The Estimate rate is obtained by Multiplying the Production/ Usage Factor x Purchase Cost.

**Export**

Exporting allows the user to transfer any screen information into a new standard Microsoft Excel file, which can then be opened in Microsoft Excel™. All information is transferred in value or text form without any underlying formulas. All exported sheets are stored in the C:\Program Files\HBXL\EstimatorXpress\Exports folder where C:\Program Files\HBXL\EstimatorXpress is the location where **EstimatorXpress®** was installed.

**Icon**

This is a small picture, which represents something that you can manipulate, such as a folder or a document. When **EstimatorXpress®** is properly installed, a **EstimatorXpress®** icon should appear on your desktop.

**Item Used For**

Item Used For describes the usage of a Resource. E.g. Solid concrete blocks are used below dpc in cavity walls

**Job Description**

This is the description of the **Job** and is added by you when the **Job** is first created.

**Job No.**

This is the number automatically created by **EstimatorXpress®** when an estimate is created and ensures that each estimate has a unique reference.

**Job Reference**

Job Reference is the name provided for the **Estimate** or **Job** (created by the user) combined with the Job No. (Provided automatically by **EstimatorXpress®**).

**Job Summary**

When you create a new Estimate, **EstimatorXpress®** creates a summary of the elements (**Workbooks**) that the estimate contains and presents this information in the **Job Summary** Screen. The **Job Summary** allows you to view the progress of your estimate and provides access to the Profit Margin, Inflation, Bar Chart and Address Screens for the **Job** in hand.

**Job Value**

This is the overall cost of the estimate shown in the **My Jobs** and **Job Summary**. (Excluding Profit).

**Group Of Workbooks**

A Group of **Workbooks** is a list of **Workbooks** grouped together to allow the user to easily select a "check list" of items required in a particular type of **Job** and so speeds up the estimating process. For example, a simple extension estimate **Group Of Workbooks** could include...

Drain Runs **Workbook**, Manholes and Drainage Plant **Workbook**, Cavity Wall Estimator **Workbook**, Block Wall Estimator **Workbook**, Structural opening Estimator **Workbook**, Lean to roof Estimator, House Slab **Workbook**, Perimeter Insulation **Workbook**, Patio Door 2400 **Workbook**, Window Estimator **Workbook**.

The user can create their own **Group Of Workbooks** to reflect the different types of work they carry out. During the estimating process users may also add additional **Workbooks** to the selected **Group Of Workbooks** within the **Job Summary**.



**Locations**

Locations references are used to sort Reports by the position of the element within the Estimate. For example: Dining Room, Garage etc. **EstimatorXpress®** uses locations references for sorting Reports. For example if you had estimated an extension, it would be possible to create a Report, which “picks out” only those **Worksheets** and associated resources, which relate to the Dining Room.

**Locked Cells**

In most windows the Screen is divided into two distinct areas:

Coloured areas: These areas are locked and cannot be edited or typed into by the user.

White areas: The areas are unlocked and can be edited or typed into by the user.

**NOTE that in Report Screens the usual Rules relating to Coloured and White Screen Areas do not apply.**

**Main Menu**

This is the first screen that opens once **EstimatorXpress®** is fully installed.

**Master**

When the label “Master” appears on any summary/library screen, this indicates that the item cannot be modified. You can however copy items marked Master and then modify them.

**My Jobs**

This is the screen where your estimates are listed. You can open your Estimates or create new Estimates from this screen. This screen is accessed from the **Main Menu** by pressing **My Estimates** button.

**Notice or Delivery (Within the Price Book)**

Indicates the number of week’s notice or lead-time that is required to ensure that a particular Resource is available on site.

**Payment Terms**

Payment Terms is the number of weeks allowed by the supplier before payment is due on items supplied or delivered to site on each Resource. The Payment Terms are defined in the **Price Book** when each Resource is created or edited.

**Price Book**

This is a list of Resources which you have available to cost your Estimate. The Resources are split within the **Price Book** into 5 different sections. You may create your own resources or modify details of ones that already exist in **EstimatorXpress®**.

**Production/Usage Factor**

See Usage Factor

**Profit Margin**

Profit margin percentages are initially set “globally” for all new estimates by the user from the **My Settings Menu**. The user can then modify the margins on a **Job-by-Job** basis from the **Job Summary**. NOTE that the Profit Margins are added to each item in the Estimate in the Report Manager only. The calculated costs, which appear in the **Workbooks** and **Job Summary**, are the raw costs exclusive of any profits.

**Project**

A Project is a group of **Estimates**, which are grouped together to give an overall view of a site or an overall view of workload in the Project Manager. (See Project Manager)

**Project Description**

This is simply a label given to a particular Project for identification purposes by you. **EstimatorXpress®** does not use it for sorting.



**Project Manager**

This allows you to merge selected **Jobs** that you have previously estimated with the **EstimatorXpress®** into overall **Bar Charts** and **Reports**. The Project Manager accumulates all estimated costs and the materials, plant, labour required as well as overall cash flow for the selected **Jobs** and projected profit. The **Project Manager** produces the same **Reports** as the **Report Manager** but for several **Jobs** grouped together rather than an individual **Job**. This feature is only available with Total Toolkit edition.

**Project Number**

Project Number is the number automatically created by **EstimatorXpress®** and ensures that each Project has a unique reference.

**Purchase Cost**

Purchase Cost is the purchase cost from the supplier per unit of supply of the Resource, which is defined in the **Price Book** when each Resource is created or edited.

**Purchase Unit**

This is the "unit of supply" of the Resource that is defined in the **Price Book** when each Resource is created or edited. (E.g. Tins, Bags, Each etc.)

**Quick Keys**

In some cases where Quick keys have been assigned to a button, a message on the Status Bar or Tool tip will indicate the Quick key command. For example: Print- (Ctrl P). This indicates that the command button may be selected from the keyboard rather than the mouse by pressing the Control Key together with the appropriate letter.

**Quote Wizard**

Use the **Quote Wizard** from the **Reports Manager** screen to create **Customer Quotations** in Microsoft Word.

**Report Manager**

This combines the previously created Estimate and Bar Chart to produce Reports such as Material Schedules, Cash Flow, Overall Job Costs and Profit Forecast.

**Resource**

Resources are Labour, Materials, Plant, Subcontractor and Sundry Items. **EstimatorXpress®** uses resource references for sorting Reports and in the **Price Book**. This enables the user to produce a Report, which for example details all the Materials costs for a Project. You cannot create additional Resource *categories*, but are able to create additional Resources in the **Price Book** either from the **Main Menu** or during the course of an Estimate.

**Resources Section**

This is the section of a **Worksheet** where all the materials, plant and labour for a part element of a build are listed. For example, the resources section of a Cavity Wall **Worksheet** would include bricks, brick ties, cement and bricklayers.

**Row**

A horizontal collection of cells/information on screen.

**Screen Shot**

A picture showing all or part of the computer screen.

**Scroll Bars**

Scroll Bars are located at the bottom and side of each Screen and allow you to move the viewed area of the Screen. To use the Scroll Bar place the arrow on the scroll bar button and drag the button to move the Screen. Alternatively, click either side of the button or click on the arrows at the top and bottom of the scroll bar.



**Sheet Name**

This is the name of the **Worksheet** and is created by you or provided when the original **Workbook** was created.

**Sort**

This allows you to arrange data alphanumerically in A-Z order, date order, Build Phase order and others using specific sorting buttons.

**Specification**

The **Specification** defines the materials that make up the main fabric of a particular type of house. For example, the type of bricks, the type of roof tiles and the typical joist sizes.

**Status Bar**

The Status Bar appears at the bottom of the Screen and is used to display information about what **EstimatorXpress®** is doing during automatic routines.

**Sundry Item**

Diverse items required to build a house/ extension...that are not specifically related to the dimensions input into an estimate **Workbook**.

**Sundry Items Area**

The area in which you add sundry items to your estimate in a **Workbook**. The items are always unrelated to any automatic calculations carried out by **EstimatorXpress®**.

**Suppliers**

The organisation/ persons who provide you with your materials/plant/labour/subcontract.

**Toolbar**

A series of shortcut buttons that provide quick access to commands. Usually situated at the top and bottom of the screen.

**Tool Tip**

This is a Help feature that displays the function of a button when you move your cursor over a button.

**Total Cost (Job Summary)**

This is the estimated finished cost of a particular **Workbook** (Excluding Profit).

**Total Order Quantity**

This is the total order required, expressed in purchase units, as distinct from usage units.

**Type**

Type is a category, which is defined to enable you to sort similar items into groups. You may use the predefined types or create your own using the button on the **Main Menu**. (Opportunities to create new types and other sort references also occur in many Dialog Boxes). For example, the Type "Carcassing timber" includes all the various types of sawn timber.

**Unit of Supply**

These are the units that the supplier chooses to supply his Resource in. (NOTE that once a resource has been created the Units of Supply cannot be changed. If you wish to source the resource in different Units of Supply, you must create a new resource. This is to guard against the problem of the user modifying the units whilst considering one **Specification** or **Workbook** and taking into account that it may well affect other **Specifications** or **Workbooks**).



**Unlocked**

In most windows the Screen is divided into two distinct areas:

Coloured areas: These areas are locked and cannot be edited or typed into by you.

White areas: The areas are unlocked and can be edited or typed into by you.

**NOTE that in Report Screens the usual Rules relating to Coloured and White Screen Areas do not apply.**

**Usage Factor**

Production / Usage Factor is the factor which is applied to the purchase cost to convert the purchase cost to the "Estimate Rate". For example if the Bricklayer paid £8.00 per hour and the Estimate Rate for bedding a coping is £2.00, then the usage factor would be 0.25. Thus Cost for bedding the coping is £8.00 \* 0.25 = £2.00.

**Usage Factor Calculator**

When you are editing resources in a **Worksheet** or **Specification**, the **Usage Factor Calculator** can help you work out the correct **Usage Factor** to input.

**Usage Units**

These are the units that you actually use a resource in. For example, paint will be purchased in "purchase units" of 5 litre tins, but will be used to paint areas in m<sup>2</sup>, which is the "usage unit".

**Variations**

If you are using Total Toolkit edition, it is possible to create and save **Variations** to previously created **Customer Quotes**.

**VAT Codes**

VAT % is the rate of VAT defined by you when the Resource was created or modified by the user in **Price Book**.

**Wastage Cost**

This is the cost of the Wastage based on the Wastage Factor defined in the **Price Book**.

**Wastage Factor**

This is the wastage allowance (percentage) on each Resource that is defined in the **Price Book** when each Resource is created or edited.

**Workbook**

Within each Estimate, you must select the elements of work or **Workbooks** that you need to estimate. For example, there will be a **Workbook** for Cavity Walls, Block Walls, Roofs and Bathrooms... An estimate will therefore contain numerous **Workbooks**. Each **Workbook** can also contain several **Worksheets**.

**Workbook (Area/Volume/Linear)**

The **Area**, **Perimeter** and **Volume Workbooks**, are used to estimate quantities and list resources for elements of the build which have **not** been defined in the **Specification**. (Note that the items defined in the **Specification** deal with the main fabric of the house such as the walls, roofs, studding etc). The **Area**, **Perimeter** and **Volume Workbooks**, are similar to the **Composite Items Workbooks** in that they are lists of resources that go to make up the above elements of the build. However, unlike the **Composite Items Workbooks** they are linked to a calculation tool provided with **EstimatorXpress®**, which works out the area, length and volume of different shapes and multiplies the unit costs by the calculated areas. These workbooks are provided so that the user can easily create their own calculators based on area, length and volume.

**Workbook (Non-Specification Linked)**

The **Non-Specification Linked Workbooks** are linked to a range of calculators provided within **EstimatorXpress®**, and provide a variety of complex calculations for items such as as, manholes, fencing, patios, chimneys, plaster patching and other renovation items.



**Workbook (Specification Linked)**

The fully **Specification Linked Workbooks**, which include Cavity Walls, Block Walls and Apex Roofs carry out the detailed and complex calculations. For example, the roof **Workbooks** will, with just a few basic dimensions, calculate all of the roof geometry, working out rafter lengths, roof areas, gutter requirements etc. and then estimate all the labour and materials required. The fully **Specification Linked Workbooks** are **linked** to the **Specification**, and automatically “look up” the standard Material and labour resources defined in the **Specification**.

**Workbook (Composite)**

Composite item **Workbooks** such as Bathrooms, Kitchens and Staircases are simply a list of resources that go to make up that element of the build and are not dependant on you inputting dimensions.

For example, a Bathroom **Workbook** could contain several **Worksheets**... one for each bathroom in a house. Each **Worksheet** could contains the various fittings required for each bathroom

**Worksheet**

Each **Workbook** can contain several **Worksheets**. For example, you may wish to estimate two different types of cavity walls in one **Job** such as front cavity wall in stone and rear cavity wall in brick. You would then need a separate **Worksheet** for the Rear **Brick** Walls and a separate sheet for the Front **Stone** Faced Walls in a house reflecting the different materials used in the walls. Both of these **Worksheets** will be estimated with the Cavity Wall **Workbook**.

**Zoom**

**EstimatorXpress®** allows you to predefine the amount of information viewable at any time by modifying the Zoom setting. The Zoom may be modified permanently by using the Zoom option in the View Menu on the Menu Bar.



# ESTIMATORXPRESS® TERMS & CONDITIONS

The software contained in this package is supplied on the terms and conditions of the software licence contained in the enclosed manual. The supply of this package is conditional upon you reading and accepting the terms and conditions of the licence. If you do not accept the terms and conditions you must not install or use the software and return the software, together with documentation and all packaging in good condition, to the supplier within 7 days.

## Licence Agreement

Please note that this copy of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite only entitles the user to use the package on one computer in accordance with the Licence terms detailed below in these notes. This licence agreement applies to all versions of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite from time to time.

EstimatorXpress® Total ToolKit and EstimatorXpress® Lite.  
Copyright House Builder XL Limited (HBXL)

All rights reserved. No part of this publication may be reproduced in any form without the written permission of House Builder XL Limited

This publication contains information, which is confidential to House Builder XL Limited, and all copyright, trademarks and other intellectual property rights of the EstimatorXpress® Total Toolkit and EstimatorXpress® Lite software and this manual are the exclusive property of HBXL Limited.

You have received a single user copy of EstimatorXpress®, which entitles you to place the software on one personal computer only, from the date of registration.

You should contact House Builder XL Limited for any other arrangements:

House Builder XL Limited  
3 Portland Square  
Pritchard Street  
Bristol  
BS2 8RH

Current telephone, fax and email contact details are available at [www.hbxl.co.uk](http://www.hbxl.co.uk)

EstimatorXpress® Total Toolkit or EstimatorXpress® Lite

Microsoft Excel, Microsoft Word and Windows are trademarks of Microsoft Corp

## Registration

All users must register their software online with [www.hbxl.co.uk](http://www.hbxl.co.uk) as indicated on loading the software. No support will be provided unless the software has been properly registered.

## Annual Charges

The Initial Licence of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite entitles the user to use of the software on the terms described in this Licence from the initial date of registration.

In order to receive the Price Tracker service\*, unlimited telephone and email technical support and software upgrades, users must subscribe to EstimatorXpress® Total Toolkit or EstimatorXpress® Lite Support & Updates. Support will only be provided with a valid Support & Updates subscription. On each and every anniversary of the initial EstimatorXpress® Total Toolkit or EstimatorXpress® Lite Support & Updates subscription, a renewal fee will become due entitling the user to the Price Tracker

EstimatorXpress® Tutorial



service\*, unlimited telephone and email technical support and all software upgrades for a further period of 12 months from the renewal date.

Should the user advise HBXL, prior to the anniversary date of the renewal of their Support & Updates subscription, that they do not wish to renew their Support & Updates subscription, then no further renewal fees will be due, and the user's access to the Price Tracker service\*, telephone and email technical support and all software upgrades will cease on the anniversary of the payment of the last subscription.

\*Price Tracker connects EstimatorXpress® to circa 450 key building materials and prices via [www.hbxi.co.uk](http://www.hbxi.co.uk). Optional links to selected merchant products & prices via [www.hbxi.co.uk](http://www.hbxi.co.uk) (where available from time to time) are a chargeable annual service on top of your Support & Updates subscription.

#### Technical support

Technical support for EstimatorXpress® Total Toolkit and EstimatorXpress® Lite is available upon software registration by E-mail via [support@hbxi.co.uk](mailto:support@hbxi.co.uk) or by telephone on 0845 1234 085 with a valid EstimatorXpress® Total Toolkit or EstimatorXpress® Lite Support & Updates subscription. Please also view our website [www.hbxi.co.uk](http://www.hbxi.co.uk) for further information on telephone technical support options and training.

Telephone support is normally provided between the hours of 9:00am and 5:30 pm Monday through to Friday (excluding Bank and other public holidays). The Company will use its reasonable endeavours to deal with telephone enquiries as soon as possible.

Technical support shall not include the diagnosis and rectification of any fault resulting from the improper use operation or neglect of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite, the modification of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite or its merger (in whole or in part) with any other unauthorised software, the failure of you to implement upgrades or recommendations in respect of all solutions to faults previously advised by the Company, any repair adjustment alteration or modification of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite by any person other than the Company without the Company's prior written consent, any breach by you of any of your obligations under this Licence or the use of EstimatorXpress® Total Toolkit or EstimatorXpress® Lite for a purpose for which it was not designed.

#### Licence

Unless otherwise stated on the CD-ROM, disk or invoice, you have acquired a single user licence, which means that you must only install on one PC only. House Builder XL Limited hereby grant you a non-exclusive non-transferable licence to use EstimatorXpress® Total Toolkit or EstimatorXpress® Lite on the terms and conditions herein contained. This licence is personal to you or your company and you may not assign part with or sub let or grant any right or interest in this licence to any other party. You may not copy or alter EstimatorXpress® Total Toolkit or EstimatorXpress® Lite or transfer it into any other medium. You may not alter, decompile, reverse engineer, disassemble or reverse translate or in any other way derive any source code from EstimatorXpress® Total Toolkit or EstimatorXpress® Lite. This single user licence for EstimatorXpress® Total Toolkit or EstimatorXpress® Lite is for your personal use only and you may not under any circumstances use this to provide third parties with estimates. House Builder XL Limited reserve the right to withdraw use of the software should users be in breach of this licence condition at any time at their absolute discretion.

#### Limited Warranty

The Limited Warranty is included in the cost of the software. House Builder XL Limited, (The Company) warrants that EstimatorXpress® Total Toolkit and EstimatorXpress® Lite will perform substantially in accordance with the accompanying written materials for a period of ninety (90) days from the date of receipt.

EstimatorXpress® Total Toolkit or EstimatorXpress® Lite are products in a range available from the Company and whilst the Company makes every reasonable effort to ensure that their products are compatible and will interface with each other, no warranty is given in this respect and by accepting this licence in EstimatorXpress® Total Toolkit or EstimatorXpress® Lite it is on the basis that its functionality will only be as a stand alone product.



#### Customer Remedies

The Company and its suppliers entire liability and your exclusive remedy shall be, at The Company's option, either (a) return of the price paid, or (b) repair or replacement of EstimatorXpress® Total Toolkit and EstimatorXpress® Lite that does not meet this Limited Warranty and which is returned to The Company with a copy of the receipt. This Limited Warranty is void if failure has resulted from accident, abuse or misapplication. Any replacement software will be warranted for the remainder of the original warranty period or thirty (30) days, whichever is longer.

#### No Other Warranties

To the maximum extent permitted by applicable law, The Company and its suppliers disclaim all other representations, warranties, conditions or other terms, either expressed or implied, including, but not limited to implied warranties and/or conditions of merchantability and fitness for a particular purpose, with regard to EstimatorXpress® Total Toolkit and EstimatorXpress® Lite, and any accompanying written materials. This Limited Warranty gives you specific legal rights.

#### Limitations of Liability

YOUR ATTENTION IS IN PARTICULAR DRAWN TO THESE PROVISIONS FOR LIMITATIONS OF LIABILITY.

EstimatorXpress® is a specialist software product for use by professionals and as such users should apply their professional skill and judgement in assessing outcomes from the application of EstimatorXpress® to a project and the Company accepts no liability with regard to errors or omissions that would be reasonably foreseeable to such a user.

Notwithstanding any other provision of these terms and to the maximum extent permitted by applicable law, in no event shall The Company or its suppliers be liable for any damages whatsoever (including without limitation, direct or indirect damages for personal injury, loss of business profits, business interruption, loss of goodwill, loss of business information, pecuniary loss, special, incidental or consequential loss) arising out of the use of failure of or inability to use this product, even if The Company has been advised of such damages. In any case, The Company and its supplier's entire liability under any provision of this agreement shall be limited to the amount actually paid by you for the software or £1,000,000 (being the extent of or the Company's insurance cover) whichever is the lesser.

Nothing in these terms shall limit the Company's liability for death or personal injury caused by the Company or any of its employees' or agents' negligence.

The Company gives no warranty or service level commitment as regards technical support notwithstanding the generality of the above provisions.

#### Entire Agreement

This is the only and entire agreement between you and House Builder XL Limited in relation to EstimatorXpress® Total Toolkit and EstimatorXpress® Lite. It cannot and shall not be capable of modification unless in writing and signed by you and an authorised officer of House Builder XL Limited

#### Governing Law

This Agreement shall be governed by and construed in all respects in accordance with the laws of England and Wales and the parties submit to the exclusive jurisdiction of the English Courts.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission in writing from HBXL.